

MORE THAN 70 YEARS OF EXCELLENCE

Since 1946, Piper Industries, Inc. has dedicated itself to service, quality and performance in the design and manufacturing of precision Fittings and Hydraulic Adapters. Sizes of adapters range from 1/8 inch to 2-1/2 inches. Types of fittings include SAE/JIC 37 degree flared, O'Ring, pipe, swivel, bulkhead, hose barb, flange, metric, brazed tube and highpressure flat faced O'Ring fittings. All fittings are available in a wide selection of shapes and sizes: elbows, tees, crosses, connectors, nipples, plugs and caps. All adapters are designed to the latest SAE specifications.

Piper Industries, Inc. also has a wide range of jump size fittings, compound fittings, special manifolds and valves. Our special manifolds and fittings greatly reduce the potential for leaks by eliminating numerous unnecessary joints, reducing production and field problems.

If you are currently "assembling" a fitting anywhere in your production process, we can reduce your inventory and purchase costs, as well as save you labor time and reduce field problems. We would be pleased to assist you in this process – call, fax, or email us today.

-MAIN PLANT-

15930 Common Road PO Box 41 Roseville, MI 48066 800-521-1002 * 586-771-5100 Fax: 586-771-5100 <u>sales@piperindustries.com</u> piperindustries.com



All sizes are indicated in graduations of sixteenths of an inch according to the outside diameter of the tubing with which it will be mated. For example: 1/2 inch O.D. Tube is equal to 8/16 of an inch or a -8 size.

Pipe Thread is also indicated by sixteenths, both Male and Female. For example: 1/2 NPTF is equal to 8/16 NPTF or a -8 size.


When ordering fittings, first use the series number, followed by Size A then Size B, etc. For example: 190-08-08


All Non-Standard Adapters may be engineered for your convenience by a qualified representative upon request.

We are always most willing to assist our many customers.

The following chart was designed to assist in the ordering of a standard adapter with an additional fitting incorporated for your need. The chart and examples below will provide you with the necessary information.

- 1. F.P. Female Pipe
- 2. M.P. Male Pipe
- 3. F.O.B. Female O'Ring Boss
- 4. M.F. 37 Degree J.I.C. Flare
- 5. H.B. Hose Barb







INDEX DESCRIPTION PAGE **37 DEGREE TUBE FITTINGS** MALE CONNECTOR 1 MALE CONNECTOR 2 MALE CONNECTOR LONG 3 100XL MALE CONNECTOR EXTRA LONG 3 MALE RUN TEE 4 MALE BRANCH TEE 5 CROSS-BRANCH STYLE-FLARE TO PIPE 6

110	CROSS-DRAINCHTSTTLE-FLARE TO FIFE	6
141	CROSS-RUN STYLE-FLARE TO PIPE	7
145	45 DEGREE MALE ELBOW	8
190	90 DEGREE MALE ELBOW	9
190L	90 DEGREE LONG MALE ELBOW	10
190XL	90 DEGREE EXTRA LONG MALE ELBOW	10
190XXL	90 DEGREE EXTRA EXTRA LONG MALE ELBOW	11
200	FEMALE CONNECTOR	12
220	FEMALE RUN TEE	13
221	MALE FLARE-FEMALE PIPE-FEMALE PIPE-RUN TEE	14
230	FEMALE BRANCH TEE	15
231	MALE FLARE-FEMALE PIPE BRANCH TEE	16
240	FLARE-FEMALE PIPE CROSS	17
241	FLARE-FEMALE PIPE CROSS	18
245	45 DEGREE ELBOW MALE FLARE-FEMALE PIPE	19
290	90 DEGREE FEMALE ELBOW	20
300	MALE PIPE-FEMALE O'RING BOSS ADAPTER	21
340	MALE O'RING BOSS-FEMALE O'RING BOSS REDUCER	22
360	MALE O'RING BOSS-FEMALE PIPE CONNECTOR	23
380	MALE O'RING BOSS-MALE PIPE ADAPTER	24
400SH	UNION	24
410LH	LARGE HEX UNION	25
430	UNION TEE	26
440	FLARE-FLARE CROSS	27
445	45 DEGREE UNION ELBOW	28
490	90 DEGREE UNION ELBOW	28
500	37 DEGREE FLARE PLUG	29
510	O'RING PLUG	29
515	HEXAGON SOCKET PLUG	30
520	37 DEGREE FEMALE CAP	30
530	TUBE END REDUCER	31

100

100

100L

120

130

140



<u>SERIES</u>	DESCRIPTION	PAGE
530I	TUBE END INSERT REDUCER	32
600	STRAIGHT MALE O'RING-FEMALE 37 DEGREE SWIVEL	32
605	FEMALE PIPE-FEMALE 37 DEGREE SWIVEL	33
610	STRAIGHT MALE PIPE-FEMALE 37 DEGREE SWIVEL	33
620	SWIVEL RUN TEE	34
630	SWIVEL BRANCH TEE	35
645	45 DEGREE SWIVEL ELBOW	36
660	90 DEGREE SWIVEL ADAPTER	37
690	90 DEGREE SWIVEL ELBOW	38
700	STRAIGHT THREAD CONNECTOR	39
700	STRAIGHT THREAD CONNECTOR	40
700XL	STRAIGHT THREAD CONNECTOR EXTRA LONG	41
705	STRAIGHT THREAD UNION	41
720	STRAIGHT THREAD RUN TEE	42
730	STRAIGHT THREAD BRANCH TEE	43
740	90 DEGREE ELBOW-FEMALE O.R.BMALE ADJUSTABLE O.R.B.	44
745	45 DEGREE STRAIGHT THREAD ELBOW	45
760	90 DEGREE FEMALE ADJUSTABLE ADAPTER	46
760XL	90 DEGREE EXTRA LONG FEMALE ADJUSTABLE ADAPTER	47
780	90 DEGREE MALE ADJUSTABLE ADAPTER	47
790	90 DEGREE STRAIGHT THREAD ELBOW	48
790	90 DEGREE STRAIGHT THREAD ELBOW	49
790L	90 DEGREE LONG STRAIGHT THREAD ELBOW	50
790XL	90 DEGREE EXTRA LONG STRAIGHT THREAD ELBOW	50
790XXL	90 DEGREE EXTRA EXTRA LONG STRAIGHT THREAD ELBOW	51
800	STRAIGHT THREAD HOSE CONNECTOR	52
820	RUN TEE STRAIGHT THREAD HOSE CONNECTOR	53
830	BRANCH TEE STRAIGHT THREAD HOSE CONNECTOR	54
845	45 DEGREE STRAIGHT THREAD HOSE CONNECTOR	55
890	90 DEGREE STRAIGHT THREAD HOSE CONNECTOR	56
900	MALE PIPE HOSE CONNECTOR	57
920	RUN TEE MALE PIPE-HOSE CONNECTOR	58
930	BRANCH TEE MALE PIPE-HOSE CONNECTOR	59
945	45 DEGREE MALE PIPE HOSE CONNECTOR	60
990	90 DEGREE MALE PIPE HOSE CONNECTOR	61
1000	BULKHEAD UNION	62



<u>SERIES</u>	DESCRIPTION	PAGE
1020	BULKHEAD RUN TEE	63
1030	BULKHEAD BRANCH TEE	64
1045	45 DEGREE BULKHEAD ELBOW	65
1090	90 DEGREE BULKHEAD ELBOW	65
	PIPE FITTINGS	
1100	MALE PIPE PLUG	66
1110	PIPE-PIPE MALE ADAPTER	67
1120	PIPE-PIPE REDUCER	68
1120C	COMPACT REDUCER BUSHING	69
1130	MALE PIPE TEE	70
1140	MALE PIPE CROSS	71
1145	45 DEGREE MALE PIPE ELBOW	72
1150	HEXAGON PIPE NIPPLE	73
1190	90 DEGREE MALE PIPE ELBOW	74
1220	PIPE RUN TEE	75
1221	MALE PIPE-FEMALE PIPE RUN TEE	76
1230	PIPE BRANCH TEE	77
1231	MALE PIPE-FEMALE PIPE BRANCH TEE	78
1240	MALE PIPE-FEMALE PIPE CROSS	79
1241	MALE PIPE-FEMALE PIPE CROSS	80
1245	45 DEGREE STREET ELBOW	81
1290	90 DEGREE STREET ELBOW	82
1290C	90 DEGREE DOT ELBOW	83
1300	HEXAGON PIPE COUPLER	83
1330	FEMALE PIPE TEE	84
1340	FEMALE PIPE CROSS	85
1345	45 DEGREE FEMALE ELBOW	86
1390	90 DEGREE FEMALE PIPE ELBOW	86
1400	STRAIGHT ADAPTER UNION	87
1430	TEE ADAPTER UNION	88
1445	45 DEGREE ADAPTER UNION	89
1490	90 DEGREE ADAPTER UNION	90
1490C	90 DEGREE ADAPTER UNION COMPACT	91
1490L	90 DEGREE ADAPTER UNION LONG	91
1490XL	90 DEGREE ADAPTER UNION EXTRA LONG	92
1500	FEMALE ADAPTER UNION	92
1530	TEE ADAPTER UNION	93
1545	45 DEGREE ADAPTER UNION	94



SERIES	DESCRIPTION	PAGE
1590	90 DEGREE ADAPTER UNION	95
1630	ADAPTER UNION TEE	96
1700	STRAIGHT THREAD UNION ADAPTER	97
1745	STRAIGHT THREAD 45 DEGREE UNION ADAPTER	98
1790	STRAIGHT THREAD 90 DEGREE UNION ADAPTER	99
1801	TUBE NUT	100
1802	TUBE SLEEVE	100
1804	ADJUSTABLE LOCKNUT	101
1805	BULKHEAD LOCKNUT	101
1806	FLANGE	102
1920	PIPE BRANCH TEE	103
1921	FLARE-PIPE RUN TEE	104
1923	MALE PIPE-FEMALE PIPE RUN TEE	105
1924	MALE FLARE-FEMALE PIPE RUN TEE	106
1925	MALE FLARE-MALE PIPE RUN TEE	107
1926	MALE FLARE-MALE PIPE BRANCH TEE	108
2010	FEMALE PIPE BULKHEAD	109
2020	MALE PIPE BULKHEAD	109
2590	90 DEGREE MALE PIPE-SWIVEL-CHECK VALVE	110
2690	90 DEGREE ADJUSTABLE STRAIGHT THREAD-SWIVEL-CHECK VALVE	111
2790	90 DEGREE PIPE SWIVEL MALE TUBE	112
2890	90 DEGREE PIPE SWIVEL MALE PIPE	113
2990	90 DEGREE SWIVEL PIPE ELBOW	113
3090	90 DEGREE MALE FLARE-MALE O'RING SWIVEL	114
3630	FEMALE J.I.C. SWIVEL TEE	115
7145	45 DEGREE ELBOW N.W.ON.W.O.	116
7190	90 DEGREE ELBOW N.W.ON.W.O.	117
7245	45 DEGREE ELBOW FEMALE J.I.C. SWIVEL-N.W.O.	118
7290	90 DEGREE ELBOW FEMALE J.I.C. SWIVEL-N.W.O.	119
7330	FEMALE STRAIGHT THREAD O'RING PORT TEE	120
7390	90 DEGREE FEMALE O'RING PORT ELBOW	121
7420	STRAIGHT THREAD O'RING PORT RUN TEE	122
7430	STRAIGHT THREAD BRANCH TEE	123
7845	45 DEGREE MALE PIPE-STRAIGHT THREAD ELBOW	124
9230	HOSE BARB TEE	125



SERIES	DESCRIPTION	PAGE
	<i>45 DEGREE FLARE AUTOMOTIVE TUBE FITTINGS</i>	
AF-100	MALE CONNECTOR	126
AF-100 AF-145	45 DEGREE MALE ELBOW	120
AF-145 AF-190	MALE 90 DEGREE ELBOW	127
AF-190 AF-200	FEMALE CONNECTOR	120
AF-200 AF-290	90 DEGREE FEMALE ELBOW	129
AF-290 AF-400SH	JUDEGREE FEMALE ELBOW	130
AF-4005H AF-790	90 DEGREE STRAIGHT THREAD ELBOW	131
AF-790	BRAZE FITTINGS	152
B-4100	BRAZE TUBE UNION	133
B-4100 B-4120	BRAZE TUBE TEE	133
В-4120 В-4130	BRAZE TUBE TEE	134
B-4130 B-4135	BRAZE TUBE TEE	135
B-4135 B-4190	BRAZE 10BE TEE BRAZE 90 DEGREE TUBE ELBOW	130
B-5100	BRAZE BULKHEAD UNION	137
B-5100 B-5190	BRAZE 90 DEGREE BULKHEAD ELBOW	137
B-6000	BRAZE MALE O'RING UNION	130
B-6100	BRAZE MALE PIPE UNION	140
B-6130	BRAZE MALE PIPE TEE	141
B-6190	BRAZE MALE PIPE ELBOW	142
B-7000	BRAZE NPSM SWIVEL ADAPTER	142
B-7130	BRAZE NPSM SWIVEL TEE	143
B-7190	BRAZE NPSM SWIVEL ELBOW	144
B-8000	BRAZE FEMALE J.I.C. SWIVEL ADAPTER	145
B-8190	BRAZE 90 DEGREE FEMALE J.I.C. SWIVEL ELBOW	146
B-9100	BRAZE FEMALE PIPE ADAPTER	147
B-9130	BRAZE FEMALE TEE	148
B-9190	BRAZE FEMALE O'RING BOSS 90 DEGREE ELBOW	149
	FLARELESS FITTINGS	
FL-100	FLARELESS MALE CONNECTOR	150
FL-120	FLARELESS MALE RUN TEE	151
FL-130	FLARELESS MALE BRANCH TEE	152
FL-145	FLARELESS 45 DEGREE MALE ELBOW	153
FL-190	FLARELESS 90 DEGREE MALE ELBOW	154
FL-200	FLARELESS FEMALE CONNECTOR	155
FL-220	FLARELESS FEMALE RUN TEE	156
FL-230	FLARELESS FEMALE BRANCH TEE	157



182

<u>SERIES</u>	DESCRIPTION	PAGE
FL-290	FLARELESS 90 DEGREE FEMALE ELBOW	158
FL-400SH	FLARELESS UNION	159
FL-410LH	FLARELESS LARGE HEX UNION	160
FL-430	FLARELESS UNION TEE	161
FL-440	FLARELESS UNION CROSS	162
FL-490	FLARELESS 90 DEGREE UNION ELBOW	163
FL-510	FLARELESS HEX HEAD O'RING PLUG	164
FL-520	FLARELESS CAP	164
FL-700	FLARELESS STRAIGHT THREAD O'RING MALE CONNECTOR	165
FL-720	FLARELESS STRAIGHT THREAD O'RING RUN TEE	166
FL-730	FLARELESS STRAIGHT THREAD O'RING BRANCH TEE	167
FL-745	FLARELESS STRAIGHT THREAD O'RING 45 DEGREE ELBOW	168
FL-790	FLARELESS 90 DEGREE STRAIGHT THREAD O'RING ELBOW	169
FL-1000	FLARELESS BULKHEAD UNION	170
FL-1801	FLARELESS NUT	171
FL-1802	FLARELESS FERRULE	171
FL-1805	FLARELESS BULKHEAD NUT	172
	CYLINDER FITTINGS	
SW-100	STUD WELD FITTING STRAIGHT MALE FLARE TO STUD	173
SW-190	STUD WELD FITTING 90 DEGREE MALE FLARE TO STUD	174
SW-190L	STUD WELD FITTING 90 DEGREE LONG MALE FLARE TO STUD	174
SW-200	STUD WELD FITTING STRAIGHT FEMALE O'RING PORT TO STUD	175
SW-290	STUD WELD FITTING 90 DEGREE FEMALE O'RING BOSS TO STUD	176
	ENGINEERING INFORMATION	
TABLE	FEMALE PIPE THREAD	177
TABLE	J.I.C37 DEGREE-SAE FLARE	178
TABLE	MALE O'RING BOSS	179
TABLE	ADJUSTABLE STRAIGHT THREAD	180
TABLE	FEMALE O'RING BOSS	181

MALE PIPE THREAD


TABLE



MALE CONNECTOR (070102)


PART NO. O.D. THREAD A THREAD B DIM D						
	and the second se	No. of Concession, Statement of Concession, Statement	and the second se			
100-02-02	0.13	5/16-24	1/8-27	1.11		
100-03-02	0.19	3/8-24	1/8-27	1.14		
100-04-02	0.25	7/16-20	1/8-27	1.22		
100-04-04	0.25	7/16-20	1/4-18	1.42		
100-04-06	0.25	7/16-20	3/8-18	1.42		
100-04-08	0.25	7/16-20	1/2-14	1.68		
100-05-02	0.31	1/2-20	1/8-27	1.22		
100-05-04	0.31	1/2-20	1/4-18	1.42		
100-05-06	0.31	1/2-20	3/8-18	1.37		
100-05-08	0.31	1/2-20	1/2-14	1.67		
100-06-02	0.38	9/16-18	1/8-27	1.24		
100-06-04	0.38	9/16-18	1/4-18	1.43		
100-06-06	0.38	9/16-18	3/8-18	1.43		
100-06-08	0.38	9/16-18	1/2-14	1.69		
100-06-12	0.38	9/16-18	3/4-14	1.75		
100-08-02	0.50	3/4-16	1/8-27	1.34		
100-08-04	0.50	3/4-16	1/4-18	1.53		
100-08-06	0.50	3/4-16	3/8-18	1.53		
100-08-08	0.50	3/4-16	1/2-14	1.79		
100-08-12	0.50	3/4-16	3/4-14	1.85		
100-08-16	0.50	3/4-16	1-111/2	2.05		
100-10-04	0.63	7/8-14	1/4-18	1.69		
100-10-06	0.63	7/8-14	3/8-18	1.70		
100-10-08	0.63	7/8-14	1/2-14	1.88		
100-10-12	0.63	7/8-14	3/4-14	1.95		
100-10-16	0.63	7/8-14	1-11 1/2	2.15		
100-12-06	0.75	1 1/16-12	3/8-18	1.76		
100-12-08	0.75	1 1/16-12	1/2-14	2.06		
100-12-12	0.75	1 1/16-12	3/4-14	2.06		
100-12-16	0.75	1 1/16-12	1-11 1/2	2.25		
100-12-20	0.75	1 1/16-12	1 1/4-11 1/2	2.37		
100-12-24	0.75	1 1/16-12	1 1/2-11 1/2	2.46		

37 DEGREE TUBE FITTINGS <u>100 SERIES</u>





100 SERIES



THREAD B

MALE CONNECTOR (070102)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
100-14-08	0.88	1 3/16-12	1/2-14	2.09
100-14-12	0.88	1 3/16-12	3/4-14	2.09
100-14-16	0.88	1 3/16-12	1-11 1/2	2.27
100-16-08	1.00	1 5/16-12	1/2-14	2.11
100-16-12	1.00	1 5/16-12	3/4-14	2.11
100-16-16	1.00	1 5/16-12	1-11 1/2	2.30
100-16-20	1.00	1 5/16-12	1 1/4-11 1/2	2.40
100-16-24	1.00	1 5/16-12	1 1/2-11 1/2	2.51
100-20-12	1.25	1 5/8-12	3/4-14	2.20
100-20-16	1.25	1 5/8-12	1-11 1/2	2.42
100-20-20	1.25	1 5/8-12	1 1/4-11 1/2	2.45
100-20-24	1.25	1 5/8-12	1 1/2-11 1/2	2.55
100-24-16	1.50	1 7/8-12	1-11 1/2	2.62
100-24-20	1.50	1 7/8-12	1 1/4-11 1/2	2.64
100-24-24	1.50	1 7/8-12	1 1/2-11 1/2	2.68
100-24-32	1.50	1 7/8-12	2-11 1/2	2.86
100-32-16	2.00	2 1/2-12	1-11 1/2	3.02
100-32-20	2.00	2 1/2-12	1 1/4-11 1/2	3.05
100-32-24	2.00	2 1/2-12	1 1/2-11 1/2	3.08
100-32-32	2.00	2 1/2-12	2-11 1/2	3.10
100-40-40	2.50	3-12	2 1/2-8	3.37



MALE CONNECTOR LONG (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>
100L-04-02	0.25	7/16-20	1/8-27	1.81
100L-05-02	0.31	1/2-20	1/8-27	1.93
100L-06-04	0.38	9/16-18	1/4-18	2.25
100L-08-06	0.50	3/4-16	3/8-18	2.75
100L-10-08	0.63	7/8-14	1/2-14	3.12
100L-12-12	0.75	1 1/16-12	3/4-14	3.50
100L-14-12	0.88	1 3/16-12	3/4-14	3.75
100L-16-16	1.00	1 5/16-12	1-11 1/2	4.00
100L-20-20	1.25	1 5/8-12	1 1/4-11 1/2	4.50
100L-24-24	1.50	1 7/8-12	1 1/2-11 1/2	4.88
100L-32-32	2.00	2 1/2-12	2-11 1/2	5.62

100L SERIES




DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

MALE CONNECTOR EXTRA LONG (NON STANDARD)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>
100XL-04-02	0.25	7/16-20	1/8-27	2.56
100XL-05-02	0.31	1/2-20	1/8-27	2.81
100XL-06-04	0.38	9/16-18	1/4-18	3.25
100XL-08-06	0.50	3/4-16	3/8-18	4.00
100XL-10-08	0.63	7/8-14	1/2-14	4.37
100XL-12-12	0.75	1 1/16-12	3/4-14	5.00
100XL-14-12	0.88	1 3/16-12	3/4-14	5.37
100XL-16-16	1.00	1 5/16-12	1-11 1/2	5.75

100XL SERIES





120 SERIES




MALE RUN TEE (070424)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
120-04-04-02	0.25	7/16-20	7/16-20	1/8-27	0.89	0.89	1.67
120-04-04-04	0.25	7/16-20	7/16-20	1/4-18	0.95	0.95	2.04
120-05-05-02	0.31	1/2-20	1/2-20	1/8-27	0.95	0.95	1.73
120-05-05-04	0.31	1/2-20	1/2-20	1/4-18	1.05	1.05	2.14
120-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.06	1.06	2.15
120-06-06-06	0.38	9/16-18	9/16-18	3/8-18	1.14	1.14	2.36
120-06-06-08	0.38	9/16-18	9/16-18	1/2-14	1.22	1.22	2.70
120-08-06-06	0.50	3/4-16	9/16-18	3/8-18	1.25	1.14	2.47
120-08-06-08	0.50	3/4-16	9/16-18	1/2-14	1.25	1.22	2.72
120-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.25	1.25	2.47
120-08-08-08	0.50	3/4-16	3/4-16	1/2-14	1.31	1.31	2.78
120-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.45	1.45	2.92
120-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.66	1.66	3.25
120-14-14-12	0.88	1 3/16-12	1 3/16-12	3/4-14	1.73	1.73	3.42
120-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1.81	1.81	3.78
120-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	2.06	2.06	4.44
120-24-24-24	1.50	1 7/8-12	1 7/8-12	1 1/2-11 1/2	2.33	2.33	4.97
120-32-32-32	2.00	2 1/2-12	2 1/2-12	2-11 1/2	3.06	3.06	6.06



130 SERIES




MALE BRANCH TEE (070425)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
130-03-03-02	0.18	3/8-24	3/8-24	1/8-27	0.83	0.72	1.68
130-04-04-02	0.25	7/16-20	7/16-20	1/8-27	0.89	0.78	1.78
130-04-04-04	0.25	7/16-20	7/16-20	1/4-18	0.95	1.09	1.90
130-04-04-06	0.25	7/16-20	7/16-20	3/8-18	1.05	1.22	2.10
130-05-05-02	0.31	1/2-20	1/2-20	1/8-27	0.95	0.78	1.90
130-05-05-04	0.31	1/2-20	1/2-20	1/4-18	0.98	1.09	1.96
130-06-06-02	0.38	9/16-18	9/16-18	1/8-27	1.06	0.90	2.12
130-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.06	1.09	2.12
130-06-06-06	0.38	9/16-18	9/16-18	3/8-18	1.15	1.21	2.30
130-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.25	1.22	2.50
130-08-08-08	0.50	3/4-16	3/4-16	1/2-14	1.31	1.46	2.62
130-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.45	1.47	2.90
130-12-12-08	0.75	1 1/16-12	1 1/16-12	1/2-14	1.33	1.47	2.66
130-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.66	1.59	3.32
130-14-14-12	0.88	1 3/16-12	1 3/16-12	3/4-14	1.73	1.68	3.46
130-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1.81	1.97	3.62
130-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	2.06	2.38	4.12
130-24-24-24	1.50	1 7/8-12	1 7/8-12	1 1/2-11 1/2	2.33	2.64	4.66
130-32-32-32	2.00	2 1/2-12	2 1/2-12	2-11 1/2	3.06	3.00	6.12



140 SERIES




CROSS-BRANCH STYLE-FLARE TO PIPE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	THREAD D	<u>DIM E</u>	DIM F
140-04-04-02-02	0.25	7/16-20	7/16-20	1/8-27	1/8-27	0.89	0.78
140-06-06-04-04	0.38	9/16-18	9/16-18	1/4-18	1/4-18	1.06	1.09
140-08-08-06-06	0.50	3/4-16	3/4-16	3/8-18	3/8-18	1.25	1.22
140-10-10-08-08	0.63	7/8-14	7/8-14	1/2-14	1/2-14	1.45	1.47
140-12-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	3/4-14	1.66	1.59
140-16-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1-11 1/2	1.81	1.97
140-20-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	2.06	2.38



141 SERIES




CROSS-RUN STYLE-FLARE TO PIPE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	THREAD D	<u>DIM E</u>	DIMF	DIMG
141-06-06-06-04	0.38	9/16-18	9/16-18	9/16-18	1/4-18	1.06	1.06	1.09
141-06-06-06-06	0.38	9/16-18	9/16-18	9/16-18	3/8-18	1.14	1.14	1.22
141-08-08-08-06	0.50	3/4-16	3/4-16	3/4-16	3/8-18	1.25	1.25	1.22
141-10-10-10-08	0.63	7/8-14	7/8-14	7/8-14	1/2-14	1.45	1.45	1.47
141-12-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	3/4-14	1.66	1.66	1.59
141-16-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1-11 1/2	1.81	1.81	1.97



45 DEGREE MALE ELBOW

145 SERIES




		(07	0302)		
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
145-03-02	0.19	3/8-24	1/8-27	0.66	0.52
145-04-02	0.25	7/16-20	1/8-27	0.72	0.64
145-04-04	0.25	7/16-20	1/4-18	0.82	0.86
145-04-06	0.25	7/16-20	3/8-18	0.82	0.95
145-05-02	0.31	1/2-20	1/8-27	0.77	0.64
145-05-04	0.31	1/2-20	1/4-18	0.82	0.86
145-06-02	0.38	9/16-18	1/8-27	0.83	0.67
145-06-04	0.38	9/16-18	1/4-18	0.83	0.86
145-06-06	0.38	9/16-18	3/8-18	0.87	0.95
145-06-08	0.38	9/16-18	1/2-14	0.88	1.17
145-08-04	0.50	3/4-16	1/4-18	0.98	0.95
145-08-06	0.50	3/4-16	3/8-18	0.98	0.95
145-08-08	0.50	3/4-16	1/2-14	0.99	1.17
145-08-12	0.50	3/4-16	3/4-14	1.04	1.20
145-10-06	0.63	7/8-14	3/8-18	1.11	0.98
145-10-08	0.63	7/8-14	1/2-14	1.11	1.17
145-10-12	0.63	7/8-14	3/4-14	1.16	1.20
145-12-08	0.75	1 1/16-12	1/2-14	1.28	1.20
145-12-12	0.75	1 1/16-12	3/4-14	1.28	1.20
145-12-16	0.75	1 1/16-12	1-11 1/2	1.42	1.48
145-14-12	0.88	1 3/16-12	3/4-14	1.39	1.27
145-16-12	1.00	1 5/16-12	3/4-14	1.47	1.29
145-16-16	1.00	1 5/16-12	1-11 1/2	1.47	1.48
145-16-20	1.00	1 5/16-12	1 1/4-11 1/2	1.54	1.67
145-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1.59	1.67
145-24-24	1.50	1 7/8-12	1 1/2-11 1/2	1.78	1.77
145-32-32	2.00	2 1/2-12	2-11 1/2	2.22	2.11
145-40-40	2.50	3-12	2 1/2-8	1.89	2.78
145-48-48	3.00	3 1/2-12	3-8	2.05	2.94



90 DEGREE MALE ELBOW

190 SERIES

		(070	202)		
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
190-03-02	0.19	3/8-24	1/8-27	0.83	0.72
190-04-02	0.25	7/16-20	1/8-27	0.89	0.78
190-04-04	0.25	7/16-20	1/4-18	0.96	1.09
190-04-06	0.25	7/16-20	3/8-18	1.05	1.22
190-04-08	0.25	7/16-20	1/2-14	1.10	1.47
190-05-02	0.31	1/2-20	1/8-27	0.95	0.78
190-05-04	0.31	1/2-20	1/4-18	1.05	1.09
190-05-06	0.31	1/2-20	3/8-18	1.06	1.22
190-06-02	0.38	9/16-18	1/8-27	1.06	0.90
190-06-04	0.38	9/16-18	1/4-18	1.06	1.09
190-06-06	0.38	9/16-18	3/8-18	1.14	1.22
190-06-08	0.38	9/16-18	1/2-14	1.22	1.47
190-06-12	0.38	9/16-18	3/4-14	1.33	1.59
190-08-04	0.50	3/4-16	1/4-18	1.25	1.22
190-08-06	0.50	3/4-16	3/8-18	1.25	1.22
190-08-08	0.50	3/4-16	1/2-14	1.33	1.47
190-08-12	0.50	3/4-16	3/4-14	1.42	1.59
190-10-06	0.63	7/8-14	3/8-18	1.45	1.28
190-10-08	0.63	7/8-14	1/2-14	1.45	1.47
190-10-12	0.63	7/8-14	3/4-14	1.54	1.59
190-12-08	0.75	1 1/16-12	1/2-14	1.66	1.59
190-12-12	0.75	1 1/16-12	3/4-14	1.66	1.59
190-12-16	0.75	1 1/16-12	1-11 1/2	1.76	1.97
190-14-12	0.88	1 3/16-12	3/4-14	1.80	1.69
190-16-08	1.00	1 5/16-12	1/2-14	1.81	1.68
190-16-12	1.00	1 5/16-12	3/4-14	1.81	1.78
190-16-16	1.00	1 5/16-12	1-11 1/2	1.81	1.97
190-16-20	1.00	1 5/16-12	1 1/4-11 1/2	2.01	2.38
190-20-16	1.25	1 5/8-12	1-11 1/2	2.06	2.35
190-20-20	1.25	1 5/8-12	1 1/4-11 1/2	2.06	2.38
190-20-24	1.25	1 5/8-12	1 1/2-11 1/2	2.18	2.64
190-24-20	1.50	1 7/8-12	1 1/4-11 1/2	2.32	2.50
190-24-24	1.50	1 7/8-12	1 1/2-11 1/2	2.33	2.64
190-32-24	2.00	2 1/2-12	1 1/2-11 1/2	3.06	3.00
190-32-32	2.00	2 1/2-12	2-11 1/2	3.06	3.00
190-40-40	2.50	3-12	2 1/2-8	306.00	3.39
DESIGN AND DIMENS	ION SUBJECT	TO CHANGE WITHOUT NO	TICE.		





190L SERIES

90 DEGREE LONG MALE ELBOW (071502)

THREAD B

PART NO.	<u>O.D.</u>	THREAD	A	<u>THREAD B</u>	<u>DIM C</u>	DIM D
190L-04-02	0.25	7/16-2	20	1/8-27	0.89	1.17
190L-04-04	0.25	7/16-2	20	1/4-18	0.95	1.57
190L-05-02	0.31	1/2-2	20	1/8-27	0.95	1.17
190L-05-04	0.31	1/2-2	20	1/4-18	0.95	1.54
190L-06-04	0.38	9/16-2	18	1/4-18	1.06	1.58
190L-06-06	0.38	9/16-2	18	3/8-18	1.15	1.82
190L-08-06	0.50	3/4-1	16	3/8-18	1.25	1.82
190L-08-08	0.50	3/4-1	16	1/2-14	1.31	2.17
190L-08-12	0.50	3/4-1	16	3/4-14	1.40	2.43
190L-10-08	0.63	7/8-1	4	1/2-14	1.45	2.17
190L-12-12	0.75	1 1/16-	12	3/4-14	1.66	2.44
190L-14-12	0.88	1 3/16-2	12	3/4-14	1.80	2.59
190L-16-16	1.00	1 5/16-2	12	1-11 1/2	1.81	3.01
190L-20-20	1.25	1 5/8-2	12 1	1/4-11 1/2	2.06	3.69
190L-24-24	1.50	1 7/8-2	12 1	1/2-11 1/2	2.33	4.10

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

190XL SERIES

THREAD A

THREAD B


90 DEGREE EXTRA LONG MALE ELBOW

(071602)

	PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>
	190XL-04-02	0.25	7/16-20	1/8-27	0.89	1.56
	190XL-04-04	0.25	7/16-20	1/4-18	0.96	2.07
	190XL-05-02	0.31	1/2-20	1/8-27	0.95	1.63
4	190XL-05-04	0.31	1/2-20	1/4-18	0.95	2.03
	190XL-06-04	0.38	9/16-18	1/4-18	1.06	2.07
D	190XL-06-06	0.38	9/16-18	3/8-18	1.14	2.39
	190XL-08-06	0.50	3/4-16	3/8-18	1.25	2.42
	190XL-08-08	0.50	3/4-16	1/2-14	1.31	2.87
•	190XL-10-08	0.63	7/8-14	1/2-14	1.45	2.87
	190XL-12-08	0.75	1 1/16-12	1/2-14	1.66	2.93
	190XL-12-12	0.75	1 1/16-12	3/4-14	1.66	3.28
	190XL-14-12	0.88	1 3/16-12	3/4-14	1.73	3.62
	190XL-16-16	1.00	1 5/16-12	1-11 1/2	1.81	4.05
	190XL-20-20	1.25	1 5/8-12	1 1/4-11 1/2	2.06	5.00
	190XL-24-24	1.50	1 7/8-12	1 1/2-11 1/2	2.33	5.55



190XXL SERIES



90 DEGREE EXTRA EXTRA LONG MALE ELBOW


(NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
190XXL-04-02	0.25	7/16-20	1/8-27	0.89	2.31
190XXL-06-04	0.38	9/16-18	1/4-18	1.06	3.06
190XXL-08-06	0.50	3/4-16	3/8-18	1.25	3.75
190XXL-10-08	0.63	7/8-14	1/2-14	1.45	4.50
190XXL-12-12	0.75	1 1/16-12	3/4-14	1.65	5.03
190XXL-16-16	1.00	1 5/16-12	1-11 1/2	1.81	6.34
190XXL-20-20	1.25	1 5/8-12	1 1/4-11 1/2	2.06	7.34



200 SERIES


FEMALE CONNECTOR



-			(0	70103)		
	PART NO.	<u>O.D.</u>	PORT SIZE	THREAD A	THREAD B	DIM C
	200-04-02	0.25	0.13	7/16-20	1/8-27	1.19
	200-04-04	0.25	0.25	7/16-20	1/4-18	1.39
	200-05-02	0.31	0.13	1/2-20	1/8-27	1.17
	200-05-04	0.31	0.25	1/2-20	1/4-18	1.39
	200-06-04	0.38	0.25	9/16-18	1/4-18	1.40
	200-06-06	0.38	0.38	9/16-18	3/8-18	1.47
в	200-08-06	0.50	0.38	3/4-16	3/8-18	1.56
	200-08-08	0.50	0.50	3/4-16	1/2-14	1.78
	200-10-06	0.63	0.38	7/8-14	3/8-18	1.67
	200-10-08	0.63	0.50	7/8-14	1/2-14	1.89
	200-12-08	0.75	0.50	1 1/16-12	1/2-14	2.06
	200-12-12	0.75	0.75	1 1/16-12	3/4-14	2.06
	200-12-16	0.75	1.00	1 1/16-12	1-11 1/2	2.30
	200-14-12	0.88	0.75	1 3/16-12	3/4-14	2.06
	200-16-16	1.00	1.00	1 5/16-12	1-11 1/2	2.35
	200-20-20	1.25	1.25	1 5/8-12	1 1/4-11 1/2	2.49
	200-24-24	1.50	1.50	1 7/8-12	1 1/2-11 1/2	2.62
	200-32-32	2.00	2.00	2 1/2-12	2-11 1/2	2.96



220 SERIES




FEMALE RUN TEE

(070426)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
220-04-04-02	0.25	7/16-20	7/16-20	1/8-27	1.08	1.08	1.74
220-04-04-04	0.25	7/16-20	7/16-20	1/4-18	1.14	1.14	2.01
220-05-05-02	0.31	1/2-20	1/2-20	1/8-27	1.07	1.07	1.72
220-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.23	1.23	2.11
220-06-06-06	0.38	9/16-18	9/16-18	3/8-18	1.30	1.30	2.37
220-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.42	1.42	2.44
220-08-08-08	0.50	3/4-16	3/4-16	1/2-14	1.54	1.54	2.77
220-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.64	1.64	2.87
220-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.89	1.89	3.25
220-14-14-12	0.88	1 3/16-12	1 3/16-12	3/4-14	1.86	1.86	3.28
220-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	2.17	2.17	3.79
220-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	2.33	2.33	4.03
220-24-24-24	1.50	1 7/8-12	1 7/8-12	1 1/2-11 1/2	2.89	2.89	4.97
220-32-32-32	2.00	2 1/2-12	2 1/2-12	2-11 1/2	3.30	3.30	5.69



221 SERIES




MALE FLARE-FEMALE PIPE-FEMALE PIPE-RUN TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	<u>DIM D</u>	DIM E	DIM F
221-04-02-02	0.25	7/16-20	1/8-27	1/8-27	1.08	0.66	1.74
221-06-04-04	0.38	9/16-18	1/4-18	1/4-18	1.23	0.88	2.11
221-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.42	1.02	2.44
221-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.64	1.23	2.87
221-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	1.89	1.36	3.25
221-16-16-16	1.00	1 5/16-12	1-11 1/2	1-11 1/2	2.17	1.62	3.79
221-20-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	2.33	1.70	4.03
221-24-24-24	1.50	1 7/8-12	1 1/2-11 1/2	1 1/2-11 1/2	2.89	2.08	4.97



230 SERIES




FEMALE BRANCH TEE

(070427)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
230-04-04-02	0.25	7/16-20	7/16-20	1/8-27	1.08	1.08	0.65
230-04-04-04	0.25	7/16-20	7/16-20	1/4-18	1.13	1.13	0.87
230-05-05-02	0.31	1/2-20	1/2-20	1/8-27	1.08	1.08	0.65
230-05-05-04	0.31	1/2-20	1/2-20	1/4-18	1.13	1.13	0.88
230-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.23	1.23	0.88
230-06-06-06	0.38	9/16-18	9/16-18	3/8-18	1.30	1.30	1.07
230-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.42	1.42	1.01
230-08-08-08	0.50	3/4-16	3/4-16	1/2-14	1.54	1.54	1.23
230-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.64	1.64	1.23
230-10-10-12	0.63	7/8-14	7/8-14	3/4-14	1.70	1.70	1.36
230-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.89	1.89	1.36
230-12-12-16	0.75	1 1/16-12	1 1/16-12	1-11 1/2	1.89	1.89	1.89
230-14-14-12	0.88	1 3/16-12	1 3/16-12	3/4-14	1.85	1.85	1.42
230-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	2.17	2.17	1.62
230-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	2.33	2.33	1.70
230-24-24-24	1.50	1 7/8-12	1 7/8-12	1 1/2-11 1/2	2.89	2.89	2.07
230-32-32-32	2.00	2 1/2-12	2 1/2-12	2-11 1/2	3.30	3.30	2.39




231 SERIES



MALE FLARE-FEMALE PIPE BRANCH TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
231-04-02-02	0.25	7/16-20	1/8-27	1/8-27	0.66	1.08	1.32
231-06-04-04	0.38	9/16-18	1/4-18	1/4-18	0.88	1.23	1.76
231-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.02	1.42	2.04
231-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.23	1.64	2.46
231-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	1.36	1.89	2.72
231-16-16-16	1.00	1 5/16-12	1-11 1/2	1-11 1/2	1.62	2.17	3.24
231-20-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	1.70	2.33	3.40
231-24-24-24	1.50	1 7/8-12	1 1/2-11 1/2	1 1/2-11 1/2	2.08	2.89	4.16






FLARE-FEMALE PIPE CROSS (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	THREAD D	<u>DIM E</u>	DIM F
240-04-02-02	0.25	7/16-20	7/16-20	1/8-27	1/8-27	1.08	0.66
240-06-06-04-04	0.38	9/16-18	9/16-18	1/4-18	1/4-18	1.23	0.88
240-08-08-06-06	0.50	3/4-16	3/4-16	3/8-18	3/8-18	1.42	1.02
240-10-10-08-08	0.63	7/8-14	7/8-14	1/2-14	1/2-14	1.64	1.23
240-12-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	3/4-14	1.89	1.36
240-16-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1-11 1/2	2.17	1.62
240-20-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	2.33	1.70






FLARE-FEMALE PIPE CROSS (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	THREAD D	DIM E	DIM F	DIM G
241-04-02-02-02	0.25	7/16-20	1/8-27	1/8-27	1/8-27	1.08	0.66	1.74
241-06-04-04-04	0.38	9/16-18	1/4-18	1/4-18	1/4-18	1.23	0.88	2.11
241-08-06-06-06	0.50	3/4-16	3/8-18	3/8-18	3/8-18	1.42	1.02	2.44
241-10-08-08-08	0.63	7/8-14	1/2-14	1/2-14	1/2-14	1.64	1.23	2.87
241-12-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	3/4-14	1.89	1.36	3.25
241-16-16-16-16	1.00	1 5/16-12	1-11 1/2	1-11 1/2	1-11 1/2	2.17	1.62	3.79
241-20-20-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	2.33	1.70	4.03
241-24-24-24-24	1.50	1 7/8-12	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	2.89	2.08	4.97



245 SERIES




45 DEGREE ELBOW MALE FLARE-FEMALE PIPE (NON STANDARD)

PART NO.	<u>O.D.</u>	PORT SIZE	THREAD A	THREAD B	<u>DIM C</u>	DIM D
245-06-04	0.38	0.25	9/16-18	1/4-18	1.02	0.65
245-08-06	0.50	0.38	3/4-16	3/8-18	1.13	0.72
245-10-08	0.63	0.50	7/8-14	1/2-14	1.19	0.99
245-12-12	0.75	0.75	1 1/16-12	3/4-14	1.49	0.97
245-16-16	1.00	1.00	1 5/16-12	1-11 1/2	1.78	1.22
245-20-20	1.25	1.25	1 5/8-12	1 1/4-11 1/2	1.97	1.38



290 SERIES




90 DEGREE FEMALE ELBOW (070203)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
290-04-02	0.25	7/16-20	1/8-27	1.07	0.65
290-04-04	0.25	7/16-20	1/4-18	1.14	0.87
290-04-06	0.25	7/16-20	3/8-18	1.12	1.02
290-05-02	0.31	1/2-20	1/8-27	1.07	0.65
290-05-04	0.31	1/2-20	1/4-18	1.13	0.88
290-06-02	0.38	9/16-18	1/8-27	1.23	0.66
290-06-04	0.38	9/16-18	1/4-18	1.23	0.87
290-06-06	0.38	9/16-18	3/8-18	1.30	1.07
290-08-04	0.50	3/4-16	1/4-18	1.42	0.95
290-08-06	0.50	3/4-16	3/8-18	1.42	1.01
290-08-08	0.50	3/4-16	1/2-14	1.54	1.23
290-08-12	0.50	3/4-16	3/4-14	1.54	1.36
290-10-08	0.63	7/8-14	1/2-14	1.64	1.23
290-12-08	0.75	1 1/16-12	1/2-14	1.89	1.35
290-12-12	0.75	1 1/16-12	3/4-14	1.89	1.35
290-14-12	0.88	1 3/16-12	3/4-14	1.85	1.42
290-16-12	1.00	1 5/16-12	3/4-14	2.05	1.36
290-16-16	1.00	1 5/16-12	1-11 1/2	2.17	1.62
290-20-20	1.25	1 5/8-12	1 1/4-11 1/2	2.32	1.70
290-24-24	1.50	1 7/8-12	1 1/2-11 1/2	2.89	2.07
290-32-32	2.00	2 1/2-12	2-11 1/2	3.29	2.39



300 SERIES



MALE PIPE-FEMALE O'RING BOSS ADAPTER (NON STANDARD)

PART NO.	<u>O.D.</u>	PORT SIZE	THREAD A	THREAD B	DIM C
300-02-04	0.13	0.25	1/8-27	7/16-20	1.37
300-02-05	0.13	0.31	1/8-27	1/2-20	1.37
300-04-04	0.25	0.25	1/4-18	7/16-20	1.55
300-04-06	0.25	0.38	1/4-18	9/16-18	1.55
300-06-06	0.38	0.38	3/8-18	9/16-18	1.40
300-06-08	0.38	0.50	3/8-18	3/4-16	1.50
300-08-06	0.50	0.38	1/2-14	9/16-18	1.74
300-08-08	0.50	0.50	1/2-14	3/4-16	1.58
300-08-10	0.50	0.63	1/2-14	7/8-14	1.81
300-12-12	0.75	0.75	3/4-14	1 1/16-12	1.97
300-12-14	0.75	0.88	3/4-14	1 3/16-12	2.03
300-16-16	1.00	1.00	1-11 1/2	1 5/16-12	2.16
300-20-20	1.25	1.25	1 1/4-11 1/2	1 5/8-12	2.25
300-24-24	1.50	1.50	1 1/2-11 1/2	1 7/8-12	2.28
300-32-32	2.00	2.00	2-11 1/2	2 1/2-12	2.31



340 SERIES

PART NO.

O.D.


MALE O'RING BOSS-FEMALE O'RING BOSS REDUCER (NON STANDARD)

THREAD A

THREAD B

DIM C

PORT SIZE




340-04-04	0.25	0.25	7/16-20	7/16-20	1.06
340-04-06	0.25	0.38	7/16-20	9/16-18	1.16
340-05-04	0.31	0.25	1/2-20	7/16-20	1.06
340-06-04	0.38	0.25	9/16-18	7/16-20	1.03
340-06-06	0.38	0.38	9/16-18	9/16-18	1.02
340-06-08	0.38	0.50	9/16-18	3/4-16	1.30
340-08-04	0.50	0.25	3/4-16	7/16-20	0.80
340-08-06	0.50	0.38	3/4-16	9/16-18	1.14
340-08-08	0.50	0.50	3/4-16	3/4-16	1.25
340-08-10	0.50	0.63	3/4-16	7/8-14	1.56
340-10-04	0.63	0.25	7/8-14	7/16-20	1.22
340-10-06	0.63	0.38	7/8-14	9/16-18	1.25
340-10-08	0.63	0.50	7/8-14	3/4-16	1.31
340-10-10	0.63	0.63	7/8-14	7/8-14	1.35
340-10-12	0.63	0.75	7/8-14	1 1/16-12	1.31
340-12-04	0.75	0.25	1 1/16-12	7/16-20	1.00
340-12-06	0.75	0.38	1 1/16-12	9/16-18	1.00
340-12-08	0.75	0.50	1 1/16-12	3/4-16	1.41
340-12-10	0.75	0.63	1 1/16-12	7/8-14	1.56
340-12-14	0.75	0.88	1 1/16-12	1 3/16-12	1.80
340-12-16	0.75	1.00	1 1/16-12	1 5/16-12	1.91
340-14-06	0.88	0.38	1 3/16-12	9/16-18	1.09
340-14-10	0.88	0.63	1 3/16-12	7/8-14	1.59
340-14-12	0.88	0.75	1 3/16-12	1 1/16-12	1.59
340-16-06	1.00	0.38	1 5/16-12	9/16-18	1.00
340-16-08	1.00	0.50	1 5/16-12	3/4-16	1.00
340-16-10	1.00	0.63	1 5/16-12	7/8-14	1.47
340-16-12	1.00	0.75	1 5/16-12	1 1/16-12	1.59
340-16-14	1.00	0.88	1 5/16-12	1 3/16-12	1.70
340-16-16	1.00	1.00	1 5/16-12	1 5/16-12	1.78
340-16-20	1.00	1.25	1 5/16-12	1 5/8-12	1.89
340-20-06	1.25	0.38	1 5/8-12	9/16-18	1.20
340-20-10	1.25	0.63	1 5/8-12	7/8-14	1.20
340-20-12	1.25	0.75	1 5/8-12	1 1/16-12	1.20
340-20-16	1.25	1.00	1 5/8-12	1 5/16-12	1.78
340-20-24	1.25	1.50	1 5/8-12	1 7/8-12	1.74
340-24-12	1.50	0.75	1 7/8-12	1 1/16-12	1.25
340-24-20	1.50	1.25	1 7/8-12	1 5/8-12	1.59
340-32-24	2.00	1.50	2 1/2-12	1 7/8-12	1.43
DESIGN AND DIMENSION	SUBJECT TO C	HANGE WITHOUT NOTICE.			



MALE O'RING BOSS-FEMALE PIPE CONNECTOR (NON STANDARD)

360 SERIES


PART NO.	<u>O.D.</u>	PORT SIZE	THREAD A	THREAD B	<u>DIM C</u>
360-04-02	0.25	0.13	7/16-20	1/8-27	0.97
360-04-04	0.25	0.25	7/16-20	1/4-18	1.11
360-05-02	0.31	0.13	1/2-20	1/8-27	1.00
360-05-04	0.31	0.25	9/16-18	1/4-18	1.26
360-06-04	0.38	0.25	9/16-18	1/4-18	1.16
360-06-06	0.38	0.38	3/4-16	3/8-18	1.29
360-08-04	0.50	0.25	3/4-16	1/4-18	1.31
360-08-06	0.50	0.38	3/4-16	3/8-18	1.31
360-08-08	0.50	0.50	7/8-14	1/2-14	1.50
360-10-04	0.63	0.25	7/8-14	1/4-18	1.39
360-10-06	0.63	0.38	7/8-14	3/8-18	1.55
360-10-08	0.63	0.50	7/8-14	1/2-14	1.54
360-10-12	0.63	0.75	1 1/16-12	3/4-14	1.74
360-12-06	0.75	0.38	1 1/16-12	3/8-18	1.46
360-12-08	0.75	0.50	1 1/16-12	1/2-14	1.50
360-12-12	0.75	0.75	1 3/16-12	3/4-14	1.72
360-14-12	0.88	0.75	1 5/16-12	3/4-14	1.72
360-16-08	1.00	0.50	1 5/16-12	1/2-14	1.64
360-16-12	1.00	0.75	1 5/16-12	3/4-14	1.78
360-16-16	1.00	1.00	1 5/8-12	1-11 1/2	1.84
360-20-12	1.25	0.75	1 5/8-12	3/4-14	1.90
360-20-16	1.25	1.00	1 5/8-12	1-11 1/2	1.92
360-20-20	1.25	1.25	1 5/8-12	1 1/4-11 1/2	2.11
360-24-20	1.50	1.25	1 7/8-12	1 1/4-11 1/2	2.09
360-24-24	1.50	1.25	1 7/8-12	1 1/2-11 1/2	2.11
360-32-32	2.00	2.00 HANGE WITHOUT NOTICE.	2 1/2-12	2-11 1/2	2.17



©1998, 2019 Piper Industries, Inc.



380 SERIES




(NON STANDARD)

PART NO.	THREAD A	THREAD B	DIM C
380-02-04	1/8-27	7/16-20	1.04
380-02-05	1/8-27	1/2-20	1.04
380-04-04	1/4-18	7/16-20	1.28
380-04-06	1/4-18	9/16-18	1.28
380-04-08	1/4-18	3/4-16	1.36
380-06-04	3/8-18	7/16-20	1.25
380-06-06	3/8-18	9/16-18	1.22
380-06-08	3/8-18	3/4-16	1.35
380-08-06	1/2-14	9/16-18	1.55
380-08-08	1/2-14	3/4-16	1.61
380-08-10	1/2-14	7/8-14	1.67
380-12-12	3/4-14	1 1/16-12	1.84
380-12-14	3/4-14	1 3/16-12	1.84
380-16-12	1-11 1/2	1 1/16-12	2.06
380-16-16	1-11 1/2	1 5/16-12	2.06
380-20-20	1 1/4-11 1/2	1 5/8-12	2.17
380-24-24	1 1/2-11 1/2	1 7/8-12	2.26
380-32-32	2-11 1/2	2 1/2-12	2.46

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

UNION (070101)

400SH SERIES



THREAD A


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
400SH-04-04	0.25	7/16-20	7/16-20	1.37
400SH-04-06	0.25	7/16-20	9/16-18	1.37
400SH-05-05	0.31	1/2-20	1/2-20	1.37
400SH-06-06	0.38	9/16-18	9/16-18	1.41
400SH-06-08	0.50	9/16-18	3/4-16	1.55
400SH-08-08	0.50	3/4-16	3/4-16	1.67
400SH-08-10	0.50	3/4-16	7/8-14	1.76
400SH-10-10	0.63	7/8-14	7/8-14	1.88
400SH-10-12	0.63	7/8-14	1 1/16-12	2.05
400SH-08-12	0.75	3/4-16	1 1/16-12	1.94
400SH-12-12	0.75	1 1/16-12	1 1/16-12	2.16
400SH-12-16	0.75	1 1/16-12	1 5/16-12	2.21
400SH-14-14	0.88	1 3/16-12	1 3/16-12	2.21
400SH-16-16	1.00	1 5/16-12	1 5/16-12	2.25
400SH-16-20	1.00	1 5/16-12	1 5/8-12	2.39
400SH-20-20	1.25	1 5/8-12	1 5/8-12	2.43
400SH-24-24	1.50	1 7/8-12	1 7/8-12	2.75
400SH-32-32	2.00	2 1/2-12	2 1/2-12	3.40



LARGE HEX UNION (070119)


		· · · · · · · · · · · · · · · · · · ·		
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
410LH-04-04	0.25	7/16-20	7/16-20	1.37
410LH-05-05	0.31	1/2-20	1/2-20	1.37
410LH-06-06	0.38	9/16-18	9/16-18	1.41
410LH-08-08	0.50	3/4-16	3/4-16	1.62
410LH-08-10	0.50	3/4-16	7/8-14	1.76
410LH-10-10	0.63	7/8-14	7/8-14	1.88
410LH-08-12	0.75	3/4-16	1 1/16-12	1.94
410LH-12-12	0.75	1 1/16-12	1 1/16-12	2.16
410LH-14-14	0.88	1 3/16-12	1 3/16-12	2.21
410LH-16-16	1.00	1 5/16-12	1 5/16-12	2.25
410LH-20-20	1.25	1 5/8-12	1 5/8-12	2.43
410LH-24-24	1.50	1 7/8-12	1 7/8-12	2.75
410LH-32-32	2.00	2 1/2-12	2 1/2-12	3.40

410LH SERIES





430 SERIES




UNION TEE (070401)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
430-03-03-03	0.18	3/8-24	3/8-24	3/8-24	0.83	0.83	1.66
430-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	0.89	1.78
430-05-05-05	0.31	1/2-20	1/2-20	1/2-20	0.95	0.95	1.90
430-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.06	1.06	2.12
430-06-06-08	0.38	9/16-18	9/16-18	3/4-16	1.14	1.25	2.28
430-06-06-10	0.38	9/16-18	9/16-18	7/8-14	1.22	1.22	2.44
430-08-08-06	0.50	3/4-16	3/4-16	9/16-18	1.25	1.14	2.50
430-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.25	1.25	2.50
430-08-08-10	0.50	3/4-16	3/4-16	7/8-14	1.33	1.33	2.66
430-10-08-08	0.63	7/8-14	3/4-16	3/4-16	1.45	1.31	2.76
430-10-10-08	0.63	7/8-14	7/8-14	3/4-16	1.64	1.33	2.66
430-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.45	1.45	2.90
430-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.66	1.66	3.32
430-12-12-16	0.75	1 1/16-12	1 1/16-12	1 5/16-12	1.76	1.81	3.52
430-12-16-12	0.75	1 1/16-12	1 5/16-12	1 1/16-12	1.76	1.76	3.57
430-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1.80	1.80	3.60
430-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.81	1.81	3.62
430-16-16-20	1.00	1 5/16-12	1 5/16-12	1 5/8-12	2.01	2.01	4.02
430-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.06	2.06	4.12
430-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.33	2.33	4.66
430-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	3.06	3.06	6.12



440 SERIES




FLARE-FLARE CROSS (070501)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	THREAD D	DIM E	DIM F
440-04-04-04-04	0.25	7/16-20	7/16-20	7/16-20	7/16-20	0.89	1.78
440-05-05-05-05	0.31	1/2-20	1/2-20	1/2-20	1/2-20	0.95	1.90
440-06-06-06-06	0.38	9/16-18	9/16-18	9/16-18	9/16-18	1.06	2.12
440-08-08-08-08	0.50	3/4-16	3/4-16	3/4-16	3/4-16	1.25	2.50
440-10-10-10-10	0.63	7/8-14	7/8-14	7/8-14	7/8-14	1.45	2.90
440-12-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1 1/16-12	1.66	3.32
440-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1 3/16-12	1.80	3.60
440-16-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1 5/16-12	1.81	3.62
440-20-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	1 5/8-12	2.06	4.12
440-24-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	1 7/8-12	2.33	4.66
440-32-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	2 1/2-12	3.06	6.12



445 SERIES




45 DEGREE UNION ELBOW (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
445-04-04	0.25	7/16-20	7/16-20	0.72	0.72
445-05-05	0.31	1/2-20	1/2-20	0.77	0.77
445-06-06	0.38	9/16-18	9/16-18	0.83	0.83
445-08-08	0.50	3/4-16	3/4-16	0.98	0.98
445-10-10	0.63	7/8-14	7/8-14	1.11	1.11
445-12-12	0.75	1 1/16-12	1 1/16-12	1.28	1.28
445-14-14	0.88	1 3/16-12	1 3/16-12	1.39	1.39
445-16-16	1.00	1 5/16-12	1 5/16-12	1.47	1.47
445-20-20	1.25	1 5/8-12	1 5/8-12	1.59	1.59
445-24-24	1.50	1 7/8-12	1 7/8-12	1.78	1.78
445-32-32	2.00	2 1/2-12	2 1/2-12	2.21	2.21

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

490 SERIES



90 DEGREE UNION ELBOW

(070201)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
490-04-04	0.25	7/16-20	7/16-20	0.89	0.89
490-05-05	0.31	1/2-20	1/2-20	0.95	0.95
490-06-06	0.38	9/16-18	9/16-18	1.06	1.06
490-06-08	0.38	9/16-18	3/4-16	1.14	1.25
490-08-08	0.50	3/4-16	3/4-16	1.25	1.25
490-08-10	0.50	3/4-16	7/8-14	1.33	1.45
490-10-10	0.63	7/8-14	7/8-14	1.45	1.45
490-12-12	0.75	1 1/16-12	1 1/16-12	1.66	1.66
490-12-16	0.75	1 1/16-12	1 5/16-12	1.76	1.81
490-14-14	0.88	1 3/16-12	1 3/16-12	1.80	1.80
490-16-16	1.00	1 5/16-12	1 5/16-12	1.81	1.81
490-20-20	1.25	1 5/8-12	1 5/8-12	2.06	2.06
490-24-24	1.50	1 7/8-12	1 7/8-12	2.33	2.33
490-32-32	2.00	2 1/2-12	2 1/2-12	3.06	3.06




37 DEGREE FLARE PLUG (070109)

	<u> </u>	//010/)	
PART NO.	<u>O.D.</u>	THREAD A	DIM B
500-04	0.25	7/16-20	0.80
500-05	0.31	1/2-20	0.80
500-06	0.38	9/16-18	0.84
500-08	0.50	3/4-16	0.94
500-10	0.63	7/8-14	1.10
500-12	0.75	1 1/16-12	1.28
500-14	Ó.88	1 3/16-12	1.31
500-16	1.00	1 5/16-12	1.33
500-20	1.25	1 5/8-12	1.45
500-24	1.50	1 7/8-12	[,] 1.65
500-32	2.00	2 1/2-12	2.04

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

500 SERIES




O'RING PLUG

(090109A)

PART NO.	<u>O.D.</u>	THREAD A	DIM B
510-02	0.13	5/16-24	0.60
510-03	0.18	3/8-24	0.60
510-04	0.25	7/16-20	0.67
510-05	0.31	1/2-20	0.67
510-06	0.38	9/16-18	0.73
510-08	0.50	3/4-16	0.80
510-10	0.63	7/8-14	0.93
510-12	0.75	1 1/16-12	1.09
510-14	0.88	1 3/16-12	1.09
510-16	1.00	1 5/16-12	1.12
510-20	1.25	1 5/8-12	1.20
510-24	1.50	1 7/8-12	1.27
510-32	2.00	2 1/2-12	1.43


DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

510 SERIES





515 SERIES




HEXAGON SOCKET PLUG

(090109B)

PART NO.	<u>O.D.</u>	THREAD A	DIM B
515-02	0.13	5/16-24	0.40
515-03	0.19	3/8-24	0.40
515-04	0.25	7/16-20	0.47
515-05	0.31	1/2-20	0.47
515-06	0.38	9/16-18	0.50
515-08	0.50	3/4-16	0.58
515-10	0.63	7/8-14	0.65
515-12	0.75	1 1/16-12	0.77
515-14	0.88	1 3/16-12	0.77
515-16	1.00	1 5/16-12	0.77
515-20	1.25	1 5/8-12	0.77
515-24	1.50	1 7/8-12	0.77
515-32	2.00	2 1/2-12	0.77

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.


520 SERIES



37 DEGREE FEMALE CAP (070112)

PART NO.	<u>O.D.</u>	THREAD A	DIM B
520-04	0.25	7/16-20	0.59
520-05	0.31	1/2-20	0.61
520-06	0.38	9/16-18	0.63
520-08	0.50	3/4-16	0.75
520-10	0.63	7/8-14	0.84
520-12	0.75	1 1/16-12	0.91
520-14	0.88	1 3/16-12	0.97
520-16	1.00	1 5/16-12	1.02
520-20	1.25	1 5/8-12	1.06
520-24	1.50	1 7/8-12	1.12
520-32	2.00	2 1/2-12	1.44





530 SERIES


THREAD B-

TUBE END REDUCER (070123)

PART NO.	<u>O.D.</u>	PORT SIZE	THREAD A	THREAD B	DIM C
530-04-06	0.25	0.38	7/16-20	9/16-18	1.18
530-04-08	0.25	0.50	7/16-20	3/4-16	1.32
530-04-10	0.25	0.63	7/16-20	7/8-14	1.46
530-04-12	0.25	0.75	7/16-20	1 1/16-12	1.49
530-04-16	0.25	1.00	7/16-20	1 5/16-12	1.61
530-06-08	0.38	0.50	9/16-18	3/4-16	1.33
530-06-10	0.38	0.63	9/16-18	7/8-14	1.40
530-06-12	0.38	0.75	9/16-18	1 1/16-12	1.46
530-06-14	0.38	0.88	9/16-18	1 3/16-12	1.58
530-08-10	0.50	0.63	3/4-16	7/8-14	1.40
530-08-12	0.50	0.75	3/4-16	1 1/16-12	1.57
530-08-14	0.50	0.88	3/4-16	1 3/16-12	1.64
530-08-16	0.50	1.00	3/4-16	1 5/16-12	1.71
530-10-12	0.63	0.75	7/8-14	1 1/16-12	1.57
530-10-14	0.63	0.88	7/8-14	1 3/16-12	1.72
530-10-16	0.63	1.00	7/8-14	1 5/16-12	1.82
530-12-10	0.75	0.63	1 1/16-12	7/8-14	1.86
530-12-14	0.75	0.88	1 1/16-12	1 3/16-12	1.90
530-12-16	0.75	1.00	1 1/16-12	1 5/16-12	1.94
530-12-20	0.75	1.25	1 1/16-12	1 5/8-12	2.02
530-12-24	0.75	1.50	1 1/16-12	1 7/8-12	2.05
530-14-16	0.88	1.00	1 3/16-12	1 5/16-12	1.92
530-14-20	0.88	1.25	1 3/16-12	1 5/8-12	1.96
530-16-20	1.00	1.25	1 5/16-12	1 5/8-12	2.15
530-16-24	1.00	1.50	1 5/16-12	1 7/8-12	2.19
530-20-24	1.25	1.50	1 5/8-12	1 7/8-12	2.15
530-24-32	1.50	2.00	1 7/8-12	2 1/2-12	2.70



530I SERIES



TUBE END INSERT REDUCER (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B
530I-04-06	0.25	7/16-20	0.90
530I-06-08	0.38	9/16-18	0.91
530I-08-10	0.50	3/4-16	0.98
530I-10-12	0.63	7/8-14	1.04
530I-12-14	0.75	1 1/16-12	1.20
530I-14-16	0.88	1 3/16-12	1.23
530I-16-20	1.00	1 5/16-12	1.44
530I-20-24	1.25	1 5/8-12	1.47

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

*TO BE USED WITH 1801 TUBE NUT

600 SERIES

STRAIGHT MALE O'RING-FEMALE 37 DEGREE SWIVEL (NON STANDARD)

<u>PART NO.</u>	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>
600-04-04	0.25	7/16-20	7/16-20	1.47
600-04-06	0.25	7/16-20	9/16-18	1.41
600-06-06	0.38	9/16-18	9/16-18	1.48
600-06-08	0.38	9/16-18	3/4-16	1.60
600-08-06	0.50	3/4-16	9/16-18	1.60
600-08-08	0.50	3/4-16	3/4-16	1.60
600-10-08	0.63	7/8-14	3/4-16	1.97
600-10-10	0.75	7/8-14	7/8-14	1.97
600-10-12	0.75	7/8-14	1 1/16-12	2.12
600-12-12	0.75	1 1/16-12	1 1/16-12	2.16
600-16-12	1.00	1 5/16-12	1 1/16-12	2.19
600-16-16	1.00	1 5/16-12	1 5/16-12	2.28
600-20-20	1.25	1 5/8-12	1 5/8-12	2.41
600-24-24	1.50	1 7/8-12	1 7/8-12	2.61

THREAD A


©1998, 2019 Piper Industries, Inc.



FEMALE PIPE-FEMALE 37 DEGREE SWIVEL (NON STANDARD)

605 SERIES

PART NO.	<u>O.D.</u>	PORT SIZE	THREAD A	THREAD B	DIM C
605-04-04	0.25	0.25	1/4-18	7/16-20	1.32
605-04-06	0.25	0.38	1/4-18	9/16-18	1.48
605-06-06	0.38	0.38	3/8-18	9/16-18	1.63
605-06-08	0.38	0.50	3/8-18	3/4-16	1.70
605-08-06	0.50	0.38	1/2-14	9/16-18	1.81
605-08-08	0.50	0.50	1/2-14	3/4-16	1.81
605-08-10	0.50	0.63	1/2-14	7/8-14	2.08
605-12-10	0.75	0.63	3/4-14	7/8-14	1.94
605-12-12	0.75	0.75	3/4-14	1 1/16-12	2.08
605-12-14	0.75	0.88	3/4-14	1 3/16-12	2.12
605-16-16	1.00	1.00	1-11 1/2	1 5/16-12	2.62
605-20-20	1.25	1.25	1 1/4-11 1/2	1 5/8-12	2.74
605-24-24	1.50	1.50	1 1/2-11 1/2	1 7/8-12	2.82
605-32-32	2.00	2.00	2-11 1/2	2 1/2-12	3.15




DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

STRAIGHT MALE PIPE-FEMALE 37 DEGREE SWIVEL (NON STANDARD)

PART NO. THREAD A THREAD B O.D. DIM C 610-02-04 0.13 1/8-27 7/16-20 1.35 610-04-04 0.25 1/4-18 7/16-20 1.45 610-04-05 0.25 1/4-18 1/2-20 1.41 610-04-06 0.25 1/4-18 9/16-18 1.60 610-06-06 0.38 3/8-18 9/16-18 1.72 610-06-08 0.38 3/8-18 3/4-16 1.75 610-06-10 0.38 3/8-18 7/8-14 1.79 610-08-08 0.50 1/2-14 3/4-16 1.91 610-08-10 0.50 1/2-14 7/8-14 2.28 610-08-12 0.50 1/2-14 1 1/16-12 2.17 610-12-10 0.75 3/4-14 7/8-14 1.93 610-12-12 0.75 3/4-14 1 1/16-12 2.27 610-12-16 1.00 3/4-14 1 5/16-12 2.40 610-16-16 1.00 1 - 111/21 5/16-12 2.55 610-20-20 1.25 1 1/4-11 1/2 1 5/8-12 2.65 610-24-24 1.50 1 1/2-11 1/2 1 7/8-12 2.93 610-32-32 2.00 2-111/2 2 1/2-12 3.32


610 SERIES



©1998, 2019 Piper Industries, Inc.




620 SERIES



SWIVEL RUN TEE (070432)

(070452)								
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F	
620-03-03-03	0.18	3/8-24	3/8-24	3/8-24	0.83	0.95	0.83	
620-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	1.00	0.89	
620-05-05-05	0.31	1/2-20	1/2-20	1/2-20	0.95	1.06	0.95	
620-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.06	1.25	1.06	
620-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.25	1.38	1.25	
620-08-10-08	0.50	3/4-16	7/8-14	3/4-16	1.33	1.62	1.45	
620-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.45	1.62	1.45	
620-12-04-12	0.75	1 1/16-12	7/16-20	1 1/16-12	1.66	1.19	1.66	
620-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.66	1.75	1.66	
620-12-12-16	0.75	1 1/16-12	1 1/16-12	1 5/16-12	1.81	2.00	1.81	
620-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1.80	1.73	1.80	
620-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.81	2.00	1.81	
620-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.06	2.31	2.06	
620-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.33	2.59	2.33	
620-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	3.06	3.38	3.06	






SWIVEL BRANCH TEE (070433)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
630-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	1.00	1.78
630-05-05-05	0.31	1/2-20	1/2-20	1/2-20	0.95	1.06	1.90
630-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.06	1.25	2.12
630-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.25	1.38	2.50
630-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.45	1.62	2.90
630-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.66	1.75	3.32
630-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1.80	1.78	3.60
630-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.81	2.00	3.62
630-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.06	2.31	4.12
630-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.33	2.59	4.66
630-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	3.06	3.38	6.12



645 SERIES




45 DEGREE SWIVEL ELBOW (070321)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D		
645-04-04	0.25	7/16-20	7/16-20	0.72	0.94		
645-05-05	0.31	1/2-20	1/2-20	0.77	1.00		
645-06-06	0.38	9/16-18	9/16-18	0.83	1.12		
645-08-08	0.50	3/4-16	3/4-16	0.98	1.28		
645-10-08	0.63	7/8-14	3/4-16	1.22	1.21		
645-10-10	0.63	7/8-14	7/8-14	1.11	1.44		
645-12-12	0.75	1 1/16-12	1 1/16-12	1.28	1.50		
645-14-14	0.88	1 3/16-12	1 3/16-12	1.45	1.62		
645-16-16	1.00	1 5/16-12	1 5/16-12	1.47	1.75		
645-20-20	1.25	1 5/8-12	1 5/8-12	1.59	2.03		
645-24-24	1.50	1 7/8-12	1 7/8-12	1.78	2.25		
645-32-32	2.00	2 1/2-12	2 1/2-12	2.22	2.91		



660 SERIES



90 DEGREE SWIVEL ADAPTER

(140230)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
660-02-04	0.13	1/8-27	7/16-20	0.78	1.00
660-02-05	0.13	1/8-27	1/2-20	0.78	1.00
660-04-04	0.25	1/4-18	7/16-20	1.11	1.11
660-04-05	0.25	1/4-18	1/2-20	1.11	1.09
660-04-06	0.25	1/4-18	9/16-18	1.09	1.25
660-06-04	0.38	3/8-18	7/16-20	1.11	1.13
660-06-06	0.38	3/8-18	9/16-18	1.22	1.33
660-06-08	0.38	3/8-18	3/4-16	1.22	1.38
660-08-06	0.50	1/2-14	9/16-18	1.47	1.37
660-08-08	0.50	1/2-14	3/4-16	1.47	1.47
660-08-10	0.50	1/2-14	7/8-14	1.47	1.62
660-12-08	0.75	3/4-14	3/4-16	1.50	1.65
660-12-12	0.75	3/4-14	1 1/16-12	1.59	1.75
660-12-14	0.75	3/4-14	1 3/16-12	1.69	1.78
660-16-16	1.00	1-11 1/2	1 5/16-12	1.97	2.00
660-20-20	1.25	1 1/4-11 1/2	1 5/8-12	2.38	2.31
660-24-24	1.50	1 1/2-11 1/2	1 7/8-12	2.64	2.59
660-32-32	2.00	2-11 1/2	2 1/2-12	3.00	3.38



690 SERIES

90 DEGREE SWIVEL ELBOW

(070221)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
690-03-03	0.18	3/8-24	3/8-24	0.83	1.00
690-04-04	0.25	7/16-20	7/16-20	0.89	1.00
690-05-05	0.31	1/2-20	1/2-20	0.95	1.06
690-05-06	0.31	1/2-20	9/16-18	1.02	1.22
690-06-06	0.38	9/16-18	9/16-18	1.06	1.25
690-06-08	0.38	9/16-18	3/4-16	1.16	1.36
690-08-06	0.50	3/4-16	9/16-18	1.25	1.32
690-08-08	0.50	3/4-16	3/4-16	1.25	1.38
690-08-10	0.50	3/4-16	7/8-14	1.30	1.62
690-08-12	0.50	3/4-16	1 1/16-12	1.41	1.74
690-10-08	0.63	7/8-14	3/4-16	1.45	1.47
690-10-10	0.63	7/8-14	7/8-14	1.45	1.62
690-10-12	0.63	7/8-14	1 1/16-12	1.53	1.78
690-12-08	0.75	1 1/16-12	3/4-16	1.65	1.55
690-12-10	0.75	1 1/16-12	7/8-14	1.65	1.73
690-12-12	0.75	1 1/16-12	1 1/16-12	1.66	1.75
690-12-16	0.75	1 1/16-12	1 5/16-12	1.78	2.03
690-14-14	0.88	1 3/16-12	1 3/16-12	1.80	1.78
690-16-16	1.00	1 5/16-12	1 5/16-12	1.81	2.00
690-20-20	1.25	1 5/8-12	1 5/8-12	2.06	2.31
690-24-24	1.50	1 7/8-12	1 7/8-12	2.33	2.59
690-32-32	2.00	2 1/2-12	2 1/2-12	3.06	3.38



STRAIGHT THREAD CONNECTOR


700 SERIES

(070120)						
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C		
700-02-02	0.13	5/16-24	5/16-24	1.06		
700-03-03	0.19	3/8-24	3/8-24	1.10		
700-04-02	0.25	7/16-20	5/16-24	1.13		
700-04-03	0.25	7/16-20	3/8-24	1.17		
700-04-04	0.25	7/16-20	7/16-20	1.23		
700-04-05	0.25	7/16-20	1/2-20	1.23		
700-04-06	0.25	7/16-20	9/16-18	1.28		
700-04-08	0.25	7/16-20	3/4-16	1.37		
700-04-10	0.25	7/16-20	7/8-14	1.49		
700-04-12	0.25	7/16-20	1 1/16-12	1.65		
700-05-03	0.31	1/2-20	3/8-24	1.06		
700-05-04	0.31	1/2-20	7/16-20	1.24		
700-05-05	0.31	1/2-20	1/2-20	1.23		
700-05-06	0.31	1/2-20	9/16-18	1.30		
700-05-08	0.31	1/2-20	3/4-16	1.37		
700-05-10	0.31	1/2-20	7/8-14	1.54		
700-06-04	0.38	9/16-18	7/16-20	1.27		
700-06-05	0.38	9/16-18	1/2-20	1.29		
700-06-06	0.38	9/16-18	9/16-18	1.30		
700-06-08	0.38	9/16-18	3/4-16	1.38		
700-06-10	0.38	9/16-18	7/8-14	1.50		
700-06-12	0.38	9/16-18	1 1/16-12	1.65		
700-06-16	0.38	9/16-18	1 5/16-12	1.69		
700-08-04	0.50	3/4-16	7/16-20	1.49		
700-08-05	0.50	3/4-16	1/2-20	1.52		
700-08-06	0.50	3/4-16	9/16-18	1.44		
700-08-08	0.50	3/4-16	3/4-16	1.48		
700-08-10	0.50	3/4-16	7/8-14	1.59		
700-08-12	0.50	3/4-16	1 1/16-12	1.77		
700-08-14	0.50	3/4-16	1 3/16-12	1.77		
700-08-16	0.50	3/4-16	1 5/16-12	1.76		
700-10-04	0.63	7/8-14	7/16-20	1.68		
700-10-06	0.63	7/8-14	9/16-18	1.69		
700-10-08	0.63	7/8-14	3/4-16	1.67		
700-10-10	0.63	7/8-14	7/8-14	1.70		
DESIGN AND DIMENSI	ION SUBJECT TO	CHANGE WITHOUT NOTIC	E.			





700 SERIES



STRAIGHT THREAD CONNECTOR

(070102)


ſ	PART NO.	OD	THREAD A	THREAD B	DIMC
	PART NO.	<u>O.D.</u>	IIIKEAD A	<u>IIIREAD B</u>	
I	700-10-12	0.62	7/8-14	1 1/16-12	1.86
I	700-10-14	0.62	7/8-14	1 3/16-12	1.86
I	700-10-16	0.62	7/8-14	1 5/16-12	1.89
I	700-10-20	0.62	7/8-14	1 5/8-12	1.96
I	700-12-06	0.75	1 1/16-12	9/16-18	1.86
	700-12-08	0.75	1 1/16-12	3/4-16	1.94
	700-12-10	0.75	1 1/16-12	7/8-14	1.88
	700-12-12	0.75	1 1/16-12	1 1/16-12	1.97
	700-12-14	0.75	1 1/16-12	1 3/16-12	1.97
	700-12-16	0.75	1 1/16-12	1 5/16-12	1.99
	700-12-20	0.75	1 1/16-12	1 5/8-12	2.08
	700-14-10	0.87	1 3/16-12	7/8-14	1.95
	700-14-12	0.87	1 3/16-12	1 1/16-12	1.98
I	700-14-14	0.87	1 3/16-12	1 3/16-12	1.99
	700-14-16	0.87	1 3/16-12	1 5/16-12	2.02
	700-16-08	1.00	1 5/16-12	3/4-16	1.97
	700-16-10	1.00	1 5/16-12	7/8-14	2.04
I	700-16-12	1.00	1 5/16-12	1 1/16-12	1.99
	700-16-14	1.00	1 5/16-12	1 3/16-12	2.04
	700-16-16	1.00	1 5/16-12	1 5/16-12	2.05
	700-16-20	1.00	1 5/16-12	1 5/8-12	2.13
	700-16-24	1.00	1 5/16-12	1 7/8-12	2.22
	700-20-12	1.25	1 5/8-12	1 1/16-12	2.30
	700-20-16	1.25	1 5/8-12	1 5/16-12	2.20
	700-20-20	1.25	1 5/8-12	1 5/8-12	2.17
	700-20-24	1.25	1 5/8-12	1 7/8-12	2.22
	700-24-20	1.50	1 7/8-12	1 5/8-12	2.53
	700-24-24	1.50	1 7/8-12	1 7/8-12	2.37
	700-24-32	1.50	1 7/8-12	2 1/2-12	2.53
	700-32-24	2.00	2 1/2-12	1 7/8-12	2.81
	700-32-32	2.00	2 1/2-12	2 1/2-12	2.78



STRAIGHT THREAD CONNECTOR EXTRA LONG (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
700XL-04-04	0.25	7/16-20	7/16-20	2.08
700XL-05-05	0.31	1/2-20	1/2-20	2.14
700XL-06-06	0.38	9/16-18	9/16-18	2.31
700XL-06-08	0.38	9/16-18	3/4-16	2.34
700XL-08-08	0.50	3/4-16	3/4-16	2.70
700XL-10-10	0.63	7/8-14	7/8-14	3.04
700XL-12-12	0.75	1 1/16-12	1 1/16-12	3.61
700XL-16-16	1.00	1 5/16-12	1 5/16-12	3.98
700XL-20-20	1.25	1 5/8-12	1 5/8-12	4.69
700XL-24-24	1.50	1 7/8-12	1 7/8-12	5.17
700XL-32-32	2.00	2 1/2-12	2 1/2-12	6.30

700XL SERIES




DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

STRAIGHT THREAD UNION (NON STANDARD)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
705-04-04	0.25	7/16-20	7/16-20	1.22
705-06-06	0.38	9/16-18	9/16-18	1.41
705-08-08	0.50	3/4-16	3/4-16	1.56
705-10-10	0.63	7/8-14	7/8-14	1.81
705-12-12	0.75	1 1/16-12	1 1/16-12	2.13
705-16-16	1.00	1 5/16-12	1 5/16-12	2.13
705-20-20	1.25	1 5/8-12	1 5/8-12	2.13
705-24-24	1.50	1 7/8-12	1 7/8-12	2.13
705-32-32	2.00	2 1/2-12	2 1/2-12	2.13

705 SERIES





720 SERIES



STRAIGHT THREAD RUN TEE


(070428)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
720-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	0.89	1.92
720-04-04-06	0.25	7/16-20	7/16-20	9/16-18	0.97	0.97	2.24
720-05-05-05	0.31	1/2-20	1/2-20	1/2-20	0.95	0.95	2.08
720-06-06-04	0.37	9/16-18	9/16-18	7/16-20	0.95	0.95	2.20
720-06-06-06	0.37	9/16-18	9/16-18	9/16-18	1.06	1.06	2.31
720-06-06-08	0.37	9/16-18	9/16-18	3/4-16	1.14	1.14	2.59
720-08-06-10	0.50	3/4-16	9/16-18	7/8-14	1.25	1.06	2.95
720-08-08-06	0.50	3/4-16	3/4-16	9/16-18	1.25	1.25	2.59
720-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.25	1.25	2.70
720-08-08-10	0.50	3/4-16	3/4-16	7/8-14	1.31	1.31	2.95
720-10-06-12	0.63	7/8-14	9/16-18	1 1/16-12	1.54	1.29	3.48
720-10-08-08	0.63	7/8-14	3/4-16	3/4-16	1.45	1.31	3.00
720-10-10-08	0.63	7/8-14	7/8-14	3/4-16	1.45	1.45	2.97
720-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.45	1.45	3.15
720-10-10-12	0.63	7/8-14	7/8-14	1 1/16-12	1.55	1.55	3.49
720-10-12-10	0.63	7/8-14	1 1/16-12	7/8-14	1.66	1.66	3.46
720-12-04-12	0.75	1 1/16-12	7/16-20	1 1/16-12	1.66	1.18	3.60
720-12-06-12	0.75	1 1/16-12	9/16-18	1 1/16-12	1.66	1.29	3.60
720-12-12-08	0.75	1 1/16-12	1 1/16-12	3/4-16	1.66	1.66	3.27
720-12-12-10	0.75	1 1/16-12	1 1/16-12	7/8-14	1.66	1.66	3.46
720-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.66	1.66	3.60
720-12-12-14	0.75	1 1/16-12	1 1/16-12	1 3/16-12	1.72	1.72	3.72
720-12-12-16	0.75	1 1/16-12	1 1/16-12	1 5/16-12	1.78	1.78	3.83
720-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1.80	1.80	3.80
720-16-12-16	1.00	1 5/16-12	1 1/16-12	1 5/16-12	1.81	1.78	3.86
720-16-16-12	1.00	1 5/16-12	1 5/16-12	1 1/16-12	1.81	1.81	3.86
720-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.81	1.81	3.86
720-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.06	2.06	4.31
720-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.33	2.33	4.72
720-32-32-24	2.00	2 1/2-12	2 1/2-12	1 7/8-12	3.06	3.06	5.81
720-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	3.06	3.06	5.95

©1998, 2019 Piper Industries, Inc.



730 SERIES




STRAIGHT THREAD BRANCH TEE (070429)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
730-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	1.03	1.78
730-04-04-06	0.25	7/16-20	7/16-20	9/16-18	0.95	1.24	1.90
730-05-05-05	0.31	1/2-20	1/2-20	1/2-20	0.95	1.13	1.90
730-06-06-05	0.38	9/16-18	9/16-18	1/2-20	1.06	1.13	2.12
730-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.06	1.25	2.12
730-06-06-08	0.38	9/16-18	9/16-18	3/4-16	1.15	1.45	2.30
730-06-06-10	0.38	9/16-18	9/16-18	7/8-14	1.22	1.70	2.44
730-06-06-12	0.38	9/16-18	9/16-18	1 1/16-12	1.30	1.94	2.60
730-06-08-06	0.38	9/16-18	3/4-16	9/16-18	1.16	1.34	2.32
730-06-12-16	0.38	9/16-18	1 1/16-12	1 5/16-12	1.45	2.05	2.90
730-08-06-10	0.36	3/4-16	9/16-18	7/8-14	1.22	1.70	2.44
730-08-08-06	0.50	3/4-16	3/4-16	9/16-18	1.25	1.33	2.50
730-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.25	1.45	2.50
730-08-08-10	0.50	3/4-16	3/4-16	7/8-14	1.32	1.71	2.64
730-08-08-12	0.50	3/4-16	3/4-16	1 1/16-12	1.42	1.94	2.84
730-08-12-12	0.50	3/4-16	1 1/16-12	1 1/16-12	1.41	1.94	2.82
730-10-10-08	0.63	7/8-14	7/8-14	3/4-16	1.46	1.51	2.92
730-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.45	1.70	1.90
730-10-10-12	0.63	7/8-14	7/8-14	1 1/16-12	1.55	1.94	3.10
730-10-10-16	0.63	7/8-14	7/8-14	1 5/16-12	1.67	2.04	3.34
730-12-12-08	0.75	1 1/16-12	1 1/16-12	3/4-16	1.65	1.61	3.30
730-12-12-10	0.75	1 1/16-12	1 1/16-12	7/8-14	1.66	1.81	3.32
730-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.66	1.94	3.32
730-12-12-14	0.75	1 1/16-12	1 1/16-12	1 3/16-12	1.72	2.00	3.44
730-12-12-16	0.75	1 1/16-12	1 1/16-12	1 5/16-12	1.79	2.05	3.58
730-12-16-12	0.75	1 1/16-12	1 5/16-12	1 1/16-12	1.66	1.94	3.32
730-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1.80	1.80	3.60
730-16-16-12	1.00	1 5/16-12	1 5/16-12	1 1/16-12	1.81	2.05	3.62
730-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.81	2.05	3.62
730-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.06	2.25	4.12
730-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.33	2.39	4.66
730-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	3.06	2.89	6.12

©1998, 2019 Piper Industries, Inc.



740 SERIES



90 DEGREE ELBOW-FEMALE O.R.B.-MALE ADJUSTABLE O.R.B. (NON STANDARD)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>
740-04-04	0.25	7/16-20	7/16-20	0.63	1.23
740-06-06	0.38	9/16-18	9/16-18	0.75	1.38
740-08-08	0.50	3/4-16	3/4-16	0.88	1.59
740-10-10	0.63	7/8-14	7/8-14	1.02	1.81
740-12-12	0.75	1 1/16-12	1 1/16-12	1.21	2.00
740-16-16	1.00	1 5/16-12	1 5/16-12	1.33	2.26



45 DEGREE STRAIGHT THREAD ELBOW


745 SERIES

PART NO.O.D.THREAD ATHREAD BDIM CDIM D745-04-040.257/16-207/16-200.721.05745-04-050.257/16-201/2-200.731.05745-04-060.257/16-209/16-180.721.14745-04-080.257/16-203/4-160.901.30745-05-040.311/2-207/16-200.771.05745-05-050.311/2-209/16-180.851.14745-06-060.311/2-209/16-180.851.14745-06-060.389/16-187/16-200.911.00745-06-050.389/16-181/2-200.911.00745-06-060.389/16-189/16-180.831.14745-06-070.389/16-183/4-160.871.30745-06-080.389/16-183/4-160.871.30745-06-040.389/16-187/16-201.071.11745-06-050.389/16-187/16-201.071.11745-06-060.389/16-187/16-201.071.11745-08-060.503/4-169/16-180.981.30745-08-060.503/4-169/16-180.981.30745-08-060.503/4-161.741.651.75745-08-100.503/4-161.741.541.75745-08-100.537/8-141.1/16-121.051.73 <th colspan="8">(070320)</th>	(070320)							
$745-04-05$ 0.25 $7/16-20$ $1/2-20$ 0.73 1.05 $745-04-06$ 0.25 $7/16-20$ $3/4\cdot16$ 0.90 1.30 $745-05-04$ 0.31 $1/2-20$ $7/16-20$ 0.79 1.00 $745-05-05$ 0.31 $1/2-20$ $1/2-20$ 0.77 1.05 $745-05-06$ 0.31 $1/2-20$ $9/16\cdot18$ 0.85 1.14 $745-06-04$ 0.38 $9/16\cdot18$ $7/16-20$ 0.91 1.00 $745-06-05$ 0.38 $9/16\cdot18$ $1/2-20$ 0.91 1.00 $745-06-06$ 0.38 $9/16\cdot18$ $9/16\cdot18$ 0.83 1.14 $745-06-06$ 0.38 $9/16\cdot18$ $3/4\cdot16$ 0.87 1.30 $745-06-06$ 0.38 $9/16\cdot18$ $3/4\cdot16$ 0.87 1.30 $745-06-06$ 0.38 $9/16\cdot18$ $3/4\cdot16$ 0.87 1.30 $745-06-08$ 0.38 $9/16\cdot18$ $3/4\cdot16$ 0.87 1.30 $745-06-04$ 0.50 $3/4\cdot16$ $7/16-20$ 1.07 1.11 $745-06-05$ 0.38 $9/16\cdot18$ 0.98 1.14 $745-08-04$ 0.50 $3/4\cdot16$ $3/4\cdot16$ 0.98 1.30 $745-08-04$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 0.99 1.52 $745-08-04$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 0.99 1.52 $745-08-04$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 0.99 1.52 $745-08-04$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 1.09 $1.$	<u>PART NO.</u>	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D		
$745-04-06$ 0.25 $7/16-20$ $9/16-18$ 0.72 1.14 $745-04-08$ 0.25 $7/16-20$ $3/4\cdot16$ 0.90 1.30 $745-05-04$ 0.31 $1/2\cdot20$ $7/16-20$ 0.79 1.00 $745-05-05$ 0.31 $1/2\cdot20$ $9/16\cdot18$ 0.85 1.14 $745-05-06$ 0.31 $1/2\cdot20$ $9/16\cdot18$ 0.85 1.14 $745-06-04$ 0.38 $9/16\cdot18$ $7/16\cdot20$ 0.911 1.00 $745-06-05$ 0.38 $9/16\cdot18$ $9/16\cdot18$ 0.83 1.14 $745-06-06$ 0.38 $9/16\cdot18$ $9/16\cdot18$ 0.83 1.14 $745-06-06$ 0.38 $9/16\cdot18$ $3/4\cdot16$ 0.87 1.30 $745-06-06$ 0.38 $9/16\cdot18$ $3/4\cdot16$ 0.87 1.30 $745-06-08$ 0.38 $9/16\cdot18$ $3/4\cdot16$ 0.87 1.30 $745-06-04$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 0.96 1.52 $745-06-08$ 0.50 $3/4\cdot16$ $7/16\cdot20$ 1.07 1.11 $745-08-04$ 0.50 $3/4\cdot16$ $3/4\cdot16$ 0.98 1.14 $745-08-04$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 0.99 1.52 $745-08-10$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 0.99 1.52 $745-08-12$ 0.50 $3/4\cdot16$ $1/78\cdot14$ 1.99 1.52 $745-08-12$ 0.50 $3/4\cdot16$ $7/8\cdot14$ 1.99 1.52 $745-08-12$ 0.55 $1/78\cdot14$ $1/16\cdot12$	745-04-04	0.25	7/16-20	7/16-20	0.72	1.05		
745-04-08 0.25 $7/16-20$ $3/4-16$ 0.90 1.30 $745-05-04$ 0.31 $1/2-20$ $7/16-20$ 0.79 1.00 $745-05-05$ 0.31 $1/2-20$ $9/16-18$ 0.85 1.14 $745-05-06$ 0.31 $1/2-20$ $9/16-18$ 0.85 1.14 $745-06-04$ 0.38 $9/16-18$ $7/16-20$ 0.91 1.00 $745-06-05$ 0.38 $9/16-18$ $1/2-20$ 0.91 1.00 $745-06-06$ 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-06$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-06$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-06$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-06$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-06$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-06-06$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-08-04$ 0.50 $3/4-16$ $7/8-14$ 0.98 1.14 $745-08-04$ 0.50 $3/4-16$ $7/8-14$ 0.98 1.30 $745-08-04$ 0.50 $3/4-16$ $7/8-14$ 0.98 1.30 $745-08-04$ 0.50 $3/4-16$ $1/78-14$ 0.98 1.30 $745-08-04$ 0.50 $3/4-16$ $7/8-14$ 0.98 1.30 $745-08-05$ 0.50 $3/4-16$ $1/78-14$ <td< td=""><td>745-04-05</td><td>0.25</td><td>7/16-20</td><td>1/2-20</td><td>0.73</td><td>1.05</td></td<>	745-04-05	0.25	7/16-20	1/2-20	0.73	1.05		
745-05-04 0.31 $1/2-20$ $7/16-20$ 0.79 1.00 $745-05-05$ 0.31 $1/2-20$ $1/2-20$ 0.77 1.05 $745-05-06$ 0.31 $1/2-20$ $9/16-18$ 0.85 1.14 $745-06-04$ 0.38 $9/16-18$ $7/16-20$ 0.91 1.00 $745-06-05$ 0.38 $9/16-18$ $1/2-20$ 0.91 1.00 $745-06-06$ 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-06$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-06$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-06-08$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-06-10$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-08-04$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.14 $745-08-04$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.14 $745-08-04$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.30 $745-08-04$ 0.50 $3/4-16$ $1/1/6-12$ 1.07 1.11 $745-08-04$ 0.50 $3/4-16$ $1/1/6-12$ 1.05 1.73 $745-08-12$ 0.50 $3/4-16$ $1/8-14$ 0.99 1.52 $745-08-12$ 0.50 $3/4-16$ $1/1/6-12$ 1.05 1.73 $745-08-12$ 0.50 $3/4-16$ $1/1/6-12$ 1.62 1.73 $745-08-12$ 0.55 $1/8-14$ $1/8-14$ <td>745-04-06</td> <td>0.25</td> <td>7/16-20</td> <td>9/16-18</td> <td>0.72</td> <td>1.14</td>	745-04-06	0.25	7/16-20	9/16-18	0.72	1.14		
745-05-05 0.31 $1/2-20$ $1/2-20$ 0.77 1.05 $745-05-06$ 0.31 $1/2-20$ $9/16-18$ 0.85 1.14 $745-06-04$ 0.38 $9/16-18$ $7/16-20$ 0.91 1.00 $745-06-05$ 0.38 $9/16-18$ $1/2-20$ 0.91 1.00 $745-06-06$ 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-06$ 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-00$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-10$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-08-04$ 0.50 $3/4-16$ $7/16-20$ 1.07 1.11 $745-08-04$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.30 $745-08-04$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.30 $745-08-06$ 0.50 $3/4-16$ $3/4-16$ 0.98 1.30 $745-08-08$ 0.50 $3/4-16$ $3/4-16$ 0.98 1.30 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.63 $7/8-14$ $1/16-12$ 1.05 1.73 $745-10-10$ 0.63 $7/8-14$ $1/16-12$ 1.28 1.73 $745-12-10$ 0.75 $1/1/16-12$ $1/78-14$ 1.30 1.58 $745-12-12$ 0.75 $1/1/16-12$ $1/78-14$	745-04-08	0.25	7/16-20	3/4-16	0.90	1.30		
745-05-06 0.31 $1/2-20$ $9/16-18$ 0.85 1.14 $745-06-04$ 0.38 $9/16-18$ $7/16-20$ 0.91 1.00 $745-06-05$ 0.38 $9/16-18$ $1/2-20$ 0.91 1.00 $745-06-06$ 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-08$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-04$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-04$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-08-04$ 0.50 $3/4-16$ $7/8-14$ 0.96 1.52 $745-08-06$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.14 $745-08-06$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.30 $745-08-06$ 0.50 $3/4-16$ $3/4-16$ 0.98 1.30 $745-08-08$ 0.50 $3/4-16$ $7/8-14$ 0.99 1.52 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-12$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-12$ 0.63 $7/8-14$ $3/4-16$ 1.09 1.41 $745-10-10$ 0.63 $7/8-14$ $1/16-12$ 1.28 1.73 $745-12-10$ 0.75 $1/1/16-12$ $3/4-16$ 1.37 1.54 $745-12-12$ 0.75 $1/1/16-12$ $1/16-12$ <td>745-05-04</td> <td>0.31</td> <td>1/2-20</td> <td>7/16-20</td> <td>0.79</td> <td>1.00</td>	745-05-04	0.31	1/2-20	7/16-20	0.79	1.00		
745-06-04 0.38 $9/16-18$ $7/16-20$ 0.91 1.00 $745-06-05$ 0.38 $9/16-18$ $1/2-20$ 0.91 1.00 $745-06-06$ 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-08$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-10$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-08-04$ 0.50 $3/4-16$ $7/16-20$ 1.07 1.11 $745-08-04$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.14 $745-08-06$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.30 $745-08-06$ 0.50 $3/4-16$ $3/4-16$ 0.98 1.30 $745-08-08$ 0.50 $3/4-16$ $3/4-16$ 0.98 1.30 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.63 $7/8-14$ $3/4-16$ 1.09 1.41 $745-10-10$ 0.63 $7/8-14$ $1/16-12$ 1.28 1.73 $745-10-12$ 0.63 $7/8-14$ $1/16-12$ 1.28 1.73 $745-10-12$ 0.75 $1/1/16-12$ $3/4-16$ 1.37 1.54 $745-12-10$ 0.75 $1/1/16-12$ $1/16-12$ 1.28 1.73 $745-12-12$ 0.75 $1/1/16-12$ $1/16-12$ 1.47 1.86 $745-12-14$ 0.75 $1/1/16-12$ $1.3/$	745-05-05	0.31	1/2-20	1/2-20	0.77	1.05		
745-06-05 0.38 $9/16-18$ $1/2-20$ 0.91 1.00 $745-06-06$ 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-08$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-10$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-08-04$ 0.50 $3/4-16$ $7/16-20$ 1.07 1.11 $745-08-06$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.14 $745-08-06$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.30 $745-08-08$ 0.50 $3/4-16$ $3/4-16$ 0.98 1.30 $745-08-08$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-10$ 0.63 $7/8-14$ $3/4-16$ 1.09 1.41 $745-10-10$ 0.63 $7/8-14$ $3/4-16$ 1.09 1.41 $745-10-12$ 0.63 $7/8-14$ $1/16-12$ 1.28 1.73 $745-10-12$ 0.63 $7/8-14$ $1/16-12$ 1.28 1.73 $745-12-10$ 0.75 $1/1/6-12$ $1/78-14$ 1.30 1.58 $745-12-12$ 0.75 $1/1/16-12$ $1/78-12$ 1.47 1.86 $745-12-14$ 0.75 $1/1/16-12$ $1/78-12$ 1.47 1.86 $745-16-12$ 1.00 $1/5/16-12$ $1/76-$	745-05-06	0.31	1/2-20	9/16-18	0.85	1.14		
745-06-06 0.38 $9/16-18$ $9/16-18$ 0.83 1.14 $745-06-08$ 0.38 $9/16-18$ $3/4-16$ 0.87 1.30 $745-06-10$ 0.38 $9/16-18$ $7/8-14$ 0.96 1.52 $745-08-04$ 0.50 $3/4-16$ $7/16-20$ 1.07 1.11 $745-08-06$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.14 $745-08-06$ 0.50 $3/4-16$ $9/16-18$ 0.98 1.30 $745-08-08$ 0.50 $3/4-16$ $3/4-16$ 0.98 1.30 $745-08-12$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-12$ 0.50 $3/4-16$ $1/16-12$ 1.05 1.73 $745-08-12$ 0.63 $7/8-14$ $3/4-16$ 1.09 1.41 $745-10-08$ 0.63 $7/8-14$ $3/4-16$ 1.09 1.41 $745-10-10$ 0.63 $7/8-14$ $1/16-12$ 1.28 1.73 $745-10-12$ 0.63 $7/8-14$ $1/1/6-12$ 1.28 1.73 $745-12-10$ 0.75 $1/1/6-12$ $3/4-16$ 1.37 1.54 $745-12-10$ 0.75 $1/1/6-12$ $1/1/6-12$ 1.28 1.73 $745-12-14$ 0.75 $1/1/16-12$ $1/16-12$ 1.47 1.86 $745-12-14$ 0.75 $1/1/16-12$ $1/1/6-12$ 1.47 1.86 $745-16-12$ 1.00 $1/5/16-12$ $1/1/6-12$ 1.47 1.86 $745-16-16$ 1.00 $1/5/16-12$ <t< td=""><td>745-06-04</td><td>0.38</td><td>9/16-18</td><td>7/16-20</td><td>0.91</td><td>1.00</td></t<>	745-06-04	0.38	9/16-18	7/16-20	0.91	1.00		
745-06-080.389/16-183/4-160.871.30745-06-100.389/16-187/8-140.961.52745-08-040.503/4-167/16-201.071.11745-08-060.503/4-169/16-180.981.14745-08-060.503/4-163/4-160.981.30745-08-080.503/4-163/4-160.981.30745-08-100.503/4-161/16-121.051.73745-08-120.503/4-1611/16-121.051.73745-08-120.637/8-143/4-161.091.41745-10-080.637/8-143/4-161.091.41745-10-100.637/8-1411/16-121.281.73745-12-080.7511/16-123/4-161.371.54745-12-100.7511/16-121/81.731.54745-12-100.7511/16-1211.731.54745-12-100.7511/16-1211.861.37745-12-140.7511/16-1211.471.86745-12-140.7511/16-1211.471.86745-12-140.7511/16-1211.471.86745-12-140.7511/16-1211.471.86745-16-121.0015/16-1211.471.86745-16-121.00	745-06-05	0.38	9/16-18	1/2-20	0.91	1.00		
745-06-100.389/16-187/8-140.961.52745-08-040.503/4-167/16-201.071.11745-08-060.503/4-169/16-180.981.14745-08-080.503/4-163/4-160.981.30745-08-100.503/4-167/8-140.991.52745-08-120.503/4-161 1/16-121.051.73745-08-120.503/4-161 1/16-121.051.73745-10-080.637/8-143/4-161.091.41745-10-100.637/8-141/16-121.281.73745-10-120.637/8-141 1/16-121.281.73745-12-080.751 1/16-123/4-161.371.54745-12-100.751 1/16-121 3/16-121.281.73745-12-100.751 1/16-121 3/16-121.281.73745-12-100.751 1/16-121 3/16-121.281.73745-12-140.751 1/16-121 3/16-121.471.86745-12-140.751 1/16-121 3/16-121.471.86745-14-140.881 3/16-121 3/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-121.001 5/16-12	745-06-06	0.38	9/16-18	9/16-18	0.83	1.14		
745-08-040.503/4-167/16-201.071.11745-08-060.503/4-169/16-180.981.14745-08-080.503/4-163/4-160.981.30745-08-100.503/4-167/8-140.991.52745-08-120.503/4-161 1/16-121.051.73745-10-080.637/8-143/4-161.091.41745-10-100.637/8-143/4-161.091.41745-10-100.637/8-141 1/16-121.281.73745-10-120.637/8-141 1/16-121.281.73745-12-080.751 1/16-123/4-161.371.54745-12-100.751 1/16-121 1/16-121.281.73745-12-100.751 1/16-121 3/16-121.381.81745-12-100.751 1/16-121 3/16-121.381.81745-12-140.751 1/16-121 3/16-121.471.86745-12-140.751 1/16-121 3/16-121.471.86745-14-140.881 3/16-121 3/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-141.001 5/16-121 5/16-121.471.86745-16-161.001 5/16-121 5/8-121.591.86745-16-201.001 5/16-121 5/8-121.591.86745-20-161.251 5/8-1	745-06-08	0.38	9/16-18	3/4-16	0.87	1.30		
745-08-060.503/4-169/16-180.981.14745-08-080.503/4-163/4-160.981.30745-08-100.503/4-167/8-140.991.52745-08-120.503/4-161 1/16-121.051.73745-10-80.637/8-143/4-161.091.41745-10-100.637/8-147/8-141.111.52745-10-120.637/8-141 1/16-121.281.73745-10-120.637/8-141 1/16-121.281.73745-12-080.751 1/16-123/4-161.371.54745-12-100.751 1/16-121 3/4-161.371.58745-12-100.751 1/16-121 3/16-121.281.73745-12-100.751 1/16-121 3/16-121.381.81745-12-140.751 1/16-121 3/16-121.471.86745-12-140.751 1/16-121 3/16-121.471.86745-14-140.881 3/16-121 3/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-141.001 5/16-121 5/16-121.471.86745-16-201.001 5/16-121 5/8-121.541.91745-20-161.251 5/8-121 5/8-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-20-201.251 5/8-1	745-06-10	0.38	9/16-18	7/8-14	0.96	1.52		
745-08-080.503/4-163/4-160.981.30745-08-100.503/4-167/8-140.991.52745-08-120.503/4-161 1/16-121.051.73745-10-080.637/8-143/4-161.091.41745-10-100.637/8-147/8-141.111.52745-10-120.637/8-141 1/16-121.281.73745-12-080.751 1/16-123/4-161.371.54745-12-100.751 1/16-123/4-161.371.54745-12-100.751 1/16-121 3/16-121.281.73745-12-100.751 1/16-121 3/16-121.281.73745-12-140.751 1/16-121 3/16-121.881.81745-12-140.751 1/16-121 3/16-121.471.86745-12-140.751 1/16-121 3/16-121.471.86745-16-121.001 5/16-121 3/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-161.001 5/16-121 5/16-121.471.86745-16-201.001 5/16-121 5/16-121.591.86745-20-201.251 5/8-121 5/8-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-08-04	0.50	3/4-16	7/16-20	1.07	1.11		
$745-08-10$ 0.50 $3/4-16$ $7/8-14$ 0.99 1.52 $745-08-12$ 0.50 $3/4-16$ $1\ 1/16-12$ 1.05 1.73 $745-10-08$ 0.63 $7/8-14$ $3/4-16$ 1.09 1.41 $745-10-10$ 0.63 $7/8-14$ $7/8-14$ 1.11 1.52 $745-10-12$ 0.63 $7/8-14$ $1\ 1/16-12$ 1.28 1.73 $745-10-12$ 0.63 $7/8-14$ $1\ 1/16-12$ 1.28 1.73 $745-12-08$ 0.75 $1\ 1/16-12$ $3/4-16$ 1.37 1.54 $745-12-10$ 0.75 $1\ 1/16-12$ $3/4-16$ 1.37 1.58 $745-12-10$ 0.75 $1\ 1/16-12$ $1\ 1/16-12$ 1.28 1.73 $745-12-14$ 0.75 $1\ 1/16-12$ $1\ 3/16-12$ 1.38 1.81 $745-12-16$ 0.75 $1\ 1/16-12$ $1\ 3/16-12$ 1.47 1.86 $745-12-16$ 0.75 $1\ 1/16-12$ $1\ 3/16-12$ 1.47 1.86 $745-12-16$ 0.75 $1\ 1/16-12$ $1\ 3/16-12$ 1.47 1.86 $745-16-12$ 1.00 $1\ 5/16-12$ $1\ 5/16-12$ 1.47 1.86 $745-16-16$ 1.00 $1\ 5/16-12$ $1\ 5/8-12$ 1.54 1.91 $745-20-16$ 1.25 $1\ 5/8-12$ $1\ 5/8-12$ 1.59 1.86 $745-20-20$ 1.25 $1\ 5/8-12$ $1\ 5/8-12$ 1.59 1.91 $745-24-24$ 1.50 $1\ 7/8-12$ $1\ 7/8-12$ 1.78 1.91	745-08-06	0.50	3/4-16	9/16-18	0.98	1.14		
745-08-120.503/4-161 1/16-121.051.73745-10-080.637/8-143/4-161.091.41745-10-100.637/8-141/16-121.281.73745-10-120.637/8-141 1/16-121.281.73745-12-080.751 1/16-123/4-161.371.54745-12-100.751 1/16-127/8-141.301.58745-12-100.751 1/16-121 1/16-121.281.73745-12-100.751 1/16-121 3/16-121.281.73745-12-140.751 1/16-121 3/16-121.881.81745-12-160.751 1/16-121 3/16-121.471.86745-12-160.751 1/16-121 3/16-121.471.86745-14-140.881 3/16-121 3/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-161.001 5/16-121 5/16-121.471.86745-16-201.001 5/16-121 5/8-121.541.91745-20-161.251 5/8-121 5/16-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-08-08	0.50	3/4-16	3/4-16	0.98	1.30		
745-10-080.637/8-143/4-161.091.41745-10-100.637/8-147/8-141.111.52745-10-120.637/8-1411/16-121.281.73745-12-080.7511/16-123/4-161.371.54745-12-100.7511/16-127/8-141.301.58745-12-120.7511/16-1211/16-121.281.73745-12-140.7511/16-1211.6121.281.73745-12-140.7511/16-1213/16-121.281.73745-12-160.7511/16-1213/16-121.381.81745-12-160.7511/16-1215/16-121.471.86745-12-160.7511/16-1213/16-121.451.86745-14-140.8813/16-1211/16-121.471.86745-16-121.0015/16-1215/16-121.471.86745-16-161.0015/16-1215/8-121.541.91745-20-161.2515/8-1215/8-121.591.86745-20-201.2515/8-1215/8-121.591.91745-24-241.5017/8-1217/8-121.781.91	745-08-10	0.50	3/4-16	7/8-14	0.99	1.52		
745-10-100.637/8-147/8-141.111.52745-10-120.637/8-141 1/16-121.281.73745-12-080.751 1/16-123/4-161.371.54745-12-100.751 1/16-127/8-141.301.58745-12-120.751 1/16-121 1/16-121.281.73745-12-140.751 1/16-121 3/16-121.281.73745-12-160.751 1/16-121 3/16-121.381.81745-12-160.751 1/16-121 5/16-121.471.86745-12-160.751 1/16-121 3/16-121.451.86745-14-140.881 3/16-121 3/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-161.001 5/16-121 5/16-121.471.86745-16-201.001 5/16-121 5/8-121.541.91745-20-161.251 5/8-121 5/8-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-08-12	0.50	3/4-16	1 1/16-12	1.05	1.73		
745-10-120.637/8-141 1/16-121.281.73745-12-080.751 1/16-123/4-161.371.54745-12-100.751 1/16-127/8-141.301.58745-12-120.751 1/16-121 1/16-121.281.73745-12-140.751 1/16-121 3/16-121.381.81745-12-160.751 1/16-121 3/16-121.471.86745-12-160.751 1/16-121 3/16-121.471.86745-14-140.881 3/16-121 3/16-121.471.86745-16-121.001 5/16-121 5/16-121.471.86745-16-161.001 5/16-121 5/16-121.471.86745-16-201.001 5/16-121 5/16-121.541.91745-20-161.251 5/8-121 5/16-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-10-08	0.63	7/8-14	3/4-16	1.09	1.41		
745-12-080.7511/16-123/4-161.371.54745-12-100.7511/16-127/8-141.301.58745-12-120.7511/16-1211/16-121.281.73745-12-140.7511/16-1213/16-121.381.81745-12-160.7511/16-1215/16-121.471.86745-12-160.7511/16-1213/16-121.451.86745-14-140.8813/16-1213/16-121.451.86745-16-121.0015/16-1211/16-121.471.86745-16-161.0015/16-1215/16-121.471.86745-16-201.0015/16-1215/8-121.541.91745-20-161.2515/8-1215/16-121.591.86745-20-201.2515/8-1215/8-121.591.91745-24-241.5017/8-1217/8-121.781.91	745-10-10	0.63	7/8-14	7/8-14	1.11	1.52		
745-12-100.7511/16-127/8-141.301.58745-12-120.7511/16-1211/16-121.281.73745-12-140.7511/16-1213/16-121.381.81745-12-160.7511/16-1215/16-121.471.86745-14-140.8813/16-1213/16-121.451.86745-16-121.0015/16-1211/16-121.471.86745-16-161.0015/16-1215/16-121.471.86745-16-201.0015/16-1215/8-121.471.86745-20-161.2515/16-1215/8-121.541.91745-20-201.2515/8-1215/8-121.591.86745-24-241.5017/8-1217/8-121.781.91	745-10-12	0.63	7/8-14	1 1/16-12	1.28	1.73		
745-12-120.7511/16-1211/16-121.281.73745-12-140.7511/16-1213/16-121.381.81745-12-160.7511/16-1215/16-121.471.86745-14-140.8813/16-1213/16-121.451.86745-16-121.0015/16-1211/16-121.471.86745-16-161.0015/16-1215/16-121.471.86745-16-201.0015/16-1215/8-121.541.91745-20-161.2515/8-1215/16-121.591.86745-20-201.2515/8-1215/8-121.591.91745-24-241.5017/8-1217/8-121.781.91	745-12-08	0.75	1 1/16-12	3/4-16	1.37	1.54		
745-12-140.7511/16-1213/16-121.381.81745-12-160.7511/16-1215/16-121.471.86745-14-140.8813/16-1213/16-121.451.86745-16-121.0015/16-1211/16-121.471.86745-16-161.0015/16-1215/16-121.471.86745-16-201.0015/16-1215/8-121.541.91745-20-161.2515/8-1215/16-121.591.86745-20-201.2515/8-1215/8-121.591.91745-24-241.5017/8-1217/8-121.781.91	745-12-10	0.75	1 1/16-12	7/8-14	1.30	1.58		
745-12-160.7511/16-1215/16-121.471.86745-14-140.8813/16-1213/16-121.451.86745-16-121.0015/16-1211/16-121.471.86745-16-161.0015/16-1215/16-121.471.86745-16-201.0015/16-1215/8-121.471.86745-20-161.2515/16-1215/8-121.541.91745-20-201.2515/8-1215/8-121.591.86745-24-241.5017/8-1217/8-121.781.91	745-12-12	0.75	1 1/16-12	1 1/16-12	1.28	1.73		
745-14-140.881 3/16-121 3/16-121.451.86745-16-121.001 5/16-121 1/16-121.471.86745-16-161.001 5/16-121 5/16-121.471.86745-16-201.001 5/16-121 5/8-121.541.91745-20-161.251 5/8-121 5/16-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-12-14	0.75	1 1/16-12	1 3/16-12	1.38	1.81		
745-16-121.001 5/16-121 1/16-121.471.86745-16-161.001 5/16-121 5/16-121.471.86745-16-201.001 5/16-121 5/8-121.541.91745-20-161.251 5/8-121 5/16-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-12-16	0.75	1 1/16-12	1 5/16-12	1.47	1.86		
745-16-161.0015/16-1215/16-121.471.86745-16-201.0015/16-1215/8-121.541.91745-20-161.2515/8-1215/16-121.591.86745-20-201.2515/8-1215/8-121.591.91745-24-241.5017/8-1217/8-121.781.91	745-14-14	0.88	1 3/16-12	1 3/16-12	1.45	1.86		
745-16-201.001 5/16-121 5/8-121.541.91745-20-161.251 5/8-121 5/16-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-16-12	1.00		1 1/16-12	1.47	1.86		
745-16-201.001 5/16-121 5/8-121.541.91745-20-161.251 5/8-121 5/16-121.591.86745-20-201.251 5/8-121 5/8-121.591.91745-24-241.501 7/8-121 7/8-121.781.91	745-16-16	1.00	1 5/16-12	1 5/16-12	1.47	1.86		
745-20-20 1.25 1 5/8-12 1 5/8-12 1.59 1.91 745-24-24 1.50 1 7/8-12 1 7/8-12 1.78 1.91	745-16-20	1.00	1 5/16-12	1 5/8-12	1.54	1.91		
745-20-20 1.25 1 5/8-12 1 5/8-12 1.59 1.91 745-24-24 1.50 1 7/8-12 1 7/8-12 1.78 1.91	745-20-16	1.25	and the second					
745-24-24 1.50 1 7/8-12 1 7/8-12 1.78 1.91	745-20-20	1.25						
	745-24-24	1.50						
	745-32-32	2.00	2 1/2-12	2 1/2-12	2.22	1.86		





760 SERIES



90 DEGREE FEMALE ADJUSTABLE ADAPTER (NON STANDARD)


	()								
PART NO.	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>					
760-02-04	1/8-27	7/16-20	0.64	1.08					
760-02-05	1/8-27	1/2-20	0.64	1.11					
760-04-04	1/4-18	7/16-20	0.81	1.15					
760-04-06	1/4-18	9/16-18	0.88	1.31					
760-04-10	1/4-18	7/8-14	0.96	1.70					
760-06-04	3/8-18	7/16-20	1.02	1.22					
760-06-06	3/8-18	9/16-18	1.02	1.37					
760-06-08	3/8-18	3/4-16	1.02	1.47					
760-06-10	3/8-18	7/8-14	1.07	1.70					
760-08-06	1/2-14	9/16-18	1.23	1.49					
760-08-08	1/2-14	3/4-16	1.24	1.59					
760-08-10	1/2-14	7/8-14	1.24	1.78					
760-08-12	1/2-14	1 1/16-12	1.34	1.98					
760-12-08	3/4-14	3/4-16	1.34	1.47					
760-12-10	3/4-14	7/8-14	1.34	1.66					
760-12-12	3/4-14	1 1/16-12	1.34	2.05					
760-12-14	3/4-14	1 3/16-12	1.34	2.05					
760-12-16	3/4-14	1 5/16-12	1.34	2.05					
760-16-12	1-11 1/2	1 1/16-12	1.62	2.23					
760-16-16	1-11 1/2	1 5/16-12	1.62	2.16					
760-20-20	1 1/4-11 1/2	1 5/8-12	1.75	2.36					
760-24-24	1 1/2-11 1/2	1 7/8-12	2.06	2.56					
760-32-32	2-11 1/2	2 1/2-12	2.39	3.00					



90 DEGREE EXTRA LONG FEMALE ADJUSTABLE ADAPTER (NON STANDARD)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D
760XL-06-06	3/8-18	9/16-18	1.02	2.15
760XL-06-08	3/8-18	3/4-16	1.02	2.97
760XL-08-10	1/2-14	7/8-14	1.23	3.56
760XL-12-12	3/4-14	1 1/16-12	1.36	4.13
760XL-16-16	1-11 1/2	1 5/16-12	1.62	4.64


DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.



90 DEGREE MALE ADJUSTABLE ADAPTER (NON STANDARD)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D
780-02-04	1/8-27	7/16-20	0.78	1.02
780-02-05	1/8-27	1/2-20	0.78	1.08
780-04-06	1/4-18	9/16-18	1.03	1.23
780-06-08	3/8-18	3/4-16	1.22	1.43
780-08-10	1/2-14	7/8-14	1.44	1.68
780-12-12	3/4-14	1 1/16-12	1.60	1.92
780-12-14	3/4-14	1 3/16-12	1.66	1.98
780-16-16	1-11 1/2	1 5/16-12	1.97	2.03
780-20-20	1 1/4-11 1/2	1 5/8-12	2.37	2.23
780-24-24	1 1/2-11 1/2	1 7/8-12	2.62	2.37


780 SERIES





90 DEGREE STRAIGHT THREAD ELBOW


790 SERIES



(070220)									
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D				
790-02-02	0.13	5/16-24	5/16-24	0.77	0.91				
790-03-03	0.19	3/8-24	3/8-24	0.83	0.94				
790-04-04	0.25	7/16-20	7/16-20	0.89	1.03				
790-04-05	0.25	7/16-20	1/2-20	0.95	1.13				
790-04-06	0.25	7/16-20	9/16-18	0.95	1.25				
790-04-08	0.25	7/16-20	3/4-16	1.05	1.45				
790-05-04	0.31	1/2-20	7/16-20	0.98	1.06				
790-05-05	0.31	1/2-20	1/2-20	0.95	1.09				
790-05-06	0.31	1/2-20	9/16-18	0.98	1.25				
790-05-08	0.31	1/2-20	3/4-16	1.09	1.45				
790-05-10	0.31	1/2-20	7/8-14	1.13	1.70				
790-06-04	0.38	9/16-18	7/16-20	1.06	1.09				
790-06-05	0.38	9/16-18	1/2-20	1.06	1.13				
790-06-06	0.38	9/16-18	9/16-18	1.06	1.25				
790-06-08	0.38	9/16-18	3/4-16	1.16	1.45				
790-06-10	0.38	9/16-18	7/8-14	1.22	1.70				
790-06-12	0.38	9/16-18	1 1/16-12	1.29	1.94				
790-06-16	0.38	9/16-18	1 5/16-12	1.45	2.05				
790-08-04	0.50	3/4-16	7/16-20	1.25	1.18				
790-08-05	0.50	3/4-16	1/2-20	1.25	1.18				
790-08-06	0.50	3/4-16	9/16-18	1.25	1.34				
790-08-08	0.50	3/4-16	3/4-16	1.25	1.45				
790-08-10	0.50	3/4-16	7/8-14	1.31	1.70				
790-08-12	0.50	3/4-16	1 1/16-12	1.41	1.94				
790-08-16	0.50	3/4-16	1 5/16-12	1.55	2.05				
790-10-06	0.63	7/8-14	9/16-18	1.45	1.40				
790-10-08	0.63	7/8-14	3/4-16	1.45	1.52				
790-10-10	0.63	7/8-14	7/8-14	1.45	1.70				
790-10-12	0.63	7/8-14	1 1/16-12	1.55	1.94				
790-10-16	0.63	7/8-14	1 5/16-12	1.66	2.05				
790-10-20	0.63	7/8-14	1 5/8-12	1.86	2.32				
790-12-06	0.75	1 1/16-12	9/16-18	1.65	1.51				
790-12-08	0.75	1 1/16-12	3/4-16	1.66	1.80				



790 SERIES




90 DEGREE STRAIGHT THREAD ELBOW (070220)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
790-12-10	0.75	1 1/16-12	7/8-14	1.66	1.80
790-12-12	0.75	1 1/16-12	1 1/16-12	1.66	1.94
790-12-14	0.75	1 1/16-12	1 3/16-12	1.72	2.00
790-12-16	0.75	1 1/16-12	1 5/16-12	1.78	2.05
790-12-20	0.75	1 1/16-12	1 5/8-12	1.95	2.25
790-14-12	0.88	1 3/16-12	1 1/16-12	1.74	1.99
790-14-14	0.88	1 3/16-12	1 3/16-12	1.72	2.00
790-14-16	0.88	1 3/16-12	1 5/16-12	1.28	2.06
790-16-08	1.00	1 5/16-12	3/4-16	1.81	1.74
790-16-10	1.00	1 5/16-12	7/8-14	1.81	1.93
790-16-12	1.00	1 5/16-12	1 1/16-12	1.81	2.06
790-16-14	1.00	1 5/16-12	1 3/16-12	1.81	2.06
790-16-16	1.00	1 5/16-12	1 5/16-12	1.81	2.05
790-16-20	1.00	1 5/16-12	1 5/8-12	2.00	2.25
790-20-12	1.25	1 5/8-12	1 1/16-12	2.06	2.25
790-20-14	1.25	1 5/8-12	1 3/16-12	2.06	2.25
790-20-16	1.25	1 5/8-12	1 5/16-12	2.06	2.23
790-20-20	1.25	1 5/8-12	1 5/8-12	2.06	2.25
790-20-24	1.25	1 5/8-12	1 7/8-12	2.28	2.42
790-24-16	1.50	1 7/8-12	1 5/16-12	2.33	2.34
790-24-20	1.50	1 7/8-12	1 5/8-12	2.33	2.38
790-24-24	1.50	1 7/8-12	1 7/8-12	2.33	2.39
790-32-24	2.00	2 1/2-12	1 7/8-12	3.06	2.75
790-32-32	2.00	2 1/2-12	2 1/2-12	3.06	2.89



790L SERIES




(NON STANDARD)								
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D			
790L-04-04	0.25	7/16-20	7/16-20	0.89	1.19			
790L-05-05	0.31	1/2-20	1/2-20	0.95	1.22			
790L-06-06	0.38	9/16-18	9/16-18	1.06	1.66			
790L-06-08	0.38	9/16-18	3/4-16	1.15	1.81			
790L-08-08	0.50	3/4-16	3/4-16	1.25	1.81			
790L-08-10	0.50	3/4-16	7/8-14	1.33	2.13			
790L-10-10	0.63	7/8-14	7/8-14	1.44	2.16			
790L-10-12	0.63	7/8-14	1 1/16-12	1.66	2.25			
790L-12-10	0.75	1 1/16-12	7/8-14	1.52	2.47			
790L-12-12	0.75	1 1/16-12	1 1/16-12	1.66	2.47			
790L-16-12	1.00	1 5/16-12	1 1/16-12	1.81	2.59			
790L-16-16	1.00	1 5/16-12	1 5/16-12	1.81	3.06			
790L-20-20	1.25	1 5/8-12	1 5/8-12	2.06	3.48			
790L-24-24	1.50	1 7/8-12	1 7/8-12	2.33	3.93			
790L-32-32	2.00	2 1/2-12	2 1/2-12	3.06	4.46			

90 DEGREE LONG STRAIGHT THREAD ELBOW

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

90 DEGREE EXTRA LONG STRAIGHT THREAD ELBOW (NON STANDARD)

790XL SERIES




PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
790XL-04-04	0.25	7/16-20	7/16-20	0.89	1.73
790XL-05-05	0.31	1/2-20	1/2-20	0.95	1.86
790XL-06-05	0.38	9/16-18	1/2-20	1.06	1.89
790XL-06-06	0.38	9/16-18	9/16-18	1.06	2.08
790XL-06-08	0.38	9/16-18	3/4-16	1.16	2.49
790XL-08-06	0.50	3/4-16	9/16-18	1.25	2.17
790XL-08-08	0.50	3/4-16	3/4-16	1.25	2.50
790XL-08-10	0.50	3/4-16	7/8-14	1.30	2.88
790XL-10-08	0.63	7/8-14	3/4-16	1.45	2.56
790XL-10-10	0.63	7/8-14	7/8-14	1.45	2.88
790XL-12-08	0.75	1 1/16-12	3/4-16	1.66	2.66
790XL-12-10	0.75	1 1/16-12	7/8-14	1.66	3.00
790XL-12-12	0.75	1 1/16-12	1 1/16-12	1.66	3.34
790XL-12-16	0.75	1 1/16-12	1 5/16-12	1.78	3.72
790XL-14-14	0.88	1 3/16-12	1 3/16-12	1.73	3.57
790XL-16-16	1.00	1 5/16-12	1 5/16-12	1.81	3.71
790XL-20-20	1.25	1 5/8-12	1 5/8-12	2.06	4.41
790XL-24-24	1.50	1 7/8-12	1 7/8-12	2.33	4.81
790XL-32-32	2.00	2 1/2-12	2 1/2-12	3.06	5.98

©1998, 2019 Piper Industries, Inc.



790XXL SERIES




90 DEGREE EXTRA EXTRA LONG STRAIGHT THREAD ELBOW (NON STANDARD)

<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
0.25	7/16-20	7/16-20	0.89	2.44
0.38	9/16-18	9/16-18	1.06	3.07
0.50	3/4-16	3/4-16	1.25	3.54
0.63	7/8-14	7/8-14	1.45	3.99
0.75	1 1/16-12	1 1/16-12	1.66	4.75
1.00	1 5/16-12	1 5/16-12	1.81	5.39
	0.25 0.38 0.50 0.63 0.75	0.25 7/16-20 0.38 9/16-18 0.50 3/4-16 0.63 7/8-14 0.75 1	0.25 7/16-20 7/16-20 0.38 9/16-18 9/16-18 0.50 3/4-16 3/4-16 0.63 7/8-14 7/8-14 0.75 1 1/16-12 1 1/16-12	0.25 7/16-20 7/16-20 0.89 0.38 9/16-18 9/16-18 1.06 0.50 3/4-16 3/4-16 1.25 0.63 7/8-14 7/8-14 1.45 0.75 1 1/16-12 1 1/16-12



800 SERIES




STRAIGHT THREAD HOSE CONNECTOR (NON STANDARD)

PART NO.	TUBE A	THREAD B	DIM C
800-04-04	0.25	7/16-20	1.80
800-04-06	0.25	9/16-18	1.86
800-05-05	0.31	1/2-20	1.77
800-06-04	0.37	7/16-20	1.80
800-06-06	0.37	9/16-18	1.86
800-08-06	0.50	9/16-18	1.89
800-08-08	0.50	3/4-16	1.96
800-10-08	0.62	3/4-16	1.96
800-10-10	0.62	7/8-14	2.09
800-10-12	0.62	1 1/16-12	2.16
800-12-08	0.75	3/4-16	1.96
800-12-10	0.75	7/8-14	2.09
800-12-12	0.75	1 1/16-12	2.16
800-12-16	0.75	1 5/16-12	2.28
800-16-10	1.00	7/8-14	2.09
800-16-12	1.00	1 1/16-12	2.16
800-16-14	1.00	1 3/16-12	2.26
800-16-16	1.00	1 5/16-12	2.28
800-16-20	1.00	1 5/8-12	2.35
800-20-12	1.25	1 1/16-12	2.54
800-20-16	1.25	1 5/16-12	2.66
800-20-20	1.25	1 5/8-12	2.73
800-20-24	1.25	1 7/8-12	2.78
800-24-16	1.50	1 5/16-12	2.54
800-24-20	1.50	1 5/8-12	2.73
800-24-24	1.50	1 7/8-12	2.79
800-32-24	2.00	1 7/8-12	2.79
800-32-32	2.00	2 1/2-12	2.97



820 SERIES




RUN TEE STRAIGHT THREAD HOSE CONNECTOR (NON STANDARD)

PART NO.	TUBE A	TUBE B	THREAD C	<u>DIM D</u>	<u>DIM E</u>	DIM F
820-04-04-04	0.25	0.25	7/16-20	1.03	1.43	1.43
820-06-06-06	0.38	0.38	9/16-18	1.25	1.49	1.49
820-08-08-08	0.50	0.50	3/4-16	1.45	1.67	1.67
820-10-10-10	0.63	0.63	7/8-14	1.70	1.69	1.69
820-12-12-12	0.75	0.75	1 1/16-12	1.90	1.79	1.79
820-16-16-16	1.00	1.00	1 5/16-12	2.12	1.82	1.82
820-20-20-20	1.25	1.25	1 5/8-12	2.39	2.43	2.43
820-24-24-24	1.50	1.50	1 7/8-12	2.37	2.56	2.56
820-32-32-32	2.00	2.00	2 1/2-12	3.05	2.97	2.97



830 SERIES




BRANCH TEE STRAIGHT THREAD HOSE CONNECTOR (NON STANDARD)

PART NO.	TUBE A	TUBE B	THREAD C	DIM D	DIM E	DIM F
830-04-04-04	0.25	0.25	7/16-20	1.43	1.43	1.03
830-06-06-06	0.38	0.38	9/16-18	1.49	1.49	1.25
830-08-08-08	0.50	0.50	3/4-16	1.67	1.67	1.45
830-10-10-10	0.63	0.63	7/8-14	1.69	1.69	1.70
830-12-12-12	0.75	0.75	1 1/16-12	1.79	1.79	1.90
830-16-16-16	1.00	1.00	1 5/16-12	1.82	1.82	2:12
830-20-20-20	1.25	1.25	1 5/8-12	2.43	2.43	2.39
830-24-24-24	1.50	1.50	1 7/8-12	2.56	2.56	2.37
830-32-32-32	2.00	2.00	2 1/2-12	2.97	2.97	3.05



845 SERIES



45 DEGREE STRAIGHT THREAD HOSE CONNECTOR (NON STANDARD)

PART NO.	TUBE A	THREAD B	DIM C	DIM D
845-04-04	0.25	7/16-20	1.37	1.03
845-05-05	0.31	1/2-20	1.39	1.05
845-06-06	0.38	9/16-18	1.46	1.12
845-08-08	0.50	3/4-16	1.62	1.28
845-10-08	0.63	3/4-16	1.62	1.28
845-10-10	0.63	7/8-14	1.69	1.50
845-10-12	0.63	1 1/16-12	1.70	1.80
845-12-08	0.75	3/4-16	1.62	1.28
845-12-10	0.75	7/8-14	1.62	1.50
845-12-12	0.75	1 1/16-12	1.70	1.80
845-12-16	0.75	1 5/16-12	1.86	1.84
845-16-12	1.00	1 1/16-12	1.70	2.00
845-16-16	1.00	1 5/16-12	1.86	1.84
845-20-16	1.25	1 5/16-12	1.86	1.84
845-20-20	1.25	1 5/8-12	1.92	1.90
845-24-16	1.50	1 5/16-12	1.77	1.84
845-24-20	1.50	1 5/8-12	1.92	1.90
845-24-24	1.50	1 7/8-12	2.45	1.90
845-32-32	2.00	2 1/2-12	3.25	1.87



890 SERIES

С

TUBE A

THREAD B

D

90 DEGREE STRAIGHT THREAD HOSE CONNECTOR (NON STANDARD)

		provide the second s		
PART NO.	<u>TUBE A</u>	THREAD B	<u>DIM C</u>	DIM D
890-04-04	0.25	7/16-20	1.43	1.03
890-04-05	0.25	1/2-20	1.43	1.31
890-04-06	0.25	9/16-18	1.49	1.25
890-05-04	0.31	7/16-20	1.43	1.01
890-05-05	0.31	1/2-20	1.43	1.31
890-06-04	0.38	7/16-20	1.43	1.03
890-06-06	0.38	9/16-18	1.49	1.25
890-06-08	0.38	3/4-16	1.61	1.47
890-08-06	0.50	9/16-18	1.54	1.25
890-08-08	0.50	3/4-16	1.67	1.45
890-10-08	0.63	3/4-16	1.67	1.45
890-10-10	0.63	7/8-14	1.67	1.70
890-10-12	0.63	1 1/16-12	1.79	1.93
890-12-08	0.75	3/4-16	1.63	1.45
890-12-10	0.75	7/8-14	1.73	1.68
890-12-12	0.75	1 1/16-12	1.79	1.93
890-12-16	0.75	1 5/16-12	1.91	2.04
890-14-14	0.88	1 3/16-12	1.85	2.00
890-16-10	1.00	7/8-14	1.70	1.68
890-16-12	1.00	1 1/16-12	1.70	1.95
890-16-14	1.00	1 3/16-12	1.70	2.00
890-16-16	1.00	1 5/16-12	1.70	2.04
890-16-20	1.00	1 5/8-12	2.01	2.25
890-20-12	1.25	1 1/16-12	2.22	2.03
890-20-16	1.25	1 5/16-12	2.22	2.04
890-20-20	1.25	1 5/8-12	2.41	2.25
890-20-24	1.25	1 7/8-12	2.54	2.30
890-24-16	1.50	1 5/16-12	2.20	2.37
890-24-20	1.50	1 5/8-12	2.41	2.24
890-24-24	1.50	1 7/8-12	2.54	2.39
890-32-32	2.00	2 1/2-12	2.85	2.89




MALE PIPE HOSE CONNECTOR

(430160)


PART NO.	TUBE A	THREAD B	DIM C
900-04-02	0.25	1/8-27	1.69
900-04-04	0.25	1/4-18	1.90
900-05-02	0.31	1/8-27	1.69
900-05-04	0.31	1/4-18	1.90
900-06-02	0.38	1/8-27	1.69
900-06-04	0.38	1/4-18	1.90
900-06-06	0.38	3/8-18	1.93
900-08-04	0.50	1/4-18	1.93
900-08-06	0.50	3/8-18	1.96
900-08-08	0.50	1/2-14	2.15
900-08-12	0.50	3/4-14	2.21
900-10-06	0.63	3/8-18	1.96
900-10-08	0.63	1/2-14	2.15
900-10-12	0.63	3/4-14	2.21
900-12-06	0.75	3/8-18	1.96
900-12-08	0.75	1/2-14	2.15
900-12-12	0.75	3/4-14	2.21
900-16-12	1.00	3/4-14	2.21
900-16-16	1.00	1-11 1/2	2.43
900-20-16	1.25	1-11 1/2	3.01
900-20-20	1.25	1 1/4-11 1/2	3.01
900-24-20	1.50	1 1/4-11 1/2	2.88
900-24-24	1.50	1 1/2-11 1/2	3.07
900-32-32	2.00	2-11 1/2	3.22

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

900 SERIES








RUN TEE MALE PIPE-HOSE CONNECTOR (NON STANDARD)

PART NO.	TUBE A	<u>TUBE B</u>	THREAD C	DIM D	<u>DIM E</u>	DIM F
920-06-06-04	0.38	0.38	1/4-18	1.53	1.53	1.20
920-08-08-06	0.50	0.50	3/8-18	1.60	1.60	1.23
920-10-10-08	0.63	0.63	1/2-14	1.72	1.72	1.49
920-12-12-12	0.75	0.75	3/4-14	1.80	1.80	1.60
920-16-16-16	1.00	1.00	1-11 1/2	1.91	1.91	2.00
920-20-20-20	1.25	1.25	1 1/4-11 1/2	2.41	2.41	2.55
920-24-24-24	1.50	1.50	1 1/2-11 1/2	2.53	2.53	2.68
920-32-32-32	2.00	2.00	2-11 1/2	2.85	2.85	3.05
DESIGN AND DIMENSION S		E WITHOUT NOTIC	E.			



930 SERIES




BRANCH TEE MALE PIPE-HOSE CONNECTOR (NON STANDARD)

PART NO.	TUBE A	TUBE B	THREAD C	DIM D	DIM E	DIM F
930-04-04-02	0.25	0.25	1/8-27	1.42	1.42	0.71
930-04-04-04	0.25	0.25	1/4-18	1.48	1.48	1.06
930-06-06-04	0.38	0.38	1/4-18	1.53	1.53	1.20
930-08-08-06	0.50	0.50	3/8-18	1.60	1.60	1.23
930-08-08-08	0.50	0.50	1/2-14	1.66	1.66	1.44
930-10-10-08	0.63	0.63	1/2-14	1.72	1.72	1.49
930-12-12-12	0.75	0.75	3/4-14	1.80	1.80	1.60
930-16-16-16	1.00	1.00	1-11 1/2	1.91	1.91	2.00
930-20-20-20	1.25	1.25	1 1/4-11 1/2	2.41	2.41	2.55
930-24-24-24	1.50	1.50	1 1/2-11 1/2	2.53	2.53	2.68
930-32-32-32	2.00	2.00	2-11 1/2	2.85	2.85	3.05



945 SERIES




45 DEGREE MALE PIPE HOSE CONNECTOR (430360)

PART NO.	TUBE A	THREAD B	DIM C	DIM D
945-04-02	0.25	1/8-27	1.41	0.60
		1/0-2/	1.47	0.91
945-04-04	0.25			
945-05-02	0.31	1/8-27	1.34	0.64
945-06-04	0.38	1/4-18	1.45	0.91
945-06-06	0.38	3/8-18	1.53	0.95
945-08-04	0.50	1/4-18	1.41	0.91
945-08-06	0.50	3/8-18	1.44	1.13
945-08-08	0.50	1/2-14	1.60	1.06
945-10-06	0.63	3/8-18	1.58	0.98
945-10-08	0.63	1/2-14	1.66	1.08
945-10-12	0.63	3/4-14	1.68	1.30
945-12-08	0.75	1/2-14	1.51	1.08
945-12-12	0.75	3/4-14	1.53	1.32
945-12-16	0.75	1-11 1/2	1.71	1.49
945-16-12	1.00	3/4-14	1.43	1.35
945-16-16	1.00	1-11 1/2	1.70	1.45
945-16-20	1.00	1 1/4-11 1/2	1.85	1.56
945-20-16	1.25	1-11 1/2	1.96	1.89
945-20-20	1.25	1 1/4-11 1/2	2.13	1.50
945-24-20	1.50	1 1/4-11 1/2	1.96	1.56
945-24-24	1.50	1 1/2-11 1/2	2.36	1.75
945-32-32	2.00	2-11 1/2	2.22	2.10



90 DEGREE MALE PIPE HOSE CONNECTOR (430260)


PART NO. TUBE A THREAD B DIM C DIM D 990-04-02 0.25 1/8-27 1.42 0.71 990-04-04 0.25 1/4-18 1.48 1.06 990-05-02 0.31 1/8-27 1.55 1.22 990-05-04 0.31 1/4 - 181.43 0.78 990-06-02 0.38 1/8-27 1.49 1.06 990-06-04 0.38 1/4-18 1.53 1.20 990-06-06 0.38 3/8-18 1.59 1.22 990-06-08 0.38 1/2-14 1.65 1.46 990-08-04 0.50 1/4-18 1.54 1.10 990-08-06 0.50 3/8-18 1.60 1.23 990-08-08 0.50 1/2-14 1.66 1.44 990-08-12 0.50 3/4-14 1.79 1.60 990-10-06 0.63 3/8-18 1.66 1.20 990-10-08 0.63 1/2-14 1.72 1.49 990-10-12 0.63 3/4-14 1.85 1.60 990-12-06 0.75 3/8-18 1.62 1.20 990-12-08 0.75 1/2-14 1.68 1.44 990-12-12 0.75 3/4-14 1.80 1.60 990-12-16 0.75 $1-11 \ 1/2$ 1.84 1.98 990-16-08 1.00 1/2 - 141.96 1.96 990-16-12 1.00 3/4-14 2.13 1.60 990-16-16 1.00 1-11 1/2 1.91 2.00 990-16-20 1.00 1 1/4-11 1/2 2.45 2.38 1 1/2-11 1/2 990-16-24 1.00 2.23 2.64 990-20-16 1.25 1-11 1/2 2.23 1.98 990-20-20 1.25 1 1/4-11 1/2 2.41 2.55 1 1/2-11 1/2 990-20-24 1.25 2.22 2.64 990-24-16 1.50 1-111/2 2.23 2.16 990-24-20 1.50 1 1/4-11 1/2 2.42 2.38 990-24-24 1.50 1 1/2-11 1/2 2.53 2.68 990-32-32 2.00 2.85 2 - 111/23.05



990 SERIES




1000 SERIES



BULKHEAD UNION (070601)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
1000-03-03	0.19	3/8-24	3/8-24	1.90
1000-04-04	0.25	7/16-20	7/16-20	2.07
1000-05-05	0.31	1/2-20	1/2-20	2.07
1000-06-06	0.38	9/16-18	9/16-18	2.18
1000-08-08	0.50	3/4-16	3/4-16	2.44
1000-10-10	0.63	7/8-14	7/8-14	2.74
1000-10-12	0.63	7/8-14	1 1/16-12	2.96
1000-12-12	0.75	1 1/16-12	1 1/16-12	3.09
1000-14-14	0.88	1 3/16-12	1 3/16-12	3.12
1000-16-16	1.00	1 5/16-12	1 5/16-12	3.14
1000-20-20	1.25	1 5/8-12	1 5/8-12	3.31
1000-24-24	1.50	1 7/8-12	1 7/8-12	3.52
1000-32-32	2.00	2 1/2-12	2 1/2-12	4.20






<u>1020 SERIES</u>

BULKHEAD RUN TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
1020-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.97	0.97	1.59
1020-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.09	1.09	1.81
1020-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.36	1.36	2.11
1020-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.56	1.56	2.39
1020-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.78	1.78	2.69
1020-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.94	1.94	2.80
1020-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.18	2.18	3.23
1020-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.34	2.34	3.42
1020-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	2.89	2.89	4.11



1030 SERIES



BULKHEAD BRANCH TEE

(070959)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
1030-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.97	0.97	1.59
1030-05-05-05	0.31	1/2-20	1/2-20	1/2-20	1.06	1.06	1.72
1030-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.09	1.09	1.81
1030-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.36	1.36	2.11
1030-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.56	1.56	2.39
1030-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.78	1.78	2.67
1030-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1.92	1.92	2.80
1030-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.94	1.94	2.80
1030-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.17	2.17	3.12



45 DEGREE BULKHEAD ELBOW

1045 SERIES

	(070801)							
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D			
1045-04-04	0.25	7/16-20	7/16-20	0.72	1.53			
1045-05-05	0.31	1/2-20	1/2-20	0.77	1.66			
1045-06-06	0.38	9/16-18	9/16-18	0.83	1.67			
1045-08-08	0.50	3/4-16	3/4-16	0.98	1.94			
1045-10-10	0.63	7/8-14	7/8-14	1.11	2.17			
1045-12-12	0.75	1 1/16-12	1 1/16-12	1.28	2.44			
1045-14-14	0.88	1 3/16-12	1 3/16-12	1.45	2.50			
1045-16-16	1.00	1 5/16-12	1 5/16-12	1.47	2.56			
1045-20-20	1.25	1 5/8-12	1 5/8-12	1.59	2.65			
1045-24-24	1.50	1 7/8-12	1 7/8-12	1.78	2.67			



DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

1090 SERIES

THREAD A D THREAD B


90 DEGREE BULKHEAD ELBOW

(070701)

<u>PART NO.</u>	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
1090-04-04	0.25	7/16-20	7/16-20	0.97	1.59
1090-05-05	0.31	1/2-20	1/2-20	1.06	1.72
1090-06-06	0.38	9/16-18	9/16-18	1.09	1.81
1090-08-08	0.50	3/4-16	3/4-16	1.36	2.11
1090-10-10	0.63	7/8-14	7/8-14	1.56	2.39
1090-12-12	0.75	1 1/16-12	1 1/16-12	1.78	2.67
1090-16-12	1.00	1 5/16-12	1 1/16-12	1.89	2.80
1090-16-16	1.00	1 5/16-12	1 5/16-12	1.94	2.80
1090-20-20	1.25	1 5/8-12	1 5/8-12	2.17	3.12
1090-24-24	1.50	1 7/8-12	1 7/8-12	2.34	3.42



PIPE FITTINGS 1100 SERIES



MALE PIPE PLUG

(130109E)


PART NO.	THREAD A	DIM B
1100-02	1/8-27	0.53
1100-04	1/4-18	0.74
1100-06	3/8-18	0.77
1100-08	1/2-14	0.96
1100-12	3/4-14	1.05
1100-16	1-11 1/2	1.24
1100-20	1 1/4-11 1/2	1.28
1100-24	1 1/2-11 1/2	1.31
1100-32	2-11 1/2	1.75



PIPE-PIPE MALE ADAPTER (140139)


1110 SERIES

(140139)								
<u>PART NO.</u>	<u>O.D.</u>	PORT SIZE	THREAD A	THREAD B	DIMC			
1110-02-02	0.13	0.13	1/8-27	1/8-27	1.04			
1110-02-04	0.13	0.25	1/8-27	1/4-18	1.21			
1110-02-06	0.13	0.38	1/8-27	3/8-18	1.34			
1110-02-08	0.13	0.50	1/8-27	1/2-14	1.48			
1110-04-02′	0.25	0.13	1/4-18	1/8-27	1.22			
1110-04-04	0.25	0.25	1/4-18	1/4-18	1.39			
1110-04-06	0.25	0.38	1/4-18	3/8-18	1.43			
1110-04-08	0.25	0.50	1/4-18	1/2-14	1.68			
1110-04-12	0.25	0.75	1/4-18	3/4-14	1.74			
1110-06-02	0.38	0.13	3/8-18	1/8-27	1.42			
1110-06-04	0.38	0.25	3/8-18	1/4-18	1.44			
1110-06-06	0.38	0.38	3/8-18	3/8-18	1.43			
1110-06-08	0.38	0.50	3/8-18	1/2-14	1.68			
1110-06-12	0.38	0.75	3/8-18	3/4-14	1.74			
1110-08-06	0.50	0.38	1/2-14	3/8-18	1.85			
1110-08-08	0.50	0.50	1/2-14	1/2-14	1.87			
1110-08-12	0.50	0.75	1/2-14	3/4-14	1.93			
1110-08-16	0.50	1.00	1/2-14	1-11 1/2	2.18			
1110-12-04	0.75	0.25	3/4-14	1/4-18	1.82			
1110-12-06	0.75	0.38	3/4-14	3/8-18	1.62			
1110-12-08	0.75	0.50	3/4-14	1/2-14	1.93			
1110-12-12	0.75	0.75	3/4-14	3/4-14	1.93			
1110-12-16	0.75	1.00	3/4-14	1-11 1/2	2.18			
1110-12-20	0.75	1.25	3/4-14	1 1/4-11 1/2	2.27			
1110-16-08	1.00	0.50	1-11 1/2	1/2-14	2.06			
1110-16-12	1.00	0.75	1-11 1/2	3/4-14	2.12			
1110-16-16	1.00	1.00	1-11 1/2	1-11 1/2	2.37			
1110-16-20	1.00	1.25	1-11 1/2	1 1/4-11 1/2	2.46			
1110-16-24	1.00	1.50	1-11 1/2	1 1/2-11 1/2	2.47			
1110-20-16	1.25	1.00	1 1/4-11 1/2	1-11 1/2	2.52			
1110-20-20	1.25	1.25	1 1/4-11 1/2	1 1/4-11 1/2	2.49			
1110-20-24	1.25	1.50	1 1/4-11 1/2	1 1/2-11 1/2	2.50			
1110-20-32	1.25	2.00	1 1/4-11 1/2	2-11 1/2	2.59			
1110-24-20	1.50	1.25	1 1/2-11 1/2	1 1/4-11 1/2	2.20			
1110-24-24	1.50	1.50	1 1/2-11 1/2	1 1/2-11 1/2	2.53			
1110-24-32	1.50	2.00	1 1/2-11 1/2	2-11 1/2	2.62			
1110-32-32	2.00	2.00	2-11 1/2	2-11 1/2	2.62			
		O CHANGE WITHOUT NOT						





1120 SERIES




PIPE-PIPE REDUCER

(140140)

	(140140)							
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>				
1120-04-02	0.25	1/4-18	1/8-27	0.85				
1120-06-02	0.38	3/8-18	1/8-27	0.85				
1120-06-04	0.38	3/8-18	1/4-18	0.85				
1120-08-02	0.50	1/2-14	1/8-27	1.10				
1120-08-04	0.50	1/2-14	1/4-18	1.10				
1120-08-06	0.50	1/2-14	3/8-18	1.10				
1120-12-02	0.75	3/4-14	1/8-27	1.17				
1120-12-04	0.75	3/4-14	1/4-18	1.17				
1120-12-06	0.75	3/4-14	3/8-18	1.17				
1120-12-08	0.75	3/4-14	1/2-14	1.17				
1120-16-02	1.00	1-11 1/2	1/8-27	1.35				
1120-16-04	1.00	1-11 1/2	1/4-18	1.35				
1120-16-06	1.00	1-11 1/2	3/8-18	1.35				
1120-16-08	1.00	1-11 1/2	1/2-14	1.35				
1120-16-12	1.00	1-11 1/2	3/4-14	1.35				
1120-20-04	1.25	1 1/4-11 1/2	1/4-18	1.47				
1120-20-06	1.25	1 1/4-11 1/2	3/8-18	1.47				
1120-20-08	1.25	1 1/4-11 1/2	1/2-14	1.47				
1120-20-12	1.25	1 1/4-11 1/2	3/4-14	1.47				
1120-20-16	1.25	1 1/4-11 1/2	1-11 1/2	1.47				
1120-24-06	1.50	1 1/2-11 1/2	3/8-18	1.57				
1120-24-08	1.50	1 1/2-11 1/2	1/2-14	1.57				
1120-24-12	1.50	1 1/2-11 1/2	3/4-14	1.57				
1120-24-16	1.50	1 1/2-11 1/2	1-11 1/2	1.57				
1120-24-20	1.50	1 1/2-11 1/2	1 1/4-11 1/2	1.57				
1120-32-08	2.00	2-11 1/2	1/2-14	1.75				
1120-32-12	2.00	2-11 1/2	3/4-14	1.75				
1120-32-16	2.00	2-11 1/2	1-11 1/2	1.75				
1120-32-20	2.00	2-11 1/2	1 1/4-11 1/2	1.75				
1120-32-24	2.00	2-11 1/2	1 1/2-11 1/2	1.75				








COMPACT REDUCER BUSHING (130140)

(190110)						
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C		
1120C-04-02	0.25	1/4-18	1/8-27	0.75		
1120C-06-02	0.38	3/8-18	1/8-27	0.75		
1120C-06-04	0.38	3/8-18	1/4-18	0.75		
1120C-08-02	0.50	1/2-14	1/8-27	1.00		
1120C-08-04	0.50	1/2-14	1/4-18	1.00		
1120C-08-06	0.50	1/2-14	3/8-18	1.00		
1120C-12-02	0.75	3/4-14	1/8-27	1.00		
1120C-12-04	0.75	3/4-14	1/4-18	1.00		
1120C-12-06	0.75	3/4-14	3/8-18	1.00		
1120C-12-08	0.75	3/4-14	1/2-14	1.00		
1120C-16-02	1.00	1-11 1/2	1/8-27	1.31		
1120C-16-04	1.00	1-11 1/2	1/4-18	1.31		
1120C-16-06	1.00	1-11 1/2	3/8-18	1.31		
1120C-16-08	1.00	1-11 1/2	1/2-14	1.31		
1120C-16-12	1.00	1-11 1/2	3/4-14	1.31		




1130 SERIES



MALE PIPE TEE (NON STANDARD)

PART NO.	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
1130-02-02-02	1/8-27	1/8-27	1/8-27	0.78	0.78	0.78
1130-04-04-04	1/4-18	1/4-18	1/4-18	1.09	1.09	1.09
1130-06-06-06	3/8-18	3/8-18	3/8-18	1.22	1.22	1.22
1130-08-08-08	1/2-14	1/2-14	1/2-14	1.47	1.47	1.47
1130-12-12-12	3/4-14	3/4-14	3/4-14	1.59	1.59	1.59
1130-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1.97	1.97	1.97
1130-20-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	2.38	2.38	2.38
1130-24-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	2.64	2.64	2.64
1130-32-32-32	2-11 1/2	2-11 1/2	2-11 1/2	3.00	3.00	3.00






MALE PIPE CROSS (NON STANDARD)

PART NO.	THREAD A	THREAD B	THREAD C	THREAD D	<u>DIM E</u>	DIM F
1140-02-02-02-02	1/8-27	1/8-27	1/8-27	1/8-27	0.78	1.56
1140-04-04-04-04	1/4-18	1/4-18	1/4-18	1/4-18	1.09	2.18
1140-06-06-06-06	3/8-18	3/8-18	3/8-18	3/8-18	1.22	2.44
1140-08-08-08-08	1/2-14	1/2-14	1/2-14	1/2-14	1.47	2.94
1140-12-12-12-12	3/4-14	3/4-14	3/4-14	3/4-14	1.59	3.18
1140-16-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1-11 1/2	1.97	3.80
1140-20-20-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	2.38	4.76
1140-24-24-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	2.64	5.28
1140-32-32-32-32	2-11 1/2	2-11 1/2	2-11 1/2	2-11 1/2	3.00	6.00



1145 SERIES



45 DEGREE MALE PIPE ELBOW (NON STANDARD)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
1145-02-02	0.13	1/8-27	1/8-27	0.64	0.74
1145-04-04	0.25	1/4-18	1/4-18	0.86	1.06
1145-06-06	0.38	3/8-18	3/8-18	0.95	1.00
1145-08-08	0.50	1/2-14	1/2-14	1.08	1.30
1145-12-12	0.75	3/4-14	3/4-14	1.20	1.34
1145-16-16	1.00	1-11 1/2	1-11 1/2	1.48	1.71
1145-20-20	1.25	1 1/4-11 1/2	1 1/4-11 1/2	1.67	1.81
1145-24-24	1.50	1 1/2-11 1/2	1 1/2-11 1/2	1.77	2.30



HEXAGON PIPE NIPPLE (140137)

(140137)						
PART NO.	THREAD A	THREAD B	<u>DIM C</u>			
1150-02-02	1/8-27	1/8-27	1.06			
1150-04-02	1/4-18	1/8-27	1.25			
1150-04-04	1/4-18	1/4-18	1.45			
1150-06-02	3/8-18	1/8-27	1.45			
1150-06-04	3/8-18	1/4-18	1.45			
1150-06-06	3/8-18	3/8-18	1.45			
1150-08-04	1/2-14	1/4-18	1.70			
1150-08-06	1/2-14	3/8-18	1.70			
1150-08-08	1/2-14	1/2-14	1.89			
1150-12-04	3/4-14	1/4-18	1.78			
1150-12-06	3/4-14	3/8-18	1.77			
1150-12-08	3/4-14	1/2-14	1.96			
1150-12-12	3/4-14	3/4-14	1.96			
1150-16-04	1-11 1/2	1/4-18	1.96			
1150-16-06	1-11 1/2	3/8-18	1.97			
1150-16-08	1-11 1/2	1/2-14	2.15			
1150-16-12	1-11 1/2	3/4-14	2.09			
1150-16-16	1-11 1/2	1-11 1/2	2.34			
1150-20-12	1 1/4-11 1/2	3/4-14	2.41			
1150-20-16	1 1/4-11 1/2	1-11 1/2	2.45			
1150-20-20	1 1/4-11 1/2	1 1/4-11 1/2	2.48			
1150-24-12	1 1/2-11 1/2	3/4-14	2.38			
1150-24-16	1 1/2-11 1/2	1-11 1/2	2.56			
1150-24-20	1 1/2-11 1/2	1 1/4-11 1/2	2.59			
1150-24-24	1 1/2-11 1/2	1 1/2-11 1/2	2.61			
1150-32-16	2-11 1/2	1-11 1/2	2.71			
1150-32-20	2-11 1/2	1 1/4-11 1/2	2.76			
1150-32-24	2-11 1/2	1 1/2-11 1/2	2.76			
1150-32-32	2-11 1/2	2-11 1/2	2.83			
DESIGN AND DIMENSI	ON SUBJECT TO CHANGE	TTHOUT NOTICE				

1150 SERIES






1190 SERIES THREAD A THREAD B

90 DEGREE MALE PIPE ELBOW (NON STANDARD)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D
1190-02-02	1/8-27	1/8-27	0.78	0.78
1190-04-02	1/4-18	1/8-27	1.09	0.83
1190-04-04	1/4-18	1/4-18	1.09	1.09
1190-06-04	3/8-18	1/4-18	1.21	1.18
1190-06-06	3/8-18	3/8-18	1.22	1.22
1190-08-04	1/2-14	1/4-18	1.47	1.25
1190-08-06	1/2-14	3/8-18	1.46	1.28
1190-08-08	1/2-14	1/2-14	1.47	1.47
1190-12-08	3/4-14	1/2-14	1.59	1.56
1190-12-12	3/4-14	3/4-14	1.59	1.59
1190-16-12	1-11 1/2	3/4-14	1.95	1.68
1190-16-16	1-11 1/2	1-11 1/2	1.97	1.97
1190-20-20	1 1/4-11 1/2	1 1/4-11 1/2	2.38	2.38
1190-24-24	1 1/2-11 1/2	1 1/2-11 1/2	2.64	2.64
1190-32-32	2-11 1/2	2-11 1/2	3.00	3.00



1220 SERIES




PIPE RUN TEE (140424)

PART NO.	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
1220-02-02-02	1/8-27	1/8-27	1/8-27	0.66	0.78	1.44
1220-04-02-04	1/4-18	1/8-27	1/4-18	0.72	1.09	1.97
1220-04-04-02	1/4-18	1/4-18	1/8-27	0.88	0.88	1.76
1220-04-04-04	1/4-18	1/4-18	1/4-18	0.88	1.09	1.97
1220-06-06-06	3/8-18	3/8-18	3/8-18	1.02	1.22	2.24
1220-08-08-08	1/2-14	1/2-14	1/2-14	1.23	1.47	2.70
1220-08-12-08	1/2-14	3/4-14	1/2-14	1.36	1.67	3.03
1220-12-08-12	3/4-14	1/2-14	3/4-14	1.36	1.59	2.95
1220-12-12-12	3/4-14	3/4-14	3/4-14	1.36	1.59	2.95
1220-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1.62	1.97	3.59
1220-20-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1.70	2.38	4.08
1220-24-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	2.08	2.64	4.72
1220-32-32-32	2-11 1/2	2-11 1/2	2-11 1/2	2.39	3.00	5.39



1221 SERIES




MALE PIPE-FEMALE PIPE RUN TEE (NON STANDARD)

PART NO.	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
1221-02-02-02	1/8-27	1/8-27	1/8-27	0.66	0.78	0.78
1221-04-04-04	1/4-18	1/4-18	1/4-18	0.88	1.09	1.09
1221-06-06-06	3/8-18	3/8-18	3/8-18	1.02	1.22	1.22
1221-08-08-08	1/2-14	1/2-14	1/2-14	1.23	1.47	1.47
1221-12-12-12	3/4-14	3/4-14	3/4-14	1.36	1.59	1.59
1221-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1.62	1.97	1.97



1230 SERIES




PIPE BRANCH TEE

(140425)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
1230-02-02-02	0.13	1/8-27	1/8-27	1/8-27	0.66	0.66	0.78
1230-04-04-04	0.25	1/4-18	1/4-18	1/4-18	0.88	0.88	1.09
1230-06-06-06	0.38	3/8-18	3/8-18	3/8-18	1.02	1.02	1.22
1230-08-08-08	0.50	1/2-14	1/2-14	1/2-14	1.23	1.23	1.47
1230-12-12-08	0.75	3/4-14	3/4-14	1/2-14	1.37	1.37	1.59
1230-12-12-12	0.75	3/4-14	3/4-14	3/4-14	1.36	1.36	1.59
1230-16-16-16	1.00	1-11 1/2	1-11 1/2	1-11 1/2	1.63	1.63	1.97
1230-20-20-20	1.25	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1.70	1.70	2.38
1230-24-24-24	1.50	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	2.08	2.08	2.64



1231 SERIES



MALE PIPE-FEMALE PIPE BRANCH TEE (NON STANDARD)

PART NO.	THREAD A	THREAD B	THREAD C	DIM D	DIM E
1231-02-02-02	1/8-27	1/8-27	1/8-27	0.78	0.66
1231-04-04-04	1/4-18	1/4-18	1/4-18	1.09	0.88
1231-06-06-06	3/8-18	3/8-18	3/8-18	1.22	1.02
1231-08-08-08	1/2-14	1/2-14	1/2-14	1.47	1.23
1231-12-12-12	3/4-14	3/4-14	3/4-14	1.59	1.36
1231-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1.97	1.62



THREAD A


MALE PIPE-FEMALE PIPE CROSS (NON STANDARD)

PART NO.	THREAD A	THREAD B	THREAD C	THREAD D	<u>DIM E</u>	DIM F
1240-04-04-04-04	1/4-18	1/4-18	1/4-18	1/4-18	0.88	1.09
1240-06-06-06-06	3/8-18	3/8-18	3/8-18	3/8-18	1.02	1.22
1240-08-08-08-08	1/2-14	1/2-14	1/2-14	1/2-14	1.23	1.47
1240-12-12-12-12	3/4-14	3/4-14	3/4-14	3/4-14	1.36	1.59
1240-16-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1-11 1/2	1.62	1.97
1240-20-20-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1.70	2.38

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

1240 SERIES






MALE PIPE-FEMALE PIPE CROSS (NON STANDARD)

PART NO.	THREAD A	THREAD B	THREAD C	THREAD D	<u>DIM E</u>	DIM F
1241-04-04-04-04	1/4-18	1/4-18	1/4-18	1/4-18	0.88	1.09
1241-06-06-06-06	3/8-18	3/8-18	3/8-18	3/8-18	1.02	1.22
1241-08-08-08-08	1/2-14	1/2-14	1/2-14	1/2-14	1.23	1.47
1241-12-12-12-12	3/4-14	3/4-14	3/4-14	3/4-14	1.36	1.59



1245 SERIES




45 DEGREE STREET ELBOW (140339)

PART NO.	PORT SIZE	THREAD A	THREAD B	DIM C	DIM D
1245-02-02	0.13	1/8-27	1/8-27	0.72	0.47
1245-04-04	0.25	1/4-18	1/4-18	1.05	0.63
1245-06-06	0.38	3/8-18	3/8-18	1.06	0.72
1245-08-08	0.50	1/2-14	1/2-14	1.34	0.91
1245-12-12	0.75	3/4-14	3/4-14	1.38	0.97
1245-16-16	1.00	1-11 1/2	1-11 1/2	1.72	1.13
1245-20-20	1.25	1 1/4-11 1/2	1 1/4-11 1/2	1.80	1.63
1245-24-24	1.50	1 1/2-11 1/2	1 1/2-11 1/2	2.06	1.69
	ON SUBJECT TO CHANG		1 1/2 11 1/2	2.00	



1290 SERIES



90 DEGREE STREET ELBOW

(140239)

PART NO.	THREAD A	THREAD B	DIM C	<u>DIM D</u>					
1290-02-02	1/8-27	1/8-27	0.66	0.78					
1290-02-04	1/8-27	1/4-18	0.67	1.09					
1290-04-02	1/4-18	1/8-27	0.88	0.91					
1290-04-04	1/4-18	1/4-18	0.88	1.09					
1290-04-06	1/4-18	3/8-18	0.91	1.22					
1290-04-08	1/4-18	1/2-14	0.92	1.47					
1290-06-04	3/8-18	1/4-18	1.02	1.22					
1290-06-06	3/8-18	3/8-18	1.02	1.22					
1290-06-08	3/8-18	1/2-14	1.02	1.47					
1290-06-12	3/8-18	3/4-14	1.12	1.59					
1290-08-04	1/2-14	1/4-18	1.23	1.26					
1290-08-06	1/2-14	3/8-18	1.23	1.38					
1290-08-08	1/2-14	1/2-14	1.23	1.47					
1290-08-12	1/2-14	3/4-14	1.23	1.59					
1290-12-08	3/4-14	1/2-14	1.23	1.59					
1290-12-12	3/4-14	3/4-14	1.36	1.59					
1290-12-16	3/4-14	1-11 1/2	1.37	1.84					
1290-16-12	1-11 1/2	3/4-14	1.63	1.71					
1290-16-16	1-11 1/2	1-11 1/2	1.63	1.97					
1290-16-20	1-11 1/2	1 1/4-11 1/2	1.68	2.38					
1290-20-16	1 1/4-11 1/2	1-11 1/2	1.70	2.16					
1290-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.70	2.38					
1290-24-20	1 1/2-11 1/2	1 1/4-11 1/2	2.00	2.50					
1290-24-24	1 1/2-11 1/2	1 1/2-11 1/2	2.08	2.64					
1290-32-32	2-11 1/2	2-11 1/2	2.39	3.00					




90 DEGREE DOT ELBOW (NON STANDARD)

PART NO.	THREAD A	THREAD B	DIM C
1290C-02-02	1/8-27	1/8-27	0.75
1290C-04-04	1/4-18	1/4-18	0.95
1290C-06-06	3/8-18	3/8-18	1.06
1290C-08-08	1/2-14	1/2-14	1.36

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.


1290C SERIES



HEXAGON PIPE COUPLER (140138)

PART NO. 0.D. THREAD A THREAD B DIM C 1300-02-02 1/8-27 0.12 1/8-27 0.75 1300-04-02 0.25 1/4 - 181/8-27 1.13 1300-04-04 0.25 1/4-18 1/4-18 1.12 1300-06-02 0.37 3/8-18 1/8-27 1.13 1300-06-04 0.37 3/8-18 1/4-18 1.13 1300-06-06 0.37 3/8-18 3/8-18 1.12 1300-08-02 0.50 1/2-14 1/8-27 1.50 1300-08-04 0.50 1/2-141/4-18 1.50 1300-08-06 0.50 1/2-14 3/8-18 1.50 1300-08-08 0.50 1/2-14 1/2-14 1.50 1300-12-06 0.75 3/4-14 3/8-18 1.53 1300-12-08 0.75 3/4-14 1/2-14 1.53 0.75 1300-12-12 3/4-14 3/4-14 1.53 1300-16-08 1.00 1-111/2 1/2-14 1.89 1300-16-12 1.00 1-111/23/4-14 1.89 1300-16-16 1.00 1 - 1111/21 - 1111/21.89 1300-20-16 1.25 1 1/4-11 1/2 1 - 111/21.93 1300-20-20 1.25 1 1/4-11 1/2 1 1/4-11 1/2 1.93 1300-24-20 1.50 1 1/2-11 1/2 1 1/4-11 1/2 1.93 1300-24-24 1.50 1 1/2-11 1/2 1 1/2-11 1/2 1.93 1300-32-32 2.00 2-11 1/2 2-11 1/2 1.96


1300 SERIES



©1998, 2019 Piper Industries, Inc.



1330 SERIES




FEMALE PIPE TEE (140438)

PART NO.	THREAD A	THREAD B	THREAD C	<u>DIM D</u>	DIM E	DIM F
1330-02-02-02	1/8-27	1/8-27	1/8-27	0.66	0.66	0.66
1330-04-04-04	1/4-18	1/4-18	1/4-18	0.88	0.88	0.88
1330-06-06-06	3/8-18	3/8-18	3/8-18	1.02	1.02	1.02
1330-06-06-08	3/8-18	3/8-18	1/2-14	1.14	1.14	1.23
1330-08-08-08	1/2-14	1/2-14	1/2-14	1.23	1.23	1.23
1330-12-12-12	3/4-14	3/4-14	3/4-14	1.36	1.36	1.36
1330-16-16-12	1-11 1/2	1-11 1/2	3/4-14	1.63	1.63	1.50
1330-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1.63	1.63	1.63
1330-20-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1.70	1.70	1.70
1330-24-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	2.08	2.08	2.08
1330-32-32-32	2-11 1/2	2-11 1/2	2-11 1/2	2.39	2.39	2.39



1340 SERIES




FEMALE PIPE CROSS (NON STANDARD)

<u>O.D.</u>	THREAD A	THREAD B	THREAD C	THREAD D	<u>DIM E</u>	<u>DIM F</u>	DIM G	DIM H
0.13	1/8-27	1/8-27	1/8-27	1/8-27	0.66	0.66	0.66	0.66
0.25	1/4-18	1/4-18	1/4-18	1/4-18	0.88	0.88	0.88	0.88
0.38	3/8-18	3/8-18	3/8-18	3/8-18	1.02	1.02	1.02	1.02
0.50	1/2-14	1/2-14	1/2-14	1/2-14	1.23	1.23	1.23	1.23
0.75	3/4-14	3/4-14	3/4-14	3/4-14	1.36	1.36	1.36	1.36
1.00	1-11 1/2	1-11 1/2	1-11 1/2	1-11 1/2	1.63	1.63	1.63	1.63
1.25	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1.70	1.70	1.70	1.70
1.50	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	2.08	2.08	2.08	2.08
2.00	2-11 1/2	2-11 1/2	2-11 1/2	2-11 1/2	2.39	2.39	2.39	2.39
	0.25 0.38 0.50 0.75 1.00 1.25 1.50 2.00	0.25 1/4-18 0.38 3/8-18 0.50 1/2-14 0.75 3/4-14 1.00 1-111/2 1.25 1 1/4-11 1.50 1 1/2-111/2	0.25 1/4-18 1/4-18 0.38 3/8-18 3/8-18 0.50 1/2-14 1/2-14 0.75 3/4-14 3/4-14 1.00 1-111/2 1-111/2 1.25 1 1/4-111/2 1 1.50 1 1/2-111/2 1 2.00 2-111/2 2-111/2	0.25 1/4-18 1/4-18 1/4-18 0.38 3/8-18 3/8-18 3/8-18 0.50 1/2-14 1/2-14 1/2-14 0.75 3/4-14 3/4-14 3/4-14 1.00 1-111/2 1-111/2 1-111/2 1.25 1 1/4-111/2 1 1/4-111/2 1.50 1 1/2-111/2 1 1/2-111/2 2.00 2-111/2 2-111/2 2-111/2	0.251/4-181/4-181/4-181/4-180.383/8-183/8-183/8-183/8-180.501/2-141/2-141/2-141/2-140.753/4-143/4-143/4-143/4-141.001-11 1/21-11 1/21-11 1/21-11 1/21.2511/4-11 1/211/4-11 1/211.5011/2-11 1/211/2-11 1/212.002-11 1/22-11 1/22-11 1/22-11 1/2	0.25 1/4-18 1/4-18 1/4-18 1/4-18 1/4-18 0.88 0.38 3/8-18 3/8-18 3/8-18 3/8-18 3/8-18 1/2-14 1/2-14 1/2-14 1/2-14 1/2-14 1.02 0.50 1/2-14 1/2-14 1/2-14 1/2-14 1.23 0.75 3/4-14 3/4-14 3/4-14 3/4-14 1.36 1.00 1-11 1/2 1-11 1/2 1-11 1/2 1-11 1/2 1.63 1.25 1 1/4-11 1/2 1 1/4-11 1/2 1 1/4-11 1/2 1.70 1.50 1 1/2-11 1/2 1 1/2-11 1/2 1 1/2-11 1/2 2.08 2.00 2-11 1/2 2-11 1/2 2-11 1/2 2.39	1/0 1/0 1/0 1/0 1/0 1/0 1/0 1/0 1/0 1/0	0.25 1/4-18 1/4-18 1/4-18 1/4-18 0.88 0.88 0.88 0.38 3/8-18 3/8-18 3/8-18 3/8-18 3/8-18 1/02 1.02 1.02 0.50 1/2-14 1/2-14 1/2-14 1/2-14 1.02 1.02 1.02 0.50 1/2-14 1/2-14 1/2-14 1/2-14 1.23 1.23 1.23 0.50 1/2-14 3/4-14 3/4-14 3/4-14 1.63 1.36 1.36 1.00 1-111/2 1-111/2 1-111/2 1.63 1.63 1.63 1.00 1-111/2 1/4-111/2 1/4-111/2 1.63 1.63 1.63 1.25 1 1/4-111/2 1 1/4-111/2 1 1/4-111/2 1.70 1.70 1.70 1.50 1 1/2-111/2 1 1/2-111/2 1 1/2-111/2 2.08 2.08 2.08 2.00 2-111/2 2-111/2 2-111/2 2.39 2.39 2.39



1345 SERIES




45 DEGREE FEMALE ELBOW (140338)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>
1345-02-02	1/8-27	1/8-27	0.51	0.51
1345-04-04	1/4-18	1/4-18	0.66	0.66
1345-06-06	3/8-18	3/8-18	0.75	0.75
1345-08-08	1/2-14	1/2-14	0.92	0.92
1345-12-12	3/4-14	3/4-14	0.97	0.97
1345-16-16	1-11 1/2	1-11 1/2	1.16	1.16

1390 SERIES





(140238)							
PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D			
1390-02-02	1/8-27	1/8-27	0.66	0.66			
1390-04-02	1/4-18	1/8-27	0.88	0.72			
1390-04-04	1/4-18	1/4-18	0.88	0.88			
1390-06-04	3/8-18	1/4-18	1.02	0.93			
1390-06-06	3/8-18	3/8-18	1.02	1.02			
1390-08-04	1/2-14	1/4-18	1.23	1.09			
1390-08-06	1/2-14	3/8-18	1.23	1.14			
1390-08-08	1/2-14	1/2-14	1.23	1.23			
1390-12-08	3/4-14	1/2-14	1.36	1.36			
1390-12-12	3/4-14	3/4-14	1.36	1.36			
1390-16-12	1-11 1/2	3/4-14	1.63	1.48			
1390-16-16	1-11 1/2	1-11 1/2	1.63	1.63			
1390-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.70	1.70			
1390-24-24	1 1/2-11 1/2	1 1/2-11 1/2	2.08	2.08			
1390-32-32	2-11 1/2	2-11 1/2	2.39	2.39			




STRAIGHT ADAPTER UNION

(140130)

(140150)					
PART NO.	THREAD A	THREAD B	<u>DIM C</u>		
1400-02-02	1/8-27	1/8-27	0.88		
1400-02-04	1/8-27	1/4-18	1.19		
1400-04-02	1/4-18	1/8-27	1.09		
1400-04-04	1/4-18	1/4-18	1.26		
1400-04-06	1/4-18	3/8-18	1.33		
1400-04-08	1/4-18	1/2-14	1.58		
1400-06-04	3/8-18	1/4-18	1.35		
1400-06-06	3/8-18	3/8-18	1.35		
1400-06-08	3/8-18	1/2-14	1.57		
1400-08-04	1/2-14	1/4-18	1.53		
1400-08-06	1/2-14	3/8-18	1.39		
1400-08-08	1/2-14	1/2-14	1.63		
1400-08-12	1/2-14	3/4-14	1.66		
1400-12-06	3/4-14	3/8-18	1.56		
1400-12-08	3/4-14	1/2-14	1.67		
1400-12-12	3/4-14	3/4-14	1.68		
1400-12-16	3/4-14	1-11 1/2	1.92		
1400-12-20	3/4-14	1 1/4-11 1/2	1.84		
1400-16-06	1-11 1/2	3/8-18	1.81		
1400-16-08	1-11 1/2	1/2-14	1.83		
1400-16-12	1-11 1/2	3/4-14	1.80		
1400-16-16	1-11 1/2	1-11 1/2	2.00		
1400-16-20	1-11 1/2	1 1/4-11 1/2	2.05		
1400-20-16	1 1/4-11 1/2	1-11 1/2	2.11		
1400-20-20	1 1/4-11 1/2	1 1/4-11 1/2	2.07		
1400-20-24	1 1/4-11 1/2	1 1/2-11 1/2	2.18		
1400-24-20	1 1/2-11 1/2	1 1/4-11 1/2	2.11		
1400-24-24	1 1/2-11 1/2	1 1/2-11 1/2	2.25		
1400-32-32	2-11 1/2	2-11 1/2	2.43		


DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

1400 SERIES





1430 SERIES



TEE ADAPTER UNION (NON STANDARD)


PART NO.	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
1430-02-02-02	1/8-27	1/8-27	1/8-27	0.68	0.68	0.94
1430-04-04-02	1/4-18	1/4-18	1/8-27	0.75	0.75	1.06
1430-04-04-04	1/4-18	1/4-18	1/4-18	0.78	0.78	1.25
1430-04-04-06	1/4-18	1/4-18	3/8-18	0.87	0.87	1.19
1430-04-04-08	1/4-18	1/4-18	1/2-14	0.87	0.87	1.21
1430-06-06-04	3/8-18	3/8-18	1/4-18	0.86	0.86	1.50
1430-06-06-06	3/8-18	3/8-18	3/8-18	0.92	0.92	1.50
1430-06-06-08	3/8-18	3/8-18	1/2-14	0.92	0.92	1.69
1430-08-08-08	1/2-14	1/2-14	1/2-14	1.00	1.00	1.87
1430-08-08-12	1/2-14	1/2-14	3/4-14	1.05	1.05	1.75
1430-12-12-12	3/4-14	3/4-14	3/4-14	1.14	1.14	2.00
1430-12-12-16	3/4-14	3/4-14	1-11 1/2	1.27	1.27	2.44
1430-16-16-12	1-11 1/2	1-11 1/2	3/4-14	1.44	1.44	2.31
1430-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1.31	1.31	2.44
1430-20-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1.50	1.50	2.56
1430-24-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	1.75	1.75	2.81
1430-32-32-32	2-11 1/2	2-11 1/2	2-11 1/2	2.31	2.31	3.30



45 DEGREE ADAPTER UNION


(140330)					
PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D	
1445-02-02	1/8-27	1/8-27	0.62	0.64	
1445-02-04	1/8-27	1/4-18	0.68	0.86	
1445-04-02	1/4-18	1/8-27	0.68	0.65	
1445-04-04	1/4-18	1/4-18	0.82	0.86	
1445-04-06	1/4-18	3/8-18	0.82	0.95	
1445-04-08	1/4-18	1/2-14	0.82	1.17	
1445-06-04	3/8-18	1/4-18	0.82	0.95	
1445-06-06	3/8-18	3/8-18	0.82	1.06	
1445-06-08	3/8-18	1/2-14	0.82	1.17	
1445-06-12	3/8-18	3/4-14	0.90	1.20	
1445-08-04	1/2-14	1/4-18	0.80	0.95	
1445-08-06	1/2-14	3/8-18	0.88	1.38	
1445-08-08	1/2-14	1/2-14	0.88	1.31	
1445-08-12	1/2-14	3/4-14	0.95	1.20	
1445-12-08	3/4-14	1/2-14	1.00	1.31	
1445-12-12	3/4-14	3/4-14	1.00	1.56	
1445-12-16	3/4-14	1-11 1/2	1.12	1.48	
1445-16-12	1-11 1/2	3/4-14	1.15	1.29	
1445-16-16	1-11 1/2	1-11 1/2	1.29	1.56	
1445-16-20	1-11 1/2	1 1/4-11 1/2	1.35	1.67	
1445-20-16	1 1/4-11 1/2	1-11 1/2	1.16	1.75	
1445-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.25	1.87	
1445-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1.44	2.03	
1445-32-32	2-11 1/2	2-11 1/2	1.56	2.11	

1445 SERIES





1490 SERIES



90 DEGREE ADAPTER UNION (140230)

	(140230)						
PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D			
1490-02-02	1/8-27	1/8-27	0.68	0.94			
1490-02-04	1/8-27	1/4-18	0.70	1.25			
1490-04-02	1/4-18	1/8-27	0.75	1.06			
1490-04-04	1/4-18	1/4-18	0.78	1.25			
1490-04-06	1/4-18	3/8-18	0.87	1.19			
1490-04-08	1/4-18	1/2-14	0.89	1.21			
1490-04-12	1/4-18	3/4-14	0.97	1.30			
1490-06-04	3/8-18	1/4-18	0.86	1.50			
1490-06-06	3/8-18	3/8-18	0.92	1.50			
1490-06-08	3/8-18	1/2-14	0.92	1.69			
1490-06-12	3/8-18	3/4-14	0.97	1.30			
1490-08-04	1/2-14	1/4-18	1.00	1.62			
1490-08-06	1/2-14	3/8-18	0.92	1.50			
1490-08-08	1/2-14	1/2-14	1.00	1.87			
1490-08-12	1/2-14	3/4-14	1.05	1.75			
1490-08-16	1/2-14	1-11 1/2	1.19	1.75			
1490-12-06	3/4-14	3/8-18	1.12	1.75			
1490-12-08	3/4-14	1/2-14	1.14	2.00			
1490-12-12	3/4-14	3/4-14	1.14	2.06			
1490-12-16	3/4-14	1-11 1/2	1.27	2.31			
1490-12-20	3/4-14	1 1/4-11 1/2	1.44	1.90			
1490-16-08	1-11 1/2	1/2-14	1.44	1.90			
1490-16-12	1-11 1/2	3/4-14	1.44	1.95			
1490-16-16	1-11 1/2	1-11 1/2	1.31	1.95			
1490-16-20	1-11 1/2	1 1/4-11 1/2	1.50	2.56			
1490-20-12	1 1/4-11 1/2	3/4-14	1.50	2.37			
1490-20-16	1 1/4-11 1/2	1-11 1/2	1.50	2.56			
1490-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.50	2.56			
1490-20-24	1 1/4-11 1/2	1 1/2-11 1/2	1.88	2.81			
1490-24-20	1 1/2-11 1/2	1 1/4-11 1/2	1.72	2.81			
1490-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1.80	2.81			
1490-32-32	2-11 1/2	2-11 1/2	2.31	3.30			




90 DEGREE ADAPTER UNION COMPACT (NON STANDARD)

1490C SERIES

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D	
1490C-02-02	1/8-27	1/8-27	0.68	0.72	
1490C-04-04	1/4-18	1/4-18	0.78	1.09	
1490C-06-06	3/8-18	3/8-18	0.92	1.22	
1490C-08-08	1/2-14	1/2-14	1.00	1.47	
1490C-12-12	3/4-14	3/4-14	1.14	1.59	
1490C-16-16	1-11 1/2	1-11 1/2	1.31	1.97	
1490C-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.50	2.38	
1490C-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1.75	2.64	
1490C-32-32	2-11 1/2	2-11 1/2	2.31	2.70	


DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.



1490L SERIES

90 DEGREE ADAPTER UNION LONG (NON STANDARD)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D
1490L-02-02	1/8-27	1/8-27	0.68	1.64
1490L-04-04	1/4-18	1/4-18	0.78	2.25
1490L-06-06	3/8-18	3/8-18	0.92	2.76
1490L-08-08	1/2-14	1/2-14	1.00	3.19
1490L-12-12	3/4-14	3/4-14	1.14	3.66





1490XL SERIES


90 DEGREE ADAPTER UNION EXTRA LONG (NON STANDARD)

PART NO.	THREAD A	THREAD B	DIM C	DIM D
1490XL-02-02	1/8-27	1/8-27	0.68	1.64
1490XL-04-04	1/4-18	1/4-18	0.78	2.25
1490XL-06-06	3/8-18	3/8-18	0.82	2.76
1490XL-08-08	1/2-14	1/2-14	1.00	3.50
1490XL-12-12	3/4-14	3/4-14	1.14	3.66
1490XL-16-16	1-11 1/2	1-11 1/2	1.31	4.31

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

1500 SERIES

THREAD B




FEMALE ADAPTER UNION (140131)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>
1500-02-02	1/8-27	1/8-27	0.75
1500-02-04	1/8-27	1/4-18	1.17
1500-04-02	1/4-18	1/8-27	1.11
1500-04-04	1/4-18	1/4-18	1.19
1500-04-06	1/4-18	3/8-18	1.23
1500-04-08	1/4-18	1/2-14	1.50
1500-06-04	3/8-18	1/4-18	1.22
1500-06-06	3/8-18	3/8-18	1.22
1500-06-08	3/8-18	1/2-14	1.47
1500-08-04	1/2-14	1/4-18	1.41
1500-08-06	1/2-14	3/8-18	1.41
1500-08-08	1/2-14	1/2-14	1.41
1500-08-12	1/2-14	3/4-14	1.50
1500-12-08	3/4-14	1/2-14	1.50
1500-12-12	3/4-14	3/4-14	1.56
1500-12-16	3/4-14	1-11 1/2	1.91
1500-16-12	1-11 1/2	3/4-14	1.92
1500-16-16	1-11 1/2	1-11 1/2	1.92
1500-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.92
1500-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1.92
1500-32-32	2-11 1/2	2-11 1/2	2.16



1530 SERIES




TEE ADAPTER UNION (NON STANDARD)

PART NO.	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
1530-02-02-02	1/8-27	1/8-27	1/8-27	0.65	0.65	0.68
1530-04-04-04	1/4-18	1/4-18	1/4-18	0.78	0.78	0.94
1530-04-04-06	1/4-18	1/4-18	3/8-18	0.87	0.87	1.06
1530-06-06-06	3/8-18	3/8-18	3/8-18	0.92	0.92	1.06
1530-06-06-08	3/8-18	3/8-18	1/2-14	0.99	0.99	1.25
1530-08-08-08	1/2-14	1/2-14	1/2-14	1.00	1.00	1.25
1530-08-08-12	1/2-14	1/2-14	3/4-14	1.12	1.12	1.43
1530-12-12-08	3/4-14	3/4-14	1/2-14	1.19	1.19	1.43
1530-12-12-12	3/4-14	3/4-14	3/4-14	1.19	1.19	1.43
1530-12-12-16	3/4-14	3/4-14	1-11 1/2	1.27	1.27	1.75
1530-16-16-16	1-11 1/2	1-11 1/2	1-11 1/2	1.31	1.31	1.75
1530-20-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1 1/4-11 1/2	1.62	1.62	2.00
1530-24-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1 1/2-11 1/2	1.75	1.75	2.25
1530-32-32-32	2-11 1/2	2-11 1/2	2-11 1/2	2.31	2.31	2.50



1545 SERIES




45 DEGREE ADAPTER UNION

(140331)

	·	110551)		
PART NO.	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>
1545-02-02	1/8-27	1/8-27	0.62	0.73
1545-04-02	1/4-18	1/8-27	0.68	0.90
1545-04-04	1/4-18	1/4-18	0.68	0.90
1545-04-06	1/4-18	3/8-18	0.82	1.06
1545-06-04	3/8-18	1/4-18	0.82	1.00
1545-06-06	3/8-18	3/8-18	0.82	1.06
1545-06-08	3/8-18	1/2-14	0.82	1.18
1545-08-06	1/2-14	3/8-18	0.88	1.18
1545-08-08	1/2-14	1/2-14	0.88	1.18
1545-12-12	3/4-14	3/4-14	1.13	1.25
1545-12-16	3/4-14	1-11 1/2	1.25	1.56
1545-16-16	1-11 1/2	1-11 1/2	1.29	1.56
1545-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.32	1.78
1545-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1.25	1.96
1545-32-32	2-11 1/2	2-11 1/2	1.50	2.00



1590 SERIES




90 DEGREE ADAPTER UNION

(140231)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D
1590-02-02	1/8-27	1/8-27	0.65	0.68
1590-02-04	1/8-27	1/4-18	0.75	0.94
1590-04-02	1/4-18	1/8-27	0.78	0.94
1590-04-04	1/4-18	1/4-18	0.78	0.94
1590-04-06	1/4-18	3/8-18	0.87	1.06
1590-04-08	1/4-18	1/2-14	0.93	1.25
1590-06-04	3/8-18	1/4-18	0.92	1.06
1590-06-06	3/8-18	3/8-18	0.92	1.06
1590-06-08	3/8-18	1/2-14	0.99	1.25
1590-08-06	1/2-14	3/8-18	1.00	1.25
1590-08-08	1/2-14	1/2-14	1.00	1.25
1590-08-12	1/2-14	3/4-14	1.12	1.43
1590-12-08	3/4-14	1/2-14	1.19	1.43
1590-12-12	3/4-14	3/4-14	1.19	1.43
1590-12-16	3/4-14	1-11 1/2	1.27	1.75
1590-16-12	1-11 1/2	3/4-14	1.31	1.75
1590-16-16	1-11 1/2	1-11 1/2	1.31	1.75
1590-16-20	1-11 1/2	1 1/4-11 1/2	1.55	2.00
1590-20-20	1 1/4-11 1/2	1 1/4-11 1/2	1.62	2.00
1590-24-24	1 1/2-11 1/2	1 1/2-11 1/2	1.75	2.25
1590-32-32	2-11 1/2	2-11 1/2	2.31	2.50



1630 SERIES



ADAPTER UNION TEE


(NON STANDARD) THREAD B THREAD C DIM D DIM E DIM F PART NO. THREAD A 1/8-27 1630-02-02-02 1/8-27 1/8-27 0.70 0.70 0.70 1/4-18 1/4 - 180.78 0.78 0.78 1630-04-04-04 1/4-18 0.94 3/8-18 0.94 0.94 1630-06-06-06 3/8-18 3/8-18 1/2-14 1.00 1.00 1.00 1630-08-08-08 1/2-14 1/2-14 1.19 1.19 3/4-14 1.19 1630-12-12-12 3/4-14 3/4-14 1.44 1.44 1.44 1630-16-16-16 1-11 1/2 1-11 1/2 1-11 1/2 1 1/4-11 1/2 1.65 1.65 1.65 1630-20-20-20 1/4-11 1/2 1/4-11 1/2 1



STRAIGHT THREAD UNION ADAPTER


(140157)					
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	
1700-02-04	0.13	1/8-27	7/16-20	0.96	
1700-04-04	0.25	1/4-18	7/16-20	1.10	
1700-04-05	0.25	1/4-18	1/2-20	1.12	
1700-04-06	0.25	1/4-18	9/16-18	1.13	
1700-04-08	0.25	1/4-18	3/4-16	1.23	
1700-06-04	0.38	3/8-18	7/16-20	1.12	
1700-06-06	0.38	3/8-18	9/16-18	1.12	
1700-06-08	0.38	3/8-18	3/4-16	1.26	
1700-06-10	0.38	3/8-18	7/8-14	1.35	
1700-06-12	0.38	3/8-18	1 1/16-12	1.53	
1700-08-04	0.50	1/2-14	7/16-20	1.21	
1700-08-05	0.50	1/2-14	1/2-20	1.21	
1700-08-06	0.50	1/2-14	9/16-18	1.32	
1700-08-08	0.50	1/2-14	3/4-16	1.19	
1700-08-10	0.50	1/2-14	7/8-14	1.35	
1700-08-12	0.50	1/2-14	1 1/16-12	1.43	
1700-08-16	0.50	1/2-14	1 5/16-12	1.61	
1700-12-08	0.75	3/4-14	3/4-16	1.40	
1700-12-10	0.75	3/4-14	7/8-14	1.43	
1700-12-12	0.75	3/4-14	1 1/16-12	1.58	
1700-12-14	0.75	3/4-14	1 3/16-12	1.68	
1700-12-16	0.75	3/4-14	1 5/16-12	1.71	
1700-12-20	0.75	3/4-14	1 5/8-12	1.78	
1700-16-12	1.00	1-11 1/2	1 1/16-12	1.63	
1700-16-14	1.00	1-11 1/2	1 3/16-12	1.73	
1700-16-16	1.00	1-11 1/2	1 5/16-12	1.76	
1700-16-20	1.00	1-11 1/2	1 5/8-12	1.82	
1700-20-16	1.25	1 1/4-11 1/2	1 5/16-12	1.81	
1700-20-20	1.25	1 1/4-11 1/2	1 5/8-12	1.68	
1700-20-24	1.25	1 1/4-11 1/2	1 7/8-12	1.72	
1700-24-24	1.50	1 1/2-11 1/2	1 7/8-12	1.72	
1700-32-32	2.00	2-11 1/2	2 1/2-12	2.22	

1700 SERIES





1745 SERIES



STRAIGHT THREAD 45 DEGREE UNION ADAPTER (070321)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>
1745-04-04	0.25	1/4-18	7/16-20	0.65	1.06
1745-04-06	0.25	1/4-18	9/16-18	0.65	1.06
1745-04-08	0.25	1/4-18	3/4-16	0.81	1.12
1745-06-04	0.38	3/8-18	7/16-20	0.78	1.06
1745-06-06	0.38	3/8-18	9/16-18	0.70	1.06
1745-06-08	0.38	3/8-18	3/4-16	0.87	1.12
1745-06-10	0.38	3/8-18	7/8-14	0.93	1.50
1745-06-12	0.38	3/8-18	1 1/16-12	1.02	1.50
1745-08-06	0.50	1/2-14	9/16-18	0.81	1.06
1745-08-08	0.50	1/2-14	3/4-16	0.81	1.12
1745-08-10	0.50	1/2-14	7/8-14	0.78	1.50
1745-08-12	0.50	1/2-14	1 1/16-12	0.95	1.50
1745-12-08	0.75	3/4-14	3/4-16	1.08	1.22
1745-12-10	0.75	3/4-14	7/8-14	1.05	1.35
1745-12-12	0.75	3/4-14	1 1/16-12	1.04	1.50
1745-12-16	0.75	3/4-14	1 5/16-12	1.05	1.62
1745-16-12	1.00	1-11 1/2	1 1/16-12	1.05	1.68
1745-16-16	1.00	1-11 1/2	1 5/16-12	1.06	1.62
1745-16-20	1.00	1-11 1/2	1 5/8-12	1.45	1.84
1745-20-20	1.25	1 1/4-11 1/2	1 5/8-12	1.17	2.28
1745-24-24	1.50	1 1/2-11 1/2	1 7/8-12	1.34	2.60




STRAIGHT THREAD 90 DEGREE UNION ADAPTER

1790 SERIES


(140251)

(140251)					
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>
1790-02-04	0.13	1/8-27	7/16-20	0.73	1.11
1790-04-04	0.25	1/4-18	7/16-20	0.78	1.10
1790-04-05	0.25	1/4-18	1/2-20	0.79	1.13
1790-04-06	0.25	1/4-18	9/16-18	0.78	1.18
1790-04-08	0.25	1/4-18	3/4-16	0.91	1.48
1790-04-10	0.25	1/4-18	7/8-14	0.92	1.64
1790-06-04	0.38	3/8-18	7/16-20	0.93	1.25
1790-06-06	0.38	3/8-18	9/16-18	0.93	1.29
1790-06-08	0.38	3/8-18	3/4-16	1.00	1.51
1790-06-10	0.38	3/8-18	7/8-14	1.00	1.64
1790-06-12	0.38	3/8-18	1 1/16-12	1.12	1.92
1790-08-04	0.50	1/2-14	7/16-20	1.01	1.28
1790-08-06	0.50	1/2-14	9/16-18	1.00	1.48
1790-08-08	0.50	1/2-14	3/4-16	1.00	1.51
1790-08-10	0.50	1/2-14	7/8-14	1.00	1.64
1790-08-12	0.50	1/2-14	1 1/16-12	1.12	1.92
1790-12-08	0.75	3/4-14	3/4-16	1.25	1.65
1790-12-10	0.75	3/4-14	7/8-14	1.25	1.78
1790-12-12	0.75	3/4-14	1 1/16-12	1.25	1.92
1790-12-14	0.75	3/4-14	1 3/16-12	1.25	1.92
1790-12-16	0.75	3/4-14	1 5/16-12	1.00	2.09
1790-12-20	0.75	3/4-14	1 5/8-12	2.00	2.48
1790-16-12	1.00	1-11 1/2	1 1/16-12	1.25	2.00
1790-16-14	1.00	1-11 1/2	1 3/16-12	1.24	2.09
1790-16-16	1.00	1-11 1/2	1 5/16-12	1.39	2.09
1790-16-20	1.00	1-11 1/2	1 5/8-12	1.87	2.48
1790-20-16	1.25	1 1/4-11 1/2	1 5/16-12	1.61	2.35
1790-20-20	1.25	1 1/4-11 1/2	1 5/8-12	1.65	2.48
1790-24-24	1.50	1 1/2-11 1/2	1 7/8-12	1.73	2.60
1790-32-32	2.00	2-11 1/2	2 1/2-12	2.31	3.25






1801 SERIES



TUBE NUT (070110)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	HEX C
1801-02	0.13	5/16-24	0.55	3/8
1801-03	0.19	3/8-24	0.61	7/16
1801-04	0.25	7/16-20	0.20	9/16
1801-05	0.31	1/2-20	0.68	5/8
1801-06	0.38	9/16-18	0.73	11/16
1801-08	0.50	3/4-16	0.85	7/8
1801-10	0.63	7/8-14	0.98	1
1801-12	0.75	1 1/16-12	1.03	1 1/4
1801-14	0.88	1 3/16-12	1.09	1 3/8
1801-16	1.00	1 5/16-12	1.13	1 1/2
1801-20	1.25	1 5/8-12	1.23	2
1801-24	1.50	1 7/8-12	1.42	2 1/4
1801-32	2.00	2 1/2-12	1.75	2 7/8

1802 SERIES



TUBE SLEEVE (070115)


PART NO.	<u>O.D.</u>	DIMA
1802-02	0.13	0.34
1802-03	0.19	0.34
1802-04	0.25	0.41
1802-05	0.31	0.44
1802-06	0.38	0.50
1802-08	0.50	0.56
1802-10	0.63	0.66
1802-12	0.75	0.68
1802-14	0.88	0.76
1802-16	1.00	0.78
1802-20	1.25	0.91
1802-24	1.50	1.12
1802-32	2.00	1.19



ADJUSTABLE LOCKNUT (070117)

PART NO.	<u>O.D.</u>	THREAD A	HEX B	DIM C
1804-03	0.19	3/8-24	1/2	0.22
1804-04	0.25	7/16-20	9/16	0.28
1804-05	0.31	1/2-20	5/8	0.28
1804-06	0.38	9/16-18	11/16	0.27
1804-08	0.50	3/4-16	7/8	0.31
1804-10	0.63	7/8-14	1	0.36
1804-12	0.75	1 1/16-12	1 1/4	0.41
1804-14	0.88	1 3/16-12	1 3/8	0.41
1804-16	1.00	1 5/16-12	1 1/2	0.41
1804-20	1.25	1 5/8-12	1 7/8	0.41
1804-24	1.50	1 7/8-12	2 1/8	0.41
1804-32	2.00	2 1/2-12	2 3/4	0.41

1804 SERIES




DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

BULKHEAD LOCKNUT (070118)


PART NO.	<u>O.D.</u>	THREAD A	HEX B	<u>DIM C</u>
1805-04	0.25	7/16-20	11/16	0.28
1805-05	0.31	1/2-20	3/4	0.28
1805-06	0.38	9/16-18	13/16	0.27
1805-08	0.50	3/4-16	1	0.31
1805-10	0.63	7/8-14	1 1/8	0.36
1805-12	0.75	1 1/16-12	1 3/8	0.41
1805-14	0.88	1 3/16-12	1 1/2	0.41
1805-16	1.00	1 5/16-12	1 5/8	0.41
1805-20	1.25	1 5/8-12	1 7/8	0.41
1805-24	1.50	1 7/8-12	2 1/8	0.41
1805-32	2.00	2 1/2-12	2 3/4	0.41

1805 SERIES





1806 SERIES




FLANGE

(J518 CODE 61)

PART NO.	DIM A	FLANGE B	<u>DIM C</u>
1806-06-08	0.38	0.50	0.31
1806-08-08	0.50	0.50	0.31
1806-10-08	0.63	0.50	0.31
1806-10-12	0.63	0.75	0.38
1806-10-16	0.63	1.00	0.31
1806-12-12	0.75	0.75	0.38
1806-12-16	0.75	1.00	0.38
1806-12-20	0.75	1.25	0.31
1806-14-16	0.88	1.00	0.38
1806-16-12	1.00	0.75	0.38
1806-16-16	1.00	1.00	0.38
1806-16-20	1.00	1.25	0.38
1806-16-24	1.00	1.50	0.38
1806-16-32	1.00	2.00	0.34
1806-20-16	1.25	1.00	0.38
1806-20-20	1.25	1.25	0.38
1806-20-24	1.25	1.50	0.38
1806-20-32	1.25	2.00	0.34
1806-24-20	1.50	1.25	0.38
1806-24-24	1.50	1.50	0.44
1806-24-32	1.50	2.00	0.38
1806-32-32	2.00	2.00	0.50




1920 SERIES



PIPE BRANCH TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
1920-04-02-02	0.25	7/16-20	1/8-27	1/8-27	1.07	0.65	1.44
1920-06-04-04	0.38	9/16-18	1/4-18	1/4-18	1.23	0.87	2.32
1920-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.42	1.01	2.64
1920-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.64	1.23	3.11
1920-12-12-12	0:75	1 1/16-12	3/4-14	3/4-14	1.89	1.35	3.48
1920-16-16-16	1.00	1 5/16-12	1-11 1/2	1-11 1/2	2.17	1.62	4.14
1920-20-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	2.32	1.70	4.70






FLARE-PIPE RUN TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIME	DIM F
1921-04-02-02	0.25	7/16-20	1/8-27	1/8-27	0.66	1.07	1.44
1921-06-04-04	0.38	9/16-18	1/4-18	1/4-18	0.88	1.23	1.97
1921-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.02	1.42	2.24
1921-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.23	1.64	2.70
1921-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	1.36	1.89	2.95
1921-16-16-16	1.00	1 5/16-12	1-11 1/2	1-11 1/2	1.62	2.17	3.59
1921-20-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	1.70	2.32	4.08






MALE PIPE-FEMALE PIPE RUN TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	<u>DIM D</u>	DIM E	DIM F
1923-04-02-02	0.25	7/16-20	1/8-27	1/8-27	0.66	0.78	1.74
1923-06-04-04	0.38	9/16-18	1/4-18	1/4-18	0.88	1.09	2.11
1923-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.02	1.22	2.44
1923-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.23	1.47	2.87
1923-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	1.36	1.59	3.25
1923-16-16-16	1.00	1 5/16-12	1-11 1/2	1-11 1/2	1.62	1.97	3.79
1923-20-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	1.70	2.38	4.03



1924 SERIES




MALE FLARE-FEMALE PIPE RUN TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	<u>DIM E</u>	DIM F
1924-06-04-04	0.38	9/16-18	1/4-18	1/4-18	0.87	1.23	0.87
1924-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.01	1.42	1.02
1924-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.23	1.64	1.23
1924-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	1.36	1.89	1.36



1925 SERIES




MALE FLARE-MALE PIPE RUN TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
1925-04-02-02	0.25	7/16-20	1/8-27	1/8-27	0.88	0.76
1925-06-04-04	0.38	9/16-18	1/4-18	1/4-18	1.06	1.08
1925-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.25	1.20
1925-08-08-08	0.50	3/4-16	1/2-14	1/2-14	1.32	1.45
1925-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.45	1.48
1925-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	1.65	1.60
1925-16-16-16	1.00	1 5/16-12	1-11 1/2	1-11 1/2	1.82	1.97
1925-20-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1 1/4-11 1/2	2.06	2.38



1926 SERIES



MALE FLARE-MALE PIPE BRANCH TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
1926-04-04-04	0.25	7/16-20	1/4-18	1/4-18	1.09	0.94
1926-06-04-04	0.25	9/16-18	1/4-18	1/4-18	1.10	1.04
1926-06-06-06	0.38	9/16-18	3/8-18	3/8-18	1.21	1.15
1926-08-06-06	0.50	3/4-16	3/8-18	3/8-18	1.21	1.25
1926-10-08-08	0.63	7/8-14	1/2-14	1/2-14	1.47	1.45
1926-12-12-12	0.75	1 1/16-12	3/4-14	3/4-14	1.59	1.65




FEMALE PIPE BULKHEAD (NON STANDARD)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
2010-04-02	0.25	7/16-20	1/8-27	1.92
2010-06-04	0.38	9/16-18	1/4-18	2.06
2010-08-06	0.50	3/4-16	3/8-18	2.48
2010-10-08	0.63	7/8-14	1/2-14	2.84
2010-12-12	0.75	1 1/16-12	3/4-14	3.05
2010-16-16	1.00	1 5/16-12	1-11 1/2	3.25

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

2010 SERIES




2020 SERIES



MALE PIPE BULKHEAD (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
2020-04-02	0.25	7/16-20	1/8-27	1.84
2020-04-04	0.25	7/16-20	1/4-18	2.03
2020-06-04	0.38	9/16-18	1/4-18	2.12
2020-08-06	0.50	3/4-16	3/8-18	2.36
2020-10-08	0.63	7/8-14	1/2-14	2.71
2020-12-12	0.75	1 1/16-12	3/4-14	2.92
2020-16-16	1.00	1 5/16-12	1-11 1/2	3.11






WILL CRACK AT 5 PSI

90 DEGREE MALE PIPE-SWIVEL- CHECK VALVE (NON STANDARD)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D	DIME
2590-04-04	1/4-18	1/4-18	0.81	0.81	1.25
2590-06-06	3/8-18	3/8-18	0.92	0.88	1.50
2590-08-08	1/2-14	1/2-14	0.98	1.06	1.50
2590-12-12	3/4-14	3/4-14	1.26	1.38	2.00






2690 SERIES

WILL CRACK AT 5 PSI 90 DEGREE ADJUSTABLE STRAIGHT THREAD-SWIVEL-CHECK VALVE (NON STANDARD)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D	DIM E
2690-06-06	3/8-18	9/16-18	0.92	2.30	0.88
2690-08-08	1/2-14	3/4-16	0.98	2.75	1.06
2690-12-12	3/4-14	1 1/16-12	1.26	3.50	1.38



2790 SERIES



90 DEGREE PIPE SWIVEL MALE TUBE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
2790-06-04	0.38	9/16-18	1/4-18	1.06	1.58
2790-08-06	0.50	3/4-16	3/8-18	1.25	1.66
2790-10-08	0.63	7/8-14	1/2-14	1.45	2.00
2790-12-12	0.75	1 1/16-12	3/4-14	1.66	2.14




90 DEGREE PIPE SWIVEL MALE PIPE

(NON STANDARD)

PART NO.	THREAD A	THREAD B	DIM C	DIM D
2890-04-04	1/4-18	1/4-18	1.06	1.54
2890-06-06	3/8-18	3/8-18	1.22	1.69
2890-08-08	1/2-14	1/2-14	1.47	1.99
2890-12-12	3/4-14	3/4-14	1.59	2.13

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

2890 SERIES




90 DEGREE SWIVEL PIPE ELBOW (NON STANDARD)

PART NO.	THREAD A	THREAD B	<u>DIM C</u>	DIM D
2990-04-04	1/4-18	1/4-18	0.88	1.61
2990-06-06	3/8-18	3/8-18	1.02	1.69
2990-08-08	1/2-14	1/2-14	1.23	2.01
2990-12-12	3/4-14	3/4-14	1.36	2.25


DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

2990 SERIES



©1998, 2019 Piper Industries, Inc.






90 DEGREE MALE FLARE-MALE O'RING SWIVEL (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
3090-06-06	0.38	9/16-18	9/16-18	1.06	1.53
3090-08-08	0.50	3/4-16	3/4-16	1.25	1.67
3090-10-10	0.63	7/8-14	7/8-14	1.45	1.81
3090-12-12	0.75	1 1/16-12	1 1/16-12	1.66	2.13



3630 SERIES




FEMALE J.I.C. SWIVEL TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
3630-04-04-04	0.25	7/16-20	7/16-20	7/16-20	1.03	1.03	2.06
3630-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.25	1.25	2.50
3630-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.35	1.35	2.70
3630-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.62	1.62	3.24
3630-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.75	1.75	3.50
3630-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.81	1.81	3.62
3630-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	2.31	2.31	4.62
3630-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.59	2.59	5.18
3630-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	3.38	3.38	6.76



7145 SERIES




45 DEGREE ELBOW N.W.O.-N.W.O.

(NON STANDARD)									
PART NO.	<u>O.D.</u>	O.D. THREAD A THREAD B		DIM C	DIM D				
7145-04-04	0.25	7/16-20	7/16-20	1.05	1.05				
7145-06-06	0.38	9/16-18	9/16-18	1.14	1.14				
7145-08-08	0.50	3/4-16	3/4-16	1.30	1.30				
7145-10-10	0.63	7/8-14	7/8-14	1.52	1.52				
7145-12-12	0.75	1 1/16-12	1 1/16-12	1.73	1.73				
7145-16-16	1.00	1 5/16-12	1 5/16-12	1.86	1.86				
7145-20-20	1.25	1 5/8-12	1 5/8-12	1.91	1.91				
7145-24-24	1.50	1 7/8-12	1 7/8-12	1.91	1.91				
7145-32-32	2.00	2 1/2-12	2 1/2-12	1.86	1.86				



7190 SERIES




90 DEGREE ELBOW N.W.O.-N.W.O. (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
7190-04-04	0.25	7/16-20	7/16-20	1.03	1.03
7190-06-06	0.38	9/16-18	9/16-18	1.25	1.25
7190-08-08	0.50	3/4-16	3/4-16	1.45	1.45
7190-10-10	0.63	7/8-14	7/8-14	1.70	1.70
7190-12-12	0.75	1 1/16-12	1 1/16-12	1.94	1.94
7190-16-16	1.00	1 5/16-12	1 5/16-12	2.05	2.05
7190-20-20	1.25	1 5/8-12	1 5/8-12	2.25	2.25
7190-24-24	1.50	1 7/8-12	1 7/8-12	2.39	2.39
7190-32-32	2.00	2 1/2-12	2 1/2-12	2.89	2.89



7245 SERIES




45 DEGREE ELBOW FEMALE J.I.C. SWIVEL-N.W.O. (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
7245-04-04	0.25	7/16-20	7/16-20	0.94	1.05
7245-06-06	0.38	9/16-18	9/16-18	1.12	1.14
7245-08-08	0.50	3/4-16	3/4-16	1.28	1.30
7245-10-10	0.63	7/8-14	7/8-14	1.44	1.52
7245-12-12	0.75	1 1/16-12	1 1/16-12	1.50	1.73
7245-16-16	1.00	1 5/16-12	1 5/16-12	1.75	1.86
7245-20-20	1.25	1 5/8-12	1 5/8-12	2.03	1.91
7245-24-24	1.50	1 7/8-12	1 7/8-12	2.25	1.91
7245-32-32	2.00	2 1/2-12	2 1/2-12	2.91	1.86



7290 SERIES




90 DEGREE ELBOW FEMALE J.I.C. SWIVEL-N.W.O. (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
7290-04-04	0.25	7/16-20	7/16-20	1.00	1.03
7290-06-06	0.38	9/16-18	9/16-18	1.25	1.25
7290-08-08	0.50	3/4-16	3/4-16	1.38	1.45
7290-08-10	0.50	3/4-16	7/8-14	1.55	1.70
7290-10-10	0.63	7/8-14	7/8-14	1.62	1.70
7290-12-12	0.75	1 1/16-12	1 1/16-12	1.75	1.94
7290-16-16	1.00	1 5/16-12	1 5/16-12	2.00	2.05
7290-20-20	1.25	1 5/8-12	1 5/8-12	2.31	2.25
7290-24-24	1.50	1 7/8-12	1 7/8-12	2.59	2.39
7290-32-32	2.00	2 1/2-12	2 1/2-12	3.38	2.89



7330 SERIES




FEMALE STRAIGHT THREAD O'RING PORT TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	<u>DIM D</u>	DIM E
7330-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.74	0.74
7330-06-06-06	0.38	9/16-18	9/16-18	9/16-18	0.86	0.86
7330-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.03	1.03
7330-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.18	1.18
7330-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.39	1.39
7330-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.52	1.52



7390 SERIES



90 DEGREE FEMALE O'RING PORT ELBOW (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
7390-04-04	0.25	7/16-20	7/16-20	0.74	0.74
7390-06-06	0.38	9/16-18	9/16-18	0.86	0.86
7390-08-08	0.50	3/4-16	3/4-16	1.03	1.03
7390-10-10	0.63	7/8-14	7/8-14	1.18	1.18
7390-12-12	0.75	1 1/16-12	1 1/16-12	1.39	1.39
7390-16-16	1.00	1 5/16-12	1 5/16-12	1.52	1.52



Ε


7420 SERIES THREAD B THREAD A THREAD C

STRAIGHT THREAD O'RING PORT RUN TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
7420-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.74	1.23
7420-06-06-06	0.38	9/16-18	9/16-18	9/16-18	0.86	1.38
7420-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.03	1.59
7420-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.18	1.81
7420-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.21	2.00
7420-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.90	2.00
7420-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	1.52	2.25




7430 SERIES



STRAIGHT THREAD BRANCH TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
7430-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.63	1.23
7430-06-06-06	0.38	9/16-18	9/16-18	9/16-18	0.75	1.38
7430-08-08-08	0.50	3/4-16	3/4-16	3/4-16	0.88	1.59
7430-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.02	1.81
7430-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.21	2.00
7430-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.33	2.25






45 DEGREE MALE PIPE-STRAIGHT THREAD ELBOW (NON STANDARD)

PART NO.	THREAD A	THREAD B	DIM C	DIM D
7845-02-04	1/8-27	7/16-20	0.64	0.99
7845-04-06	1/4-18	9/16-20	0.85	1.22
7845-06-08	3/8-18	3/4-16	0.95	1.30
7845-08-08	1/2-14	3/4-16	1.16	1.46
7845-08-10	1/2-14	7/8-14	1.16	1.46
7845-12-10	3/4-14	7/8-14	1.20	1.56
7845-12-12	3/4-14	1 1/16-12	1.20	1.73
7845-16-16	1-11 1/2	1 5/16-12	1.48	1.84
7845-20-20	1 1/4-11 1/2	1 5/8-12	1.67	1.94
7845-24-24	1 1/2-11 1/2	1 7/8-12	1.77	2.19





9230 SERIES

HOSE BARB TEE (NON STANDARD)

PART NO.	TUBE A	TUBE B	TUBE C	DIM D	<u>DIM E</u>	DIM F
9230-04-04-04	0.25	0.25	0.25	1.43	1.43	1.43
9230-06-06-06	0.38	0.38	0.38	1.49	1.49	1.49
9230-08-08-08	0.50	0.50	0.50	1.67	1.67	1.67
9230-10-10-10	0.63	0.63	0.63	1.69	1.69	1.69
9230-12-12-12	0.75	0.75	0.75	1.80	1.80	1.80
9230-16-16-16	1.00	1.00	1.00	1.91	1,91	1.91
9230-20-20-20	1.25	1.25	1.25	2.41	2.41	2.41
9230-24-24-24	1.50	1.50	1.50	2.53	2.53	2.53
9230-32-32-32	2.00	2.00	2.00	2.85	2.85	2.85



45 DEGREE FLARE AUTOMOTIVE TUBE FITTINGS AF-100 SERIES


С 45° THREAD A-THREAD B

MALE CONNECTOR (010102)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
AF-100-04-02	0.25	7/16-20	1/8-27	1.06
AF-100-04-04	0.25	7/16-20	1/4-18	1.23
AF-100-04-06	0.25	7/16-20	3/8-18	1.28
AF-100-04-08	0.25	7/16-20	1/2-14	1.57
AF-100-05-02	0.31	1/2-20	1/8-27	1.16
AF-100-05-04	0.31	1/2-20	1/4-18	1.32
AF-100-05-06	0.31	1/2-20	3/8-18	1.36
AF-100-06-02	0.38	5/8-18	1/8-27	1.25
AF-100-06-04	0.38	5/8-18	1/4-18	1.44
AF-100-06-06	0.38	5/8-18	3/8-18	1.42
AF-100-06-08	0.38	5/8-18	1/2-14	1.69
AF-100-08-04	0.50	3/4-16	1/4-18	1.59
AF-100-08-06	0.50	3/4-16	3/8-18	1.62
AF-100-08-08	0.50	3/4-16	1/2-14	1.81
AF-100-08-12	0.50	3/4-16	3/4-14	1.92
AF-100-10-08	0.63	7/8-14	1/2-14	2.00
AF-100-10-12	0.63	7/8-14	3/4-14	1.93
AF-100-12-08	0.75	1 1/16-14	1/2-14	2.19
AF-100-12-12	0.75	1 1/16-14	3/4-14	2.17



AF-145 SERIES




45 DEGREE MALE ELBOW (010302)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
AF-145-04-02	0.25	7/16-20	1/8-27	0.69	0.66
AF-145-04-04	0.25	7/16-20	1/4-18	0.75	0.84
AF-145-05-02	0.31	1/2-20	1/8-27	0.75	0.65
AF-145-05-04	0.31	1/2-20	1/4-18	0.75	0.81
AF-145-06-04	0.38	5/8-18	1/4-18	0.88	0.88
AF-145-06-06	0.38	5/8-18	3/8-18	0.91	0.93
AF-145-08-06	0.50	3/4-16	3/8-18	1.06	0.95
AF-145-08-08	0.50	3/4-16	1/2-14	0.97	1.17
AF-145-10-08	0.63	7/8-14	1/2-14	1.23	1.17



AF-190 SERIES




MALE 90 DEGREE ELBOW

(010202)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
AF-190-04-02	0.25	7/16-20	1/8-27	0.79	0.76
AF-190-04-04	0.25	7/16-20	1/4-18	0.90	0.94
AF-190-04-06	0.25	7/16-20	3/8-18	0.94	1.06
AF-190-05-02	0.31	1/2-20	1/8-27	0.90	0.79
AF-190-05-04	0.31	1/2-20	1/4-18	0.95	0.95
AF-190-06-04	0.38	5/8-18	1/4-18	1.01	1.05
AF-190-06-06	0.38	5/8-18	3/8-18	1.04	1.07
AF-190-06-08	0.38	5/8-18	1/2-14	1.15	1.27
AF-190-08-04	0.50	3/4-16	1/4-18	1.20	1.17
AF-190-08-06	0.50	3/4-16	3/8-18	1.20	1.10
AF-190-08-08	0.50	3/4-16	1/2-14	1.28	1.38
AF-190-10-06	0.63	7/8-14	3/8-18	1.41	1.25
AF-190-10-08	0.63	7/8-14	1/2-14	1.40	1.39
AF-190-10-12	0.63	7/8-14	3/4-14	1.42	1.48
AF-190-12-08	0.75	1 1/16-14	1/2-14	1.60	1.48
AF-190-12-12	0.75	1 1/16-14	3/4-14	1.59	1.62



AF-200 SERIES




FEMALE CONNECTOR (010103)

(010105)							
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C			
AF-200-04-02	0.25	7/16-20	1/8-27	1.06			
AF-200-04-04	0.25	7/16-20	1/4-18	1.19			
AF-200-04-06	0.25	7/16-20	3/8-18	1.19			
AF-200-05-02	0.31	1/2-20	1/8-27	1.16			
AF-200-05-04	0.31	1/2-20	1/4-18	1.25			
AF-200-06-04	0.38	5/8-18	1/4-18	1.19			
AF-200-06-06	0.38	5/8-18	3/8-18	1.31			
AF-200-06-08	0.38	5/8-18	1/2-14	1.50			
AF-200-08-04	0.50	3/4-16	1/4-18	1.44			
AF-200-08-06	0.50	3/4-16	3/8-18	1.56			
AF-200-08-08	0.50	3/4-16	1/2-14	1.62			
AF-200-10-06	0.63	7/8-14	3/8-18	1.56			
AF-200-10-08	0.63	7/8-14	1/2-14	1.81			
AF-200-10-12	0.63	7/8-14	3/4-14	1.81			
AF-200-12-08	0.75	1 1/16-14	1/2-14	2.00			
AF-200-12-12	0.75	1 1/16-14	3/4-14	1.94			



AF-290 SERIES




90 DEGREE FEMALE ELBOW (010203)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
AF-290-04-02	0.25	7/16-20	1/8-27	0.78	0.94
AF-290-04-04	0.25	7/16-20	1/4-18	1.04	0.87
AF-290-05-04	0.31	1/2-20	1/4-18	1.04	0.88
AF-290-06-04	0.38	5/8-18	1/4-18	0.97	1.16
AF-290-06-06	0.38	5/8-18	3/8-18	1.20	1.17
AF-290-08-06	0.50	3/4-16	3/8-18	1.12	1.34
AF-290-08-08	0.50	3/4-16	1/2-14	1.44	1.23
AF-290-10-08	0.63	7/8-14	1/2-14	1.55	1.23
AF-290-12-12	0.75	1 1/16-14	3/4-14	1.89	1.36



AF-400SH SERIES




UNION (010101)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
AF-400SH-04-04	0.25	7/16-20	7/16-20	1.17
AF-400SH-05-05	0.31	1/2-20	1/2-20	1.32
AF-400SH-06-06	0.38	5/8-18	5/8-18	1.50
AF-400SH-08-08	0.50	3/4-16	3/4-16	1.81
AF-400SH-10-10	0.63	7/8-14	7/8-14	2.10
AF-400SH-12-12	0.75	1 1/16-14	1 1/16-14	2.44



AF-790 SERIES




90 DEGREE STRAIGHT THREAD ELBOW (010202)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D
AF-790-04-04	0.25	7/16-20	7/16-20	0.90	1.02
AF-790-06-06	0.38	5/8-18	5/8-18	1.06	1.23
AF-790-08-08	0.50	3/4-16	3/4-16	1.25	1.45
AF-790-10-10	0.63	7/8-14	7/8-14	1.45	1.70
AF-790-12-12	0.75	1 1/16-14	1 1/16-12	1.66	1.94



BRAZE FITTINGS B-4100 SERIES




BRAZE TUBE UNION (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C
B-4100-04-04	0.25	7/16-20	0.25	0.79
B-4100-06-06	0.38	9/16-18	0.38	0.84
B-4100-08-08	0.50	3/4-16	0.50	0.93
B-4100-10-10	0.63	7/8-14	0.63	1.09
B-4100-12-12	0.75	1 1/16-12	0.75	1.28
B-4100-16-16	1.00	1 5/16-12	1.00	1.32
B-4100-20-20	1.25	1 5/8-12	1.25	1.45
B-4100-24-24	1.50	1 7/8-12	1.50	1.65
B-4100-32-32	2.00	2 1/2-12	2.00	2.04



B-4120 SERIES




BRAZE TUBE TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D	DIM E	DIM F
B-4120-04-04-04	0.25	7/16-20	7/16-20	0.25	0.12	0.89	0.89
B-4120-06-06-06	0.38	9/16-18	9/16-18	0.38	0.14	1.06	1.06
B-4120-08-08-08	0.50	3/4-16	3/4-16	0.50	0.16	1.25	1.25
B-4120-10-10-10	0.63	7/8-14	7/8-14	0.63	0.20	1.45	1.45
B-4120-12-12-12	0.75	1 1/16-12	1 1/16-12	0.75	0.21	1.66	1.66
B-4120-16-16-16	1.00	1 5/16-12	1 5/16-12	1.00	0.24	1.81	1.81
B-4120-20-20-20	1.25	1 5/8-12	1 5/8-12	1.25	0.30	2.06	2.06
B-4120-24-24-24	1.50	1 7/8-12	1 7/8-12	1.50	0.30	2.33	2.33
B-4120-32-32-32	2.00	2 1/2-12	2 1/2-12	2.00	0.35	3.06	3.06



B-4130 SERIES




BRAZE TUBE TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	<u>DIM C</u>	DIM D
B-4130-04-04-04	0.25	7/16-20	0.25	0.25	0.89
B-4130-06-06-06	0.38	9/16-18	0.37	0.37	1.06
B-4130-08-08-08	0.50	3/4-16	0.50	0.50	1.25
B-4130-10-10-10	0.63	7/8-14	0.62	0.62	1.45
B-4130-12-12-12	0.75	1 1/16-12	0.75	0.75	1.65
B-4130-16-16-16	1.00	1 5/16-12	1.00	1.00	1.81
B-4130-20-20-20	1.25	1 5/8-12	1.25	1.25	2.06
B-4130-24-24-24	1.50	1 7/8-12	1.50	1.50	2.32
B-4130-32-32-32	2.00	2 1/2-12	2.00	2.00	3.06



B-4135 SERIES



BRAZE TUBE TEE (NON STANDARD)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	DIM D	<u>DIM E</u>
B-4135-04-04-04	0.25	7/16-20	7/16-20	0.12	0.25	0.89
B-4135-06-06-06	0.38	9/16-18	9/16-18	0.14	0.38	1.06
B-4135-08-08-08	0.50	3/4-16	3/4-16	0.16	0.50	1.25
B-4135-10-10-10	0.63	7/8-14	7/8-14	0.20	0.63	1.45
B-4135-12-12-12	0.75	1 1/16-12	1 1/16-12	0.21	0.75	1.66
B-4135-16-16-16	1.00	1 5/16-12	1 5/16-12	0.24	1.00	1.81
B-4135-20-20-20	1.25	1 5/8-12	1 5/8-12	0.30	1.25	2.06
B-4135-24-24-24	1.50	1 7/8-12	1 7/8-12	0.30	1.50	2.33
B-4135-32-32-32	2.00	2 1/2-12	2 1/2-12	0.35	2.00	3.06



BRAZE 90 DEGREE TUBE ELBOW (NON STANDARD)

				Contraction of the second s
PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C
B-4190-04-04	0.25	7/16-20	0.25	0.89
B-4190-06-06	0.38	9/16-18	0.38	1.06
B-4190-08-08	0.50	3/4-16	0.50	1.25
B-4190-10-10	0.63	7/8-14	0.62	1.45
B-4190-12-12	0.75	1 1/16-12	0.75	1.65
B-4190-16-16	1.00	1 5/16-12	1.00	1.81
B-4190-20-20	1.25	1 5/8-12	1.25	2.06
B-4190-24-24	1.50	1 7/8-12	1.50	2.32
B-4190-32-32	2.00	2 1/2-12	2.00	3.06

B-4190 SERIES




DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

BRAZE BULKHEAD UNION (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C			
B-5100-04-04	0.25	7/16-20	0.25	1.50			
B-5100-06-06	0.38	9/16-18	0.38	1.58			
B-5100-08-08	0.50	3/4-16	0.50	1.85			
B-5100-10-10	0.63	7/8-14	0.63	2.00			
B-5100-12-12	0.75	1 1/16-12	0.75	2.15			
B-5100-16-16	1.00	1 5/16-12	1.00	2.18			
B-5100-20-20	1.25	1 5/8-12	1.25	2.34			
B-5100-24-24	1.50	1 7/8-12	1.50	2.44			


DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

B-5100 SERIES





B-5190 SERIES




BRAZE 90 DEGREE BULKHEAD ELBOW (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C	DIM D
B-5190-04-04	0.25	7/16-20	0.25	1.56	0.12
B-5190-06-06	0.38	9/16-18	0.38	1.81	0.14
B-5190-08-08	0.50	3/4-16	0.50	2.10	0.16
B-5190-10-10	0.63	7/8-14	0.63	2.39	0.20
B-5190-12-12	0.75	1 1/16-12	0.75	2.67	0.21
B-5190-16-16	1.00	1 5/16-12	1.03	2.79	0.24
B-5190-20-20	1.25	1 5/8-12	1.25	3.12	0.30
B-5190-24-24	1.50	1 7/8-12	1.50	3.42	0.30
B-5190-32-32	2.00	2 1/2-12	2.00	4.11	0.35



B-6000 SERIES




BRAZE MALE O'RING UNION (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	<u>DIM C</u>	DIM D
B-6000-04-04	0.25	7/16-20	0.25	0.67	0.13
B-6000-05-05	0.31	1/2-20	0.31	0.67	0.14
B-6000-06-06	0.38	9/16-18	0.38	0.73	0.14
B-6000-08-08	0.50	3/4-16	0.50	0.80	0.25
B-6000-10-10	0.63	7/8-14	0.63	0.83	0.25
B-6000-12-12	0.75	1 1/16-12	0.75	1.09	0.25
B-6000-16-16	1.00	1 5/16-12	1.00	1.12	0.31
B-6000-20-20	1.25	1 5/8-12	1.25	1.20	0.31
B-6000-24-24	1.50	1 7/8-12	1.50	1.27	0.31
B-6000-32-32	2.00	2 1/2-12	2.00	1.43	0.35



B-6100 SERIES




BRAZE MALE PIPE UNION (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C	DIM D
B-6100-02-04	0.25	1/8-27	0.25	0.56	0.19
B-6100-04-06	0.38	1/4-18	0.38	0.81	0.25
B-6100-06-08	0.50	3/8-18	0.50	0.84	0.28
B-6100-06-10	0.63	3/8-18	0.63	0.84	0.28
B-6100-08-10	0.63	1/2-14	0.63	1.08	0.33
B-6100-12-12	0.75	3/4-14	0.75	1.09	0.34
B-6100-16-16	1.00	1-11 1/2	1.00	1.31	0.38
B-6100-20-16	1.25	1 1/4-11 1/2	1.00	1.31	0.44
B-6100-20-20	1.25	1 1/4-11 1/2	1.25	1.41	0.44
B-6100-24-24	1.50	1 1/2-11 1/2	1.50	1.50	0.50
B-6100-32-32	2.00	2-11 1/2	2.00	1.78	0.75



B-6130 SERIES




BRAZE MALE PIPE TEE (NON STANDARD)

PART NO.	THREAD A	DIM B	DIM C	DIM D	DIM E				
B-6130-02-04-04	1/8-27	0.25	0.12	0.25	0.78				
B-6130-04-06-06	1/4-18	0.38	0.14	0.38	1.09				
B-6130-06-08-08	3/8-18	0.50	0.16	0.50	1.22				
B-6130-08-10-10	1/2-14	0.63	0.20	0.63	1.47				
B-6130-12-12-12	3/4-14	0.75	0.21	0.75	1.59				
B-6130-16-16-16	1-11 1/2	1.00	0.24	1.00	1.97				
B-6130-20-20-20	1 1/4-11 1/2	1.25	0.30	1.25	2.38				
B-6130-24-24-24	1 1/2-11 1/2	1.50	0.30	1.50	2.64				
B-6130-32-32-32	2-11 1/2	2.00	0.35	2.00	3.00				
DESIGN AND DIMENSION SUBJ	ESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.								



B-6190 SERIES




BRAZE MALE PIPE ELBOW (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	<u>DIM C</u>	DIM D
B-6190-02-04	0.25	1/8-27	0.25	0.16	0.78
B-6190-04-06	0.38	1/4-18	0.38	0.16	0.91
B-6190-06-08	0.50	3/8-18	0.50	0.16	1.22
B-6190-08-10	0.63	1/2-14	0.63	0.20	1.47
B-6190-12-12	0.75	3/4-14	0.75	0.21	1.59
B-6190-16-16	1.00	1-11 1/2	1.00	0.24	1.97
B-6190-20-20	1.25	1 1/4-11 1/2	1.25	0.30	2.38
B-6190-24-24	1.50	1 1/2-11 1/2	1.50	0.30	2.64
B-6190-32-32	2.00	2-11 1/2	2.00	0.35	3.00

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

B-7000 SERIES




BRAZE NPSM SWIVEL ADAPTER (NON STANDARD)

PART NO.	THREAD A	<u>DIM B</u>	DIM C	DIM D
B-7000-04-04	1/4-18	0.25	0.93	0.12
B-7000-06-06	3/8-18	0.38	1.01	0.14
B-7000-08-08	1/2-14	0.50	1.12	0.25
B-7000-12-12	3/4-14	0.75	1.26	0.25
B-7000-16-16	1-11 1/2	1.03	1.34	0.31
B-7000-20-20	1 1/4-11 1/2	1.25	1.53	0.31
B-7000-24-24	1 1/2-11 1/2	1.50	1.53	0.31



B-7130 SERIES




BRAZE NPSM SWIVEL TEE (NON STANDARD)

PART NO.	THREAD A	DIM B	DIM C	DIM D	DIM E
B-7130-04-04-04	1/4-18	0.25	0.25	0.12	0.72
B-7130-06-06-06	3/8-18	0.38	0.38	0.14	0.80
B-7130-06-08-08	3/8-18	0.50	0.50	0.16	0.80
B-7130-08-08-08	1/2-14	0.50	0.50	0.20	0.82
B-7130-08-10-10	1/2-14	0.63	0.63	0.21	0.82
B-7130-12-12-12	3/4-14	0.75	0.75	0.24	1.08
B-7130-16-16-16	1-11 1/2	1.00	1.00	0.30	1.18
B-7130-20-20-20	1 1/4-11 1/2	1.25	1.25	0.30	1.44
B-7130-24-24-24	1 1/2-11 1/2	1.50	1.50	0.35	1.58

ION SUBJECT TO CHANGE WITHOUT NOTI



B-7190 SERIES




BRAZE NPSM SWIVEL ELBOW (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	<u>DIM C</u>	DIM D
B-7190-04-04	0.25	1/4-18	0.25	0.12	0.72
B-7190-06-06	0.38	3/8-18	0.38	0.14	0.80
B-7190-06-08	0.50	3/8-18	0.50	0.16	0.80
B-7190-08-08	0.50	1/2-14	0.50	0.20	0.82
B-7190-08-10	0.63	1/2-14	0.63	0.21	0.82
B-7190-12-12	0.75	3/4-14	0.75	0.24	1.08
B-7190-16-16	1.00	1-11 1/2	1.00	0.30	1.18
B-7190-20-20	1.25	1 1/4-11 1/2	1.25	0.30	1.44
B-7190-24-24	1.50	1 1/2-11 1/2	1.50	0.35	1.58



B-8000 SERIES




BRAZE FEMALE J.I.C. SWIVEL ADAPTER (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C	DIM D
B-8000-04-04	0.25	7/16-20	0.25	0.92	0.12
B-8000-06-06	0.38	9/16-18	0.38	0.97	0.14
B-8000-08-08	0.50	3/4-16	0.50	1.13	0.25
B-8000-10-10	0.63	7/8-14	0.63	1.28	0.25
B-8000-12-12	0.75	1 1/16-12	0.75	1.30	0.25
B-8000-16-16	1.00	1 5/16-12	1.00	1.50	0.31
B-8000-20-20	1.25	1 5/8-12	1.25	1.75	0.31



B-8190 SERIES




BRAZE 90 DEGREE FEMALE J.I.C. SWIVEL ELBOW (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C	DIM D
B-8190-04-04	0.25	7/16-20	0.25	0.12	1.00
B-8190-06-06	0.38	9/16-18	0.38	0.14	1.25
B-8190-08-08	0.50	3/4-16	0.50	0.16	1.37
B-8190-10-10	0.63	7/8-14	0.63	0.21	1.62
B-8190-12-12	0.75	1 1/16-12	0.75	0.24	1.75
B-8190-16-16	1.00	1 5/16-12	1.00	0.30	2.00
B-8190-20-20	1.25	1 5/8-12	1.25	0.30	2.31



B-9100 SERIES




BRAZE FEMALE PIPE ADAPTER (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	<u>DIM C</u>	DIM D
B-9100-04-04	0.25	1/4-18	0.25	0.12	0.88
B-9100-04-06	0.38	1/4-18	0.38	0.14	0.88
B-9100-06-06	0.38	3/8-18	0.38	0.14	1.06
B-9100-06-08	0.50	3/8-18	0.50	0.25	1.06
B-9100-08-08	0.50	1/2-14	0.50	0.25	1.31
B-9100-08-10	0.63	1/2-14	0.63	0.25	1.31
B-9100-12-12	0.75	3/4-14	0.75	0.25	1.31
B-9100-16-16	1.00	1-11 1/2	1.00	0.31	1.50
B-9100-20-20	1.25	1 1/4-11 1/2	1.25	0.31	1.62
B-9100-24-24	1.50	1 1/2-11 1/2	1.50	0.31	1.68



B-9130 SERIES




BRAZE FEMALE TEE (NON STANDARD)

PART NO.	<u>O.D.</u>	DIM A	DIM B	<u>DIM C</u>	DIM D	DIM E	DIM F
B-9130-04-04-04	0.25	0.25	0.25	0.25	0.12	0.31	0.62
B-9130-06-06-06	0.38	0.38	0.38	0.38	0.14	0.40	0.80
B-9130-08-08-08	0.50	0.50	0.50	0.50	0.16	0.50	1.00
B-9130-10-10-10	0.63	0.63	0.63	0.63	0.20	0.56	1.12
B-9130-12-12-12	0.75	0.75	0.75	0.75	0.21	0.68	1.37
B-9130-16-16-16	1.00	1.00	1.00	1.00	0.24	0.87	1.75
B-9130-20-20-20	1.25	1.25	1.25	1.25	0.30	1.00	2.00
B-9130-24-24-24	1.50	1.50	1.50	1.50	0.30	1.18	2.37
B-9130-32-32-32	2.00	2.00	2.00	2.00	0.35	1.43	2.87



B-9190 SERIES




BRAZE FEMALE O'RING BOSS 90 DEGREE ELBOW

(NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C	DIM D
B-9190-04-04	0.25	7/16-20	0.25	0.12	1.23
B-9190-06-06	0.38	9/16-18	0.38	0.14	1.42
B-9190-08-06	0.50	3/4-16	0.38	0.16	1.42
B-9190-08-08	0.50	3/4-16	0.50	0.20	1.64
B-9190-10-08	0.63	7/8-14	0.50	0.21	1.64
B-9190-12-12	0.75	1 1/16-12	0.75	0.24	1.89
B-9190-16-16	1.00	1 5/16-12	1.00	0.30	2.17
B-9190-20-20	1.25	1 5/8-12	1.25	0.30	2.33
B-9190-24-24	1.50	1 7/8-12	1.50	0.35	2.89



FLARELESS FITTINGS **FL-100 SERIES**




THREAD A

THREAD B

FLARELESS MALE CONNECTOR (080102)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>
FL-100-04-02	0.25	7/16-20	1/8-27	1.12
FL-100-04-04	0.25	7/16-20	1/4-18	1.32
FL-100-06-04	0.38	9/16-18	1/4-18	1.34
FL-100-06-06	0.38	9/16-18	3/8-18	1.35
FL-100-08-06	0.50	3/4-16	3/8-18	1.44
FL-100-08-08	0.50	3/4-16	1/2-14	1.69
FL-100-10-08	0.63	7/8-14	1/2-14	1.75
FL-100-12-12	0.75	1 1/16-12	3/4-14	1.88
FL-100-16-12	1.00	1 5/16-12	3/4-14	1.88
FL-100-16-16	1.00	1 5/16-12	1-11 1/2	2.07
FL-100-20-20	1.25	1 5/8-12	1 1/4-11 1/2	2.18
FL-100-24-24	1.50	1 7/8-12	1 1/2-11 1/2	2.28
FL-100-32-32	2.00	2 1/2-12	2-11 1/2	2.46






FLARELESS MALE RUN TEE

2			(000424)				
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
FL-120-04-04-02	0.25	7/16-20	7/16-20	1/8-27	0.89	0.78	0.89
FL-120-04-04-04	0.25	7/16-20	7/16-20	1/4-18	1.03	1.09	1.03
FL-120-05-05-02	0.31	1/2-20	1/2-20	1/8-27	0.95	0.81	0.95
FL-120-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.05	1.09	1.05
FL-120-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.25	1.22	1.25
FL-120-08-08-08	0.50	3/4-16	3/4-16	1/2-14	1.35	1.47	1.35
FL-120-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.42	1.47	1.42
FL-120-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.58	1.59	1.58
FL-120-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1.73	1.97	1.73

(080424)



FL-130 SERIES




FLARELESS MALE BRANCH TEE

(080425)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
FL-130-04-04-02	0.25	7/16-20	7/16-20	1/8-27	0.89	0.78
FL-130-04-04-04	0.25	7/16-20	7/16-20	1/4-18	1.03	1.09
FL-130-05-05-02	0.31	1/2-20	1/2-20	1/8-27	0.95	0.78
FL-130-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.05	1.09
FL-130-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.25	1.22
FL-130-08-08-08	0.50	3/4-16	3/4-16	1/2-14	1.35	1.47
FL-130-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.42	1.47
FL-130-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.58	1.59
FL-130-14-14-12	0.88	1 3/16-12	1 3/16-12	3/4-14	1.66	1.66
FL-130-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1.73	1.97
FL-130-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	1.89	2.38
FL-130-24-24-24	1.50	1 7/8-12	1 7/8-12	1 1/2-11 1/2	2.02	2.64
FL-130-32-32-32	2.00	2 1/2-12	2 1/2-12	2-11 1/2	2.45	3.00






FL-145 SERIES

FLARELESS 45 DEGREE MALE ELBOW (080302)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
FL-145-04-02	0.25	7/16-20	1/8-27	0.70	0.64
FL-145-04-04	0.25	7/16-20	1/4-18	0.83	0.86
FL-145-05-02	0.31	1/2-20	1/8-27	0.75	0.64
FL-145-06-04	0.38	9/16-18	1/4-18	0.83	0.86
FL-145-08-06	0.50	3/4-16	3/8-18	0.98	0.95
FL-145-10-08	0.63	7/8-14	1/2-14	1.08	1.17
FL-145-12-12	0.75	1 1/16-12	3/4-14	1.27	1.20
FL-145-14-12	0.88	1 3/16-12	3/4-14	1.34	1.30
FL-145-16-16	1.00	1 5/16-12	1-11 1/2	1.36	1.48
FL-145-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1.45	1.67
FL-145-24-24	1.50	1 7/8-12	1 1/2-11 1/2	1.52	1.77
FL-145-32-32	2.00	2 1/2-12	2-11 1/2	1.83	2.11



FL-190 SERIES




FLARELESS 90 DEGREE MALE ELBOW (080202)

		(000)			
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C	<u>DIM D</u>
FL-190-02-02	0.13	5/16-24	1/8-27	0.77	0.72
FL-190-03-02	0.19	3/8-24	1/8-27	0.83	0.72
FL-190-04-02	0.25	7/16-20	1/8-27	0.89	0.78
FL-190-04-04	0.25	7/16-20	1/4-18	1.03	1.09
FL-190-05-02	0.31	1/2-20	1/8-27	0.95	0.78
FL-190-05-04	0.31	1/2-20	1/8-27	1.03	1.09
FL-190-06-04	0.38	9/16-18	1/4-18	1.05	1.09
FL-190-06-02	0.38	9/16-18	1/8-27	1.05	0.90
FL-190-06-06	0.38	9/16-18	3/8-18	1.14	1.22
FL-190-06-08	0.38	9/16-18	1/2-14	1.24	1.47
FL-190-08-04	0.50	3/4-16	1/4-18	1.22	1.22
FL-190-08-06	0.50	3/4-16	3/8-18	1.25	1.22
FL-190-08-08	0.50	3/4-16	1/2-14	1.35	1.47
FL-190-10-06	0.63	7/8-14	3/8-18	1.42	1.28
FL-190-10-08	0.63	7/8-14	1/2-14	1.42	1.47
FL-190-12-12	0.75	1 1/16-12	3/4-14	1.58	1.59
FL-190-12-08	0.75	1 1/16-12	1/2-14	1.58	1.59
FL-190-14-12	0.88	1 3/16-12	3/4-14	1.66	1.69
FL-190-16-12	1.00	1 5/16-12	3/4-14	1.73	1.78
FL-190-16-16	1.00	1 5/16-12	1-11 1/2	1.73	1.97
FL-190-20-20	1.25	1 5/8-12	1 1/4-11 1/2	1.89	2.38
FL-190-24-24	1.50	1 7/8-12	1 1/2-11 1/2	2.02	2.64
FL-190-32-32	2.00	2 1/2-12	2-11 1/2	2.45	3.00



FL-200 SERIES




FLARELESS FEMALE CONNECTOR

(080103)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
FL-200-02-02	0.13	5/16-24	1/8-27	0.83
FL-200-04-02	0.25	7/16-20	1/8-27	1.09
FL-200-04-04	0.25	7/16-20	1/4-18	1.29
FL-200-05-02	0.31	1/2-20	1/8-27	1.08
FL-200-06-04	0.38	9/16-18	1/4-18	1.31
FL-200-06-06	0.38	9/16-18	3/8-18	1.34
FL-200-08-06	0.50	3/4-16	3/8-18	1.47
FL-200-08-04	0.50	3/4-16	1/4-18	1.47
FL-200-08-08	0.50	3/4-16	1/2-14	1.69
FL-200-10-08	0.63	7/8-14	1/2-14	1.77
FL-200-12-12	0.75	1 1/16-12	3/4-14	1.89
FL-200-14-12	0.88	1 3/16-12	3/4-14	1.86
FL-200-16-16	1.00	1 5/16-12	1-11 1/2	2.13
FL-200-20-20	1.25	1 5/8-12	1 1/4-11 1/2	2.22
FL-200-24-24	1.50	1 7/8-12	1 1/2-11 1/2	2.23
FL-200-32-32	2.00	2 1/2-12	2-11 1/2	2.31



FL-220 SERIES




FLARELESS FEMALE RUN TEE

/		11
-	L	
	t	420

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	<u>DIM D</u>	DIM E	<u>DIM F</u>
FL-220-04-04-02	0.25	7/16-20	7/16-20	1/8-27	0.89	0.66	0.89
FL-220-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.05	0.88	1.05
FL-220-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.23	1.02	1.23
FL-220-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.42	1.23	1.42
FL-220-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.58	1.36	1.58
FL-220-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1.73	1.62	1.73
FL-220-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	2.08	1.70	2.08
FL-220-24-24-24	1.50	1 7/8-12	1 7/8-12	1 1/2-11 1/2	2.58	2.08	2.58
FL-220-32-32-32	2.00	2 1/2-12	2 1/2-12	2-11 1/2	2.64	2.39	2.64



FL-230 SERIES




FLARELESS FEMALE BRANCH TEE

(080427)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
FL-230-04-04-02	0.25	7/16-20	7/16-20	1/8-27	0.89	0.66
FL-230-04-04-04	0.25	7/16-20	7/16-20	1/4-18	1.03	0.88
FL-230-06-06-04	0.38	9/16-18	9/16-18	1/4-18	1.05	0.88
FL-230-08-08-06	0.50	3/4-16	3/4-16	3/8-18	1.23	1.02
FL-230-10-10-08	0.63	7/8-14	7/8-14	1/2-14	1.42	1.23
FL-230-12-12-12	0.75	1 1/16-12	1 1/16-12	3/4-14	1.58	1.36
FL-230-16-16-16	1.00	1 5/16-12	1 5/16-12	1-11 1/2	1.73	1.62
FL-230-20-20-20	1.25	1 5/8-12	1 5/8-12	1 1/4-11 1/2	2.08	1.70
FL-230-24-24-24	1.50	1 7/8-12	1 7/8-12	1 1/2-11 1/2	2.58	2.08
FL-230-32-32-32	2.00	2 1/2-12	2 1/2-12	2-11 1/2	2.64	2.39
DESIGN AND DIMENSION SUB.	ECT TO CHA	NGE WITHOUT NOTICE.				



FL-290 SERIES




FLARELESS 90 DEGREE FEMALE ELBOW (080203)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
FL-290-04-02	0.25	7/16-20	1/8-27	0.66	0.89
FL-290-04-04	0.25	7/16-20	1/4-18	0.88	1.03
FL-290-05-02	0.31	1/2-20	1/8-27	0.66	0.95
FL-290-06-04	0.38	9/16-18	1/4-18	0.88	1.05
FL-290-06-06	0.38	9/16-18	3/8-18	1.02	1.12
FL-290-08-06	0.50	3/4-16	3/8-18	1.02	1.23
FL-290-08-08	0.50	3/4-16	1/2-14	1.23	1.35
FL-290-10-08	0.63	7/8-14	1/2-14	1.23	1.42
FL-290-12-12	0.75	1 1/16-12	3/4-14	1.36	1.58
FL-290-14-12	0.88	1 3/16-12	3/4-14	1.42	1.62
FL-290-16-16	1.00	1 5/16-12	1-11 1/2	1.62	1.73



FL-400SH SERIES




FLARELESS UNION (080101)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
FL-400SH-02-02	0.13	5/16-24	5/16-24	1.02
FL-400SH-03-03	0.19	3/8-24	3/8-24	1.11
FL-400SH-04-04	0.25	7/16-20	7/16-20	1.09
FL-400SH-05-05	0.31	1/2-20	1/2-20	1.19
FL-400SH-06-06	0.38	9/16-18	9/16-18	1.24
FL-400SH-08-08	0.50	3/4-16	3/4-16	1.42
FL-400SH-10-10	0.63	7/8-14	7/8-14	1.61
FL-400SH-12-12	0.75	1 1/16-12	1 1/16-12	1.81
FL-400SH-14-14	0.88	1 3/16-12	1 3/16-12	1.81
FL-400SH-16-16	1.00	1 5/16-12	1 5/16-12	1.81
FL-400SH-20-20	1.25	1 5/8-12	1 5/8-12	1.89
FL-400SH-24-24	1.50	1 7/8-12	1 7/8-12	1.96
FL-400SH-32-32	2.00	2 1/2-12	2 1/2-12	2.11




FL-410LH SERIES



FLARELESS LARGE HEX UNION (080119)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C
FL-410LH-04-04	0.25	7/16-20	7/16-20	1.19
FL-410LH-06-06	0.38	9/16-18	9/16-18	1.23
FL-410LH-08-08	0.50	3/4-16	3/4-16	1.42
FL-410LH-10-10	0.63	7/8-14	7/8-14	1.61
FL-410LH-12-12	0.75	1 1/16-12	1 1/16-12	1.81
FL-410LH-16-16	1.00	1 5/16-12	1 5/16-12	1.81
FL-410LH-20-20	1.25	1 5/8-12	1 5/8-12	1.89
FL-410LH-24-24	1.50	1 7/8-12	1 7/8-12	1.96
FL-410LH-32-32	2.00	2 1/2-12	2 1/2-12	2.11






FLARELESS UNION TEE (080401)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
FL-430-02-02-02	0.13	5/16-24	5/16-24	5/16-24	0.77	1.54
FL-430-03-03-03	0.19	3/8-24	3/8-24	3/8-24	0.84	1.68
FL-430-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	1.78
FL-430-05-05-05	0.31	1/2-20	1/2-20	1/2-20	0.95	1.90
FL-430-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.05	2.10
FL-430-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.25	2.50
FL-430-08-08-06	0.50	3/4-16	3/4-16	9/16-18	1.25	2.50
FL-430-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.42	2.84
FL-430-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.58	3.16
FL-430-14-14-14	0.88	1 3/16-12	1 3/16-12	1 3/16-12	1.66	3.32
FL-430-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.73	3.46
FL-430-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	1.89	3.78
FL-430-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.02	4.04
FL-430-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	2.45	4.90






FLARELESS UNION CROSS

(080501)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	THREAD D	DIM E	DIM F
FL-440-04-04-04-04	0.25	7/16-20	7/16-20	7/16-20	7/16-20	0.89	1.78
FL-440-06-06-06-06	0.38	9/16-18	9/16-18	9/16-18	9/16-18	1.05	2.10
FL-440-08-08-08-08	0.50	3/4-16	3/4-16	3/4-16	3/4-16	1.25	2.50
FL-440-10-10-10-10	0.63	7/8-14	7/8-14	7/8-14	7/8-14	1.42	2.84
FL-440-12-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1 1/16-12	1.58	3.16
FL-440-16-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1 5/16-12	1.73	3.46
FL-440-20-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	1 5/8-12	1.89	3.78
FL-440-24-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	1 7/8-12	2.02	4.04
FL-440-32-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	2 1/2-12	2.45	4.90



FL-490 SERIES




FLARELESS 90 DEGREE UNION ELBOW (080201)

					· · · · · · · · · · · · · · · · · · ·
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	<u>DIM D</u>
FL-490-04-04	0.25	7/16-20	7/16-20	0.89	0.89
FL-490-05-05	0.31	1/2-20	1/2-20	0.95	0.95
FL-490-06-06	0.38	9/16-18	9/16-18	1.05	1.05
FL-490-08-08	0.50	3/4-16	3/4-16	1.25	1.25
FL-490-10-10	0.63	7/8-14	7/8-14	1.42	1.42
FL-490-12-12	0.75	1 1/16-12	1 1/16-12	1.58	1.58
FL-490-14-14	0.88	1 3/16-12	1 3/16-12	1.62	1.62
FL-490-16-16	1.00	1 5/16-12	1 5/16-12	1.73	1.73
FL-490-20-20	1.25	1 5/8-12	1 5/8-12	1.89	1.89
FL-490-24-24	1.50	1 7/8-12	1 7/8-12	2.02	2.02
FL-490-32-32	2.00	2 1/2-12	2 1/2-12	2.45	2.45



FL-510 SERIES




FLARELESS HEX HEAD O'RING PLUG

(090109A)

Children and the second s			
PART NO.	<u>O.D.</u>	THREAD A	DIM B
FL-510-02	0.13	5/16-24	0.60
FL-510-04	0.25	7/16-20	0.71
FL-510-05	0.31	1/2-20	0.71
FL-510-06	0.38	9/16-18	0.75
FL-510-08	0.50	3/4-16	0.85
FL-510-10	0.63	7/8-14	0.97
FL-510-12	0.75	1 1/16-12	1.09
FL-510-14	0.88	1 3/16-12	1.09
FL-510-16	1.00	1 5/16-12	1.12
FL-510-20	1.25	1 5/8-12	1.20
FL-510-24	1.50	1 7/8-12	1.27
FL-510-32	2.00	2 1/2-12	1.43

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

FL-520 SERIES




FLARELESS CAP (080112)

PART NO.	<u>O.D.</u>	TH	IREAD A	DIM B
FL-520-04	0.25		7/16-20	0.70
FL-520-06	0.38		9/16-18	0.75
FL-520-08	0.50		3/4-16	0.84
FL-520-10	0.63		7/8-14	0.92
FL-520-12	0.75	1	1/16-12	0.97
FL-520-16	1.00	1	5/16-12	1.05
FL-520-20	1.25	1	5/8-12	1.05



FL-700 SERIES




FLARELESS STRAIGHT THREAD O'RING MALE CONNECTOR (080120)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>
FL-700-03-03	0.19	3/8-24	3/8-24	1.04
FL-700-04-04	0.25	7/16-20	7/16-20	1.13
FL-700-04-05	0.25	7/16-20	1/2-20	1.13
FL-700-04-06	0.25	7/16-20	9/16-18	1.19
FL-700-05-05	0.31	1/2-20	1/2-20	1.13
FL-700-06-06	0.38	9/16-18	9/16-18	1.21
FL-700-06-08	0.38	9/16-18	3/4-16	1.28
FL-700-08-08	0.50	3/4-16	3/4-16	1.38
FL-700-08-10	0.50	3/4-16	7/8-14	1.50
FL-700-08-12	0.50	3/4-16	1 1/16-12	1.67
FL-700-10-10	0.63	7/8-14	7/8-14	1.57
FL-700-12-12	0.75	1 1/16-12	1 1/16-12	1.79
FL-700-12-16	0.75	1 1/16-12	1 5/16-12	1.79
FL-700-16-12	1.00	1 5/16-12	1 1/16-12	1.82
FL-700-16-16	1.00	1 5/16-12	1 5/16-12	1.82
FL-700-20-20	1.25	1 5/8-12	1 5/8-12	1.90
FL-700-24-24	1.50	1 7/8-12	1 7/8-12	1.97
FL-700-32-32	2.00	2 1/2-12	2 1/2-12	2.13



FL-720 SERIES




FLARELESS STRAIGHT THREAD O'RING RUN TEE (080428)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E	DIM F
FL-720-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	0.89	1.03
FL-720-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.05	1.05	1.25
FL-720-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.25	1.25	1.45
FL-720-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.42	1.42	1.70
FL-720-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.58	1.58	1.94
FL-720-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.73	1.73	2.05
FL-720-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	1.89	1.89	2.25
FL-720-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.02	2.02	2.39
FL-720-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	2.45	2.45	2.89



FL-730 SERIES




FLARELESS STRAIGHT THREAD O'RING BRANCH TEE (080429)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	THREAD C	DIM D	DIM E
FL-730-04-04-04	0.25	7/16-20	7/16-20	7/16-20	0.89	1.03
FL-730-06-06-06	0.38	9/16-18	9/16-18	9/16-18	1.05	1.25
FL-730-08-08-08	0.50	3/4-16	3/4-16	3/4-16	1.27	1.45
FL-730-10-10-10	0.63	7/8-14	7/8-14	7/8-14	1.42	1.70
FL-730-12-12-12	0.75	1 1/16-12	1 1/16-12	1 1/16-12	1.58	1.94
FL-730-16-16-16	1.00	1 5/16-12	1 5/16-12	1 5/16-12	1.73	2.05
FL-730-20-20-20	1.25	1 5/8-12	1 5/8-12	1 5/8-12	1.89	2.25
FL-730-24-24-24	1.50	1 7/8-12	1 7/8-12	1 7/8-12	2.02	2.39
FL-730-32-32-32	2.00	2 1/2-12	2 1/2-12	2 1/2-12	2.45	2.89



FL-745 SERIES




FLARELESS STRAIGHT THREAD O'RING 45 DEGREE ELBOW (080320)

0.25 0.38	7/16-20 9/16-18	7/16-20 9/16-18	0.70	1.05
	9/16-18	9/16-18		
		7/10-10	0.83	1.14
0.50	3/4-16	3/4-16	0.98	1.30
0.63	7/8-14	7/8-14	1.08	1.52
0.75	1 1/16-12	1 1/16-12	1.27	1.73
1.00	1 5/16-12	1 5/16-12	1.36	1.86
1.25	1 5/8-12	1 5/8-12	1.45	1.91
1.50	1 7/8-12	1 7/8-12	1.52	1.91
2.00	2 1/2-12	2 1/2-12	1.83	1.86
	0.63 0.75 1.00 1.25 1.50 2.00	0.63 7/8-14 0.75 1 1/16-12 1.00 1 5/16-12 1.25 1 5/8-12 1.50 1 7/8-12	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$



FL-790 SERIES




FLARELESS 90 DEGREE STRAIGHT THREAD O'RING ELBOW (080220)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	<u>DIM C</u>	DIM D
FL-790-04-04	0.25	7/16-20	7/16-20	0.89	1.03
FL-790-05-05	0.31	1/2-20	1/2-20	0.97	1.09
FL-790-06-06	0.38	9/16-18	9/16-18	1.05	1.25
FL-790-08-08	0.50	3/4-16	3/4-16	1.27	1.45
FL-790-10-10	0.63	7/8-14	7/8-14	1.42	1.70
FL-790-12-12	0.75	1 1/16-12	1 1/16-12	1.58	1.94
FL-790-16-16	1.00	1 5/16-12	1 5/16-12	1.73	2.05
FL-790-20-20	1.25	1 5/8-12	1 5/8-12	1.89	2.05
FL-790-24-24	1.50	1 7/8-12	1 7/8-12	2.02	2.39
FL-790-32-32	2.00	2 1/2-12	2 1/2-12	2.45	2.89



FL-1000 SERIES



FLARELESS BULKHEAD UNION (080601)


(000001)									
PART NO.	<u>O.D.</u>	THREAD A	THREAD B	DIM C					
FL-1000-04-04	0.25	7/16-20	7/16-20	1.89					
FL-1000-06-06	0.38	9/16-18	9/16-18	1.98					
FL-1000-08-08	0.50	3/4-16	3/4-16	2.22					
FL-1000-10-10	0.63	7/8-14	7/8-14	2.48					
FL-1000-12-12	0.75	1 1/16-12	1 1/16-12	2.72					
FL-1000-16-16	1.00	1 5/16-12	1 5/16-12	2.77					
FL-1000-20-20	1.25	1 5/8-12	1 5/8-12	2.80					
FL-1000-24-24	1.50	1 7/8-12	1 7/8-12	2.87					
FL-1000-32-32	2.00	2 1/2-12	2 1/2-12	3.23					



FLARELESS NUT (080110)

PART NO.	<u>O.D.</u>	THREAD A	DIM B	DIM C
FL-1801-02	0.13	5/16-24	0.13	0.53
FL-1801-03	0.19	3/8-24	0.20	0.61
FL-1801-04	0.25	7/16-20	0.26	0.70
FL-1801-05	0.31	1/2-20	0.32	0.72
FL-1801-06	0.38	9/16-18	0.38	0.75
FL-1801-08	0.50	3/4-16	0.51	0.84
FL-1801-10	0.63	7/8-14	0.63	0.92
FL-1801-12	0.75	1 1/16-12	0.76	0.97
FL-1801-14	0.88	1 3/16-12	0.88	1.00
FL-1801-16	1.00	1 5/16-12	1.01	1.05
FL-1801-20	1.25	1 5/8-12	1.26	1.05
FL-1801-24	1.50	1 7/8-12	1.51	1.03
FL-1801-32	2.00	2 1/2-12	2.01	1.12

FL-1801 SERIES




FLARELESS FERRULE

(080115A)


PART NO.	<u>O.D.</u>	DIM A
FL-1802-02	0.13	0.29
FL-1802-03	0.19	0.28
FL-1802-04	0.25	0.34
FL-1802-05	0.31	0.34
FL-1802-06	0.38	0.38
FL-1802-08	0.50	0.38
FL-1802-10	0.63	0.42
FL-1802-12	0.75	0.42
FL-1802-14	0.88	0.42
FL-1802-16	1.00	0.42
FL-1802-20	1.25	0.42
FL-1802-24	1.50	0.42
FL-1802-32	2.00	0.45

FL-1802 SERIES





FL-1805 SERIES




FLARELESS BULKHEAD NUT

1000	1	1	2)	
(080	T	T	0)	

PART NO.	<u>O.D.</u>	THREAD A	HEX B	DIM C
FL-1805-04	0.25	7/16-20	0.69	0.25
FL-1805-06	0.38	9/16-18	0.81	0.27
FL-1805-08	0.50	3/4-16	1.00	0.31
FL-1805-10	0.63	7/8-14	1.13	0.36
FL-1805-12	0.75	1 1/16-12	1.38	0.41
FL-1805-16	1.00	1 5/16-12	1.63	0.41
FL-1805-20	1.25	1 5/8-12	1.88	0.41
FL-1805-24	1.50	1 7/8-12	2.13	0.41
FL-1805-32	2.00	2 1/2-12	2.75	0.41



CYLINDER FITTINGS SW-100 SERIES




STUD WELD FITTING STRAIGHT MALE FLARE TO STUD (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	STUD SIZE	DIM B	AFTER WELD B
SW-100-06	0.38	9/16-18	0.50	0.94	0.81
SW-100-08	0.50	3/4-16	0.63	1.15	1.02
SW-100-10	0.63	7/8-14	0.88	3.40	3.25



SW-190 SERIES




STUD WELD FITTING 90 DEGREE MALE FLARE TO STUD (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	STUD SIZE	<u>DIM C</u>	<u>DIM D</u>	AFTER WELD D
SW-190-06	0.38	9/16-18	3/8-24	0.50	0.88	0.75	0.58
SW-190-08	0.50	3/4-16	9/16-18	0.63	1.09	0.94	0.84
SW-190-10	0.63	7/8-14	9/16-18	0.88	1.39	1.39	0.98

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

SW-190L SERIES



STUD WELD FITTING 90 DEGREE LONG MALE FLARE TO STUD

(NON STANDARD)


PART NO.	<u>O.D.</u>	THREAD A	THREAD B	STUD SIZE	<u>DIM C</u>	<u>DIM D</u>	AFTER WELD D
SW-190L-06	0.38	9/16-18	3/8-24	0.50	0.88	1.37	1.20
SW-190L-08	0.50	3/4-16	9/16-18	0.63	1.09	2.17	2.00
SW-190L-10	0.63	7/8-14	9/16-18	0.88	1.39	2.22	2.06

DESIGN AND DIMENSION SUBJECT TO CHANGE WITHOUT NOTICE.

©1998, 2019 Piper Industries, Inc.



SW-200 SERIES




STUD WELD FITTING STRAIGHT FEMALE O'RING PORT TO STUD (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	STUD SIZE	DIM B	AFTER WELD B
SW-200-08	0.50	3/4-16	.625	1.44	1.32




SW-290 SERIES



STUD WELD FITTING 90 DEGREE FEMALE O'RING BOSS TO STUD (NON STANDARD)

PART NO.	<u>O.D.</u>	THREAD A	THREAD B	STUD SIZE	<u>DIM C</u>	<u>DIM D</u>	AFTER WELD D
SW-290-04	0.25	7/16-20	5/16-24	0.50	0.88	0.81	0.71
SW-290-06	0.38	9/16-18	7/16-20	0.63	0.94	0.94	0.84
SW-290-10	0.63	7/8-14	7/16-20	0.63	1.19	1.06	0.94






FEMALE PIPE THREAD

A Female NPTF	B Full Thread		C Hole ameter		D Degree ntersink
		Min.	Max.	Min.	Max.
1/8-27	0.31	0.331	0.335	0.406	0.422
1/4-18	0.47	0.429	0.433	0.547	0.563
3/8-18	0.50	0.569	0.573	0.672	0.688
1/2-14	0.66	0.695	0.699	0.844	0.859
3/4-14	0.66	0.905	0.909	1.047	1.063
1-11 1/2	0.78	1.139	1.143	1.313	1.328
1 1/4-11 1/2	0.81	1.483	1.487	1.656	1.672
1 1/2-11 1/2	0.81	1.717	1.721	1.906	1.922
2-11 1/2	0.81	2.202	2.206	2.375	2.391






	В	C			D		E		F				
U.N.F2A	Full	Nose		I I	Hole		lose	Diameter					
Straight	Thread	L	ength	Dia	ameter	Dia	meter						
Thread		Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.				
5/16-24	0.43	0.177	0.192	0.059	0.065	0.080	0.086	0.240	0.245				
3/8-24	0.46	0.177	0.192	0.122	0.128	0.143	0.149	0.302	0.307				
7/16-20	0.54	0.193	0.208	0.169	0.175	0.190	0.196	0.354	0.359				
1/2-20	0.54	0.193	0.208	0.231	0.237	0.252	0.258	0.416	0.421				
9/16-18	0.54	0.198	0.213	0.293	0.301	0.315	0.321	0.471	0.476				
3/4-16	0.64	0.253	0.268	0.387	0.395	0.423	0.429	0.649	0.654				
7/8-14	0.74	0.266	0.281	0.480	0.488	0.536	0.542	0.762	0.767				
1 1/16-12	0.85	0.315	0.330	0.604	0.614	0.661	0.667	0.933	0.938				
1 3/16-12	0.88	0.315	0.330	0.713	0.723	0.785	0.791	1.058	1.063				
1 5/16-12	0.90	0.315	0.330	0.839	0.851	0.910	0.916	1.183	1.188				
1 5/8-12	0.94	0.367	0.382	1.073	1.086	1.144	1.150	1.496	1.501				
1 7/8-12	1.07	0.378	0.393	1.307	1.320	1.378	1.384	1.745	1.750				
2 1/2-12	1.32	0.461	0.476	1.776	1.791	1.877	1.883	2.370	2.375				

J.I.C.-37 DEGRÉE-SAE FLARE







MALE O'RING BOSS

Α	B		(C D)	E		F		G	
U.N.F2A	End to		Groove		Hole		Chamfer		Chamfer		Groove	
Thread	Hexa		Wi	dth	Diameter		Diameter		Diameter		Diameter	
-	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
5/16-24	0.292	0.302	0.063	0.078	0.059	0.065	0.245	0.255	0.433	0.443	0.247	0.252
3/8-24	0.292	0.302	0.063	0.078	0.122	0.128	0.305	0.315	0.495	0.505	0.310	0.315
7/16-20	0.355	0.365	0.075	0.090	0.169	0.175	0.360	0.370	0.558	0.568	0.361	0.366
1/2-20	0.355	0.365	0.075	0.090	0.231	0.237	0.420	0.430	0.620	0.630	0.424	0.429
9/16-18	0.386	0.396	0.083	0.098	0.293	0.301	0.475	0.485	0.683	0.693	0.479	0.484
3/4-16	0.433	0.443	0.094	0.109	0.387	0.395	0.655	0.665	0.870	0.880	0.657	0.662
7/8-14	0.495	0.505	0.107	0.122	0.480	0.488	0.770	0.780	0.995	1.005	0.770	0.775
1 1/16-12	0.589	0.599	0.125	0.140	0.604	0.614	0.940	0.950	1.245	1.255	0.942	0.947
1 3/16-12	0.589	0.599	0.125	0.140	0.713	0.723	1.065	1.075	1.370	1.380	1.067	1.072
1 5/16-12	0.589	0.599	0.125	0.140	0.839	0.851	1.190	1.200	1.495	1.505	1.192	1.197
1 5/8-12	0.589	0.599	0.125	0.140	1.073	1.086	1.500	1.510	1.870	1.880	1.504	1.509
1 7/8-12	0.589	0.599	0.125	0.140	1.307	1.320	1.750	1.760	2.120	2.130	1.753	1.758
2 1/2-12	0.589	0.599	0.125	0.140	1.776	1.791	2.375	2.385	2.745	2.755	2.378	2.383








THREAD A NOTE: TIGHT SLIP FIT FOR WASHER .0005 MAXIMUM CLEARANCE

ADJUSTABLE STRAIGHT THREAD

A	В		C		D		E		F		G	
U.N.F2A	Full		Full		Hole		Chamfer		Groove		Groove	
Thread		read	Thr	ead	Diameter		Diameter		Width		Diar	neter
	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
5/16-24	0.59	0.63	0.229	0.239	0.059	0.065	0.245	0.255	0.125	0.135	0.247	0.252
3/8-24	0.59	0.63	0.229	0.239	0.122	0.128	0.305	0.315	0.131	0.141	0.310	0.315
7/16-20	0.68	0.72	0.276	0.286	0.169	0.175	0.360	0.370	0.140	0.150	0.361	0.366
1/2-20	0.68	0.72	0.276	0.286	0.231	0.237	0.420	0.430	0.140	0.150	0.424	0.429
9/16-18	0.75	0.79	0.307	0.317	0.293	0.301	0.475	0.485	0.156	0.166	0.479	0.484
3/4-16	0.86	0.90	0.339	0.349	0.387	0.395	0.655	0.665	0.187	0.197	0.657	0.662
7/8-14	1.00	1.04	0.386	0.396	0.480	0.488	0.770	0.780	0.219	0.229	0.770	0.775
1 1/16-12	1.14	1.18	0.464	0.474	0.604	0.614	0.940	0.950	0.234	0.244	0.942	0.947
1 3/16-12	1.14	1.18	0.464	0.474	0.713	0.723	1.065	1.075	0.234	0.244	1.067	1.072
1 5/16-12	1.14	1.18	0.464	0.474	0.839	0.851	1.190	1.200	0.234	0.244	1.192	1.197
1 5/8-12	1.14	1.18	0.464	0.474	1.073	1.086	1.500	1.510	0.234	0.244	1.504	1.509
1 7/8-12	1.14	1.18	0.464	0.474	1.307	1.320	1.750	1.760	0.234	0.244	1.753	1.758
2 1/2-12	1.14	1.18	0.464	0.474	1.776	1.791	2.375	2.385	0.234	0.244	2.378	2.383







FEMALE O'RING BOSS

Α	B	С]	D	Ε	F	G]	H	I		J
Female	Hole	Full	S	eat	Diameter	Drill	Spot-	Counterbore		Spot-	Seat	
U.N.F2B	Diameter	Thread	100425 - 39289	pth		Depth	Face	Dia	neter	Face		ngle
	Min.	Min.	Min.	Max.	Min.	Min.	Max.	Min.	Max.	Diameter	Min.	Max.
5/16-24	0.06	0.39	.076	.089	0.43	0.47	0.062	0.359	0.361	0.67	11	13
3/8-24	0.14	0.39	.076	.089	0.52	0.47	0.062	0.422	0.424	0.75	11	13
7/16-20	0.18	0.45	.095	.109	0.59	0.55	0.062	0.489	0.491	0.83	11	13
1/2-20	0.24	0.45	.095	.109	0.63	0.55	0.062	0.552	0.554	0.91	11	13
9/16-18	0.30	0.50	.099	.113	0.71	0.61	0.062	0.617	0.619	0.98	11	13
3/4-16	0.39	0.56	.099	.113	0.87	0.69	0.094	0.811	0.813	1.18	14	16
7/8-14	0.49	0.66	.099	.113	1.02	0.79	0.094	0.943	0.945	1.34	14	16
1 1/16-12	0.63	0.75	.130	.144	1.26	0.91	0.094	1.148	1.150	1.61	14	16
1 3/16-12	0.71	0.75	.130	.144	1.38	0.91	0.094	1.274	1.276	1.77	14	16
1 5/16-12	0.83	0.75	.130	.144	1.50	0.91	0.134	1.398	1.400	1.93	14	16
1 5/8-12	1.06	0.75	.130	.144	1.89	0.91	0.134	1.713	1.715	2.28	14	16
1 7/8-12	1.30	0.75	.130	.144	2.13	0.91	0.134	1.963	1.965	2.56	14	16
2 1/2-12	1.77	0.75	.130	.144	2.76	0.91	0.134	2.587	2.589	3.46	14	16







Α	B		С	C ₁		D		E		F	
				Optional						Optional	
NPTF	Th	read	Hole	Hole		Chamfer		O.D.		Seat	
Male	Le	ngth	Diameter	Diar	neter	Dia	neter	At Sm	all End	Diar	neter
Thread	Min.	Max.	Drill	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
1/8-27	0.38	0.41	0.19	0.110	0.190	0.313	0.328	0.393	0.396	0.271	0.291
1/4-18	0.56	0.59	0.28	0.210	0.230	0.406	0.422	0.523	0.526	0.334	0.354
3/8-18	0.56	0.59	0.41	0.320	0.360	0.547	0.563	0.658	0.661	0.459	0.479
1/2-14	0.75	0.78	0.53	0.440	0.480	0.672	0.688	0.820	0.823	0.615	0.635
3/4-14	0.75	0.78	0.72	0.610	0.660	0.891	0.906	1.029	1.032	0.803	0.823
1-11 1/2	0.94	0.97	0.94	0.780	0.880	1.109	1.125	1.289	1.292	1.021	1.041
1 1/4-11 1/2	0.97	1.00	1.25	1.010	1.160	1.453	1.469	1.633	1.636	1.334	1.354
1 1/2-11 1/2	1.00	1.03	1.50	1.250	1.380	1.672	1.688	1.872	1.875	1.553	1.573
2-11 1/2	1.03	1.06	1.94	1.720	1.880	2.141	2.156	2.345	2.348	2.053	2.073

MALE PIPE THREAD